

# Stanford Health Care Advantage

## 2020 Formulary

### List of Covered Drugs



#### **PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN**

00020019, 19

This formulary was updated on 10/01/2020. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through March 31 and Monday through Friday (except holidays) from April 1 through September 30, or visit [StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org).

## 2020 Comprehensive Formulary

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Stanford Health Care Advantage (HMO). When it refers to “plan” or “our plan,” it means Stanford Health Care Advantage Platinum or Stanford Health Care Advantage Gold.

This document includes a list of the drugs (formulary) for our plan which is current as of October 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

## TABLE OF CONTENTS

<b>WHAT IS THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?</b> .....	III
<b>CAN THE FORMULARY (DRUG LIST) CHANGE?</b> .....	III
<b>HOW DO I USE THE FORMULARY?</b> .....	IV
MEDICAL CONDITION .....	IV
ALPHABETICAL LISTING .....	IV
<b>WHAT ARE GENERIC DRUGS?</b> .....	IV
<b>ARE THERE ANY RESTRICTIONS ON MY COVERAGE?</b> .....	V
<b>WHAT IF MY DRUG IS NOT ON THE FORMULARY?</b> .....	V
<b>HOW DO I REQUEST AN EXCEPTION TO THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?</b> .....	VI
<b>WHAT DO I DO BEFORE I CAN TALK TO MY DOCTOR ABOUT CHANGING MY DRUGS OR REQUESTING AN EXCEPTION?</b> .....	VI
<b>FOR MORE INFORMATION.....</b>	VII
<b>STANFORD HEALTH CARE ADVANTAGE (HMO)'S FORMULARY</b> .....	VII

## What is the Stanford Health Care Advantage (HMO) Formulary?

A formulary is a list of covered drugs selected by Stanford Health Care Advantage (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Stanford Health Care Advantage (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Stanford Health Care Advantage (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at

the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of 10/1/2020. To get updated information about the drugs covered by Stanford Health Care Advantage (HMO) please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1 below. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Stanford Health Care Advantage (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Stanford Health Care Advantage (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Stanford Health Care Advantage (HMO) before you fill your prescriptions. If you don't get approval, Stanford Health Care Advantage (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that Stanford Health Care Advantage (HMO) will cover. For example, Stanford Health Care Advantage (HMO) provides 30 per prescription for SILENOR. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Stanford Health Care Advantage (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Stanford Health Care Advantage (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Stanford Health Care Advantage (HMO) will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Stanford Health Care Advantage (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Stanford Health Care Advantage (HMO) formulary?" on page VI for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Stanford Health Care Advantage (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Stanford Health Care Advantage (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Stanford Health Care Advantage (HMO).

- You can ask Stanford Health Care Advantage (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?**

You can ask Stanford Health Care Advantage (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Stanford Health Care Advantage (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor

## 2020 Comprehensive Formulary

to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

In circumstances where you are changing from one treatment setting to another, Stanford Health Care Advantage (HMO) will ensure a transition process for approving non-formulary Part D drugs. This process shall also apply to formulary Part D drugs that require prior authorization or step-therapy.

Examples of level of care changes include: you are discharged from a hospital to a home; you end your skilled nursing facility Medicare Part A stay and need to revert to your Part D plan formulary; you end a long-term care facility stay and return to the community; and, you are discharged from psychiatric hospitals with medication regimens that are highly individualized.

The pharmacy benefit manager for Stanford Health Care Advantage (HMO) will provide pharmacies with access to representatives of the plan who have the ability to override pharmacy claims processing issues. This access will allow pharmacies to obtain prescription claims overrides at the point-of-sale and ensure that members receive reliable access to medications.

## For more information

For more detailed information about your Stanford Health Care Advantage (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Stanford Health Care Advantage (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Stanford Health Care Advantage (HMO)'s Formulary

The formulary below provides coverage information about the drugs covered by Stanford Health Care Advantage (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

## 2020 Comprehensive Formulary

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *doxazosin*).

The information in the Requirements/Limits column tells you if Stanford Health Care Advantage (HMO) has any special requirements for coverage of your drug.

The second column of the chart lists the drug tier. Every drug on the plan's Drug List is in one of six cost-sharing tiers. The tables on the below provide an explanation of each tier.

### Network Retail Pharmacy Drug Tier Copayment Levels

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$15
Tier 2 (NON-Preferred Generic)	\$15	\$45
Tier 3 (Preferred Brand)	\$47	\$141
Tier 4 (NON-Preferred Brand Name)	\$100	\$300
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$6

### Network Mail Order Drug Tier Copayment Levels

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$10
Tier 2 (NON-Preferred Generic)	\$15	\$30
Tier 3 (Preferred Brand)	\$47	\$94
Tier 4 (NON-Preferred Brand Name)	\$100	\$200
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$4

**The following Utilization Management abbreviations may be found within the body of this document**

#### **COVERAGE NOTES ABBREVIATIONS**

ABBREVIATION	DESCRIPTION	EXPLANATION
<b>Utilization Management Restrictions</b>		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) to determine whether this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Stanford Health Care Advantage (HMO) before filling your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug previously, you (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
QL	Quantity Limit Restriction	Stanford Health Care Advantage (HMO) limits the amount of this drug that is covered per prescription, or within a specific time frame.

ABBREVIATION	DESCRIPTION	EXPLANATION
ST	Step Therapy Restriction	Before Stanford Health Care Advantage (HMO) will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

**The following additional coverage note abbreviations may be found within the body of this document**

#### **OTHER SPECIAL REQUIREMENTS FOR COVERAGE**

ABBREVIATION	DESCRIPTION	EXPLANATION
<b>Other Coverage Abbreviations</b>		
EX	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving <i>Extra Help</i> to pay for your prescriptions, <i>Extra Help</i> is not available to help pay for this drug
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1-855-996-8422, 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. Please dial 711 for TTY services.
GC	Gap Coverage	We provide coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs not available via your mail order benefit are noted with "NM" in the Requirements/Limits column of your formulary.

## 2020 Comprehensive Formulary

ABBREVIATION	DESCRIPTION	EXPLANATION
HI	Home Infusion Drug	This prescription drug may be covered under our medical benefit. For more information, call Member Services at 1-855-996-8422, 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. Please dial 711 for TTY services.

## Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	17
Anticholinergic Agents.....	31
Anticonvulsants.....	32
Antidementia Agents.....	36
Antidepressants.....	37
Antidiabetic Agents.....	40
Antifungals.....	45
Antigout Agents.....	46
Antihistamines.....	46
Anti-Infectives (Skin And Mucous Membrane).....	47
Antimigraine Agents.....	47
Antimycobacterials.....	49
Antinausea Agents.....	50
Antiparasite Agents.....	51
Antiparkinsonian Agents.....	52
Antipsychotic Agents.....	54
Antivirals (Systemic).....	59
Blood Products/Modifiers/Volume Expanders.....	66
Caloric Agents.....	70
Cardiovascular Agents.....	74
Central Nervous System Agents.....	84
Contraceptives.....	88
Dental And Oral Agents.....	96
Dermatological Agents.....	96
Devices.....	100
Enzyme Replacement/Modifiers.....	101
Eye, Ear, Nose, Throat Agents.....	103
Gastrointestinal Agents.....	107
Genitourinary Agents.....	111
Heavy Metal Antagonists.....	112
Hormonal Agents, Stimulant/Replacement/Modifying.....	112

Immunological Agents.....	120
Inflammatory Bowel Disease Agents.....	130
Irrigating Solutions.....	131
Metabolic Bone Disease Agents.....	131
Miscellaneous Therapeutic Agents.....	133
Ophthalmic Agents.....	136
Replacement Preparations.....	137
Respiratory Tract Agents.....	139
Skeletal Muscle Relaxants.....	144
Sleep Disorder Agents.....	144
Vasodilating Agents.....	145
Vitamins And Minerals.....	146

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	GC; NDS; NM; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	2	NDS; NM; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	2	NDS; NM; QL (180 per 30 days)
buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml	2	
buprenorphine hcl injection syringe 0.3 mg/ml	2	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg	2	QL (180 per 30 days)
codeine sulfate oral tablet 15 mg, 30 mg, 60 mg	2	NDS; NM; QL (180 per 30 days)
endocet oral tablet 10-325 mg	2	NDS; NM; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	2	NDS; NM; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	2	NDS; NM; QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	2	NDS; NM; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NDS; NM; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg (Lorcet HD)	2	NDS; NM; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg	2	NDS; NM; QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg (Lorcet (hydrocodone))	2	NDS; NM; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydrocodone-acetaminophen oral tablet 7.5-325 mg (Norco)	2	NDS; NM; QL (180 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	2	NDS; NM; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	NDS; NM; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	NDS; NM; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	2	NDS; NM; QL (240 per 30 days)
lorcet hd oral tablet 10-325 mg	2	NDS; NM; QL (180 per 30 days)
lorcet plus oral tablet 7.5-325 mg	2	NDS; NM; QL (180 per 30 days)
methadone injection solution 10 mg/ml	2	
methadone oral solution 10 mg/5 ml	2	NDS; NM; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	2	NDS; NM; QL (1200 per 30 days)
methadone oral tablet 10 mg (Dolophine)	2	NDS; NM; QL (120 per 30 days)
methadone oral tablet 5 mg (Dolophine)	2	NDS; NM; QL (180 per 30 days)
methadose oral tablet, soluble 40 mg	2	NDS; NM; QL (30 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	NDS; NM; QL (180 per 30 days)
MORPHINE INJECTION SYRINGE 10 MG/ML	4	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine oral solution 10 mg/5 ml	2	NDS; NM; QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; NM; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; NM; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; NM; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	NDS; NM; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	NDS; NM; QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	NDS; NM; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	NDS; NM; QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	NDS; NM; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NDS; NM; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	NDS; NM; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	NDS; NM; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	NDS; NM; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	NDS; NM; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	NDS; NM; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; NDS; NM; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	NDS; NM; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; NM; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; NM; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NDS; NM; QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	2	PA
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	2	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>etodolac oral tablet 400 mg</i>	(Lodine)	2	
<i>etodolac oral tablet 500 mg</i>		2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>		2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>		1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	(IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>		1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>		1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>		2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>		2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	(Mobic)	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>		2	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	GC
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i>	(EC-Naprosyn)	2	
<b>PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)</b>		5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>		2	
<b>VOLTAREN TOPICAL GEL 1 %</b>		2	
<b>Anesthetics</b>			
<b>Local Anesthetics</b>			
<i>glydo mucous membrane jelly in applicator 2 %</i>		2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>		1	GC
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i>	(Xylocaine (Cardiac) (PF))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>		2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>		2	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>		2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		2	PA; QL (30 per 30 days)
<b>ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %</b>		3	PA; QL (90 per 30 days)

### **Anti-Addiction/Substance Abuse**

#### **Treatment Agents**

##### **Anti-Addiction/Substance Abuse**

##### **Treatment Agents**

<i>acamprosate oral tablet,delayed release (dr/lec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<b>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</b>	3	QL (336 per 365 days)
<b>CHANTIX ORAL TABLET 0.5 MG, 1 MG</b>	3	QL (336 per 365 days)
<b>CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	2	
<b>LUCEMYRA ORAL TABLET 0.18 MG</b>	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
<b>NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION</b>	3	QL (4 per 30 days)
<b>NICOTROL INHALATION CARTRIDGE 10 MG</b>	4	QL (1008 per 90 days)
<b>SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML</b>	5	NM; NDS
<b>ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG</b>	3	QL (30 per 30 days)
<b>ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG</b>	3	QL (60 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; NDS; NM; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; NDS; NM; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; NDS; NM; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; NDS; NM; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; NDS; NM; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	NDS; NM; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	NDS; NM; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet (Tranxene T-Tab) 7.5 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml (Diazepam Intensol)</i>	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	GC; NDS; NM; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml (Ativan)</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; NDS; NM; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; NDS; NM; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg (Restoril)</i>	1	GC; NDS; NM; QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML</i>	5	PA BvD; NM; NDS
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl</i> (Tobi) <i>inhalation solution for nebulization</i> <i>300 mg/5 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution</i> <i>40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>baciim intramuscular recon soln</i> <i>50,000 unit</i>	2	
<i>chloramphenicol sod succinate</i> <i>intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg,</i> (Cleocin HCl) <i>300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose</i> <i>intravenous piggyback 300 mg/50</i> <i>ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	
<i>clindamycin phosphate injection</i> <i>solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection</i> (Cleocin) <i>solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous</i> <i>solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection</i> (Coly-Mycin M recon soln 150 mg Parenteral)	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln</i> (Cubicin) <i>500 mg</i>	5	NM; NDS
<b>FIRVANQ ORAL RECON</b> <b>SOLN 25 MG/ML, 50 MG/ML</b>	4	
<i>linezolid 600 mg/300 ml-0.9% nacl</i> <i>600 mg/300 ml</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous</i> (Zyvox) <i>piggyback 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid oral suspension for</i> (Zyvox) <i>reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1</i> (Hiprex) <i>gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole in nacl (iso-os)</i>	(Metro I.V.)	2	
<i>intravenous piggyback 500 mg/100 ml</i>			
<i>metronidazole oral tablet 250 mg, 500 mg</i>	(Flagyl)	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrodantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>		5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>		1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>		2	
<i>vancomycin oral capsule 125 mg, 250 mg</i>	(Vancocin)	2	
<b>XIFAXAN ORAL TABLET 200 MG</b>		5	PA; NM; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>		5	PA; NM; NDS
<b>Cephalosporins</b>			
<i>cefaclor oral capsule 250 mg, 500 mg</i>		2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>		2	
<i>cefadroxil oral capsule 500 mg</i>		2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>		2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>		2	
<i>cefdinir oral capsule 300 mg</i>		2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>		2	
<i>cefditoren pivoxil oral tablet 200 mg</i>		4	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg (Suprax)</i>	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	2	
<i>ceftazidime injection recon soln 6 gram</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg (Keflex)</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i>	2	
<i>azithromycin oral packet 1 gram (Zithromax)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	(Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>		1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i>	(Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>		2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>		2	
<b>DIFICID ORAL TABLET 200 MG</b>		5	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		2	
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	2	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>		5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram</i>	(Merrem)	2	
<i>meropenem intravenous recon soln 500 mg</i>	(Merrem)	2	
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	2	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	PA BvD
<b>Quinolones</b>		
<i>BAXDELA ORAL TABLET 450 MG</i>	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)</i>	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg (Bactrim)</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	4	
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)</i>	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg (Morgodox)</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	2	
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml (Vibramycin)</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>monodoxine nl oral capsule 100 mg, 50 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECensa ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution (Trisenox) 2 mg/ml</i>	5	NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg (Vidaza)</i>	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg (Tarceva)</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg (Tarceva)</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml (Toposar)</i>	2	
<i>exemestane oral tablet 25 mg (Aromasin)</i>	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fulvestrant intramuscular syringe</i> (Faslodex) 250 mg/5 ml	5	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	
GLEOSTINE ORAL CAPSULE 100 MG	5	NM; NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMBRUICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>toremifene oral tablet 60 mg (Fareston)</i>	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NM; NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml (Valstar)</i>	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
atropine injection syringe 0.05 mg/ml, 0.1 mg/ml	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	5	ST; NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	
<i>carbamazepine oral tablet 200 mg</i>	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i>	2	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	2	PA NSO; QL (60 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	4	
<i>diazepam rectal kit 2.5 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
<b>EPIDIOLEX ORAL SOLUTION 100 MG/ML</b>	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
<b>FINTEPLA ORAL SOLUTION 2.2 MG/ML</b>	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
<b>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</b>	4	ST; QL (720 per 30 days)
<b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG</b>	5	ST; NM; NDS; QL (30 per 30 days)
<b>FYCOMPA ORAL TABLET 2 MG</b>	4	ST; QL (30 per 30 days)
<b>FYCOMPA ORAL TABLET 4 MG, 6 MG</b>	5	ST; NM; NDS; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i> gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG</b>	4	ST
<b>PEGANONE ORAL TABLET 250 MG</b>	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
primidone oral tablet 250 mg, 50 mg (Mysoline)	2	
SABRIL ORAL TABLET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)	2	
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	2	
topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)	4	
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)	1	GC
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	
valproic acid oral capsule 250 mg	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
vigabatrin oral powder in packet 500 mg (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral powder in packet 500 mg	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	PA NSO; NM; NDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	PA NSO
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	PA NSO; NM; NDS
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour</i> 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
<i>amoxapine oral tablet</i> 100 mg, 150 mg, 25 mg, 50 mg	2	
<i>bupropion hcl oral tablet</i> 100 mg, 75 mg	2	
<i>bupropion hcl oral tablet extended release</i> 24 hr 150 mg, 300 mg	2	
<i>bupropion hcl oral tablet sustained-release</i> 12 hr 100 mg, 150 mg, 200 mg	2	
<i>citalopram oral solution</i> 10 mg/5 ml	2	QL (600 per 30 days)
<i>citalopram oral tablet</i> 10 mg, 20 mg, 40 mg (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule</i> 25 mg, 50 mg, 75 mg (Anafranil)	2	
<i>desipramine oral tablet</i> 10 mg, 25 mg (Norpramin)	2	
<i>desipramine oral tablet</i> 100 mg, 150 mg, 50 mg, 75 mg	2	
<i>desvenlafaxine succinate oral tablet extended release</i> 24 hr 100 mg, 25 mg, 50 mg	2	QL (30 per 30 days)
<i>doxepin oral capsule</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
<i>doxepin oral concentrate</i> 10 mg/ml	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/lec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	(Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>		2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	(Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>		2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	(Paxil)	1	GC
<b>PAXIL ORAL SUSPENSION 10 MG/5 ML</b>		4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>		2	
<i>phenelzine oral tablet 15 mg</i>	(Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>		2	
<i>sertraline oral concentrate 20 mg/ml</i>	(Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	(Zoloft)	1	GC
<b>SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</b>		5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i>	(Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>		1	GC
<i>trazodone oral tablet 300 mg</i>		2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>		2	
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>		3	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i>	(Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i>	(Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>		2	
<b>VIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
acarbose oral tablet 100 mg, 25 mg, (Precose) 50 mg	2	QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10- 5 MG, 25-5 MG	3	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50- 1,000 MG	3	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	GC; QL (60 per 30 days)
OZEMPI SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
<b>Sulfonylureas</b>		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	2	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	2	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	2	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	2	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)	2	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	2	
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	6	GC
tolazamide oral tablet 250 mg	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tolazamide oral tablet 500 mg</i>	2	QL (60 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	5	PA BvD; NM; NDS
<i>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</i>	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg</i>	5	NM; NDS
<i>ciclopirox topical cream 0.77% (Ciclodan)</i>	2	
<i>ciclopirox topical solution 8% (Ciclodan)</i>	2	
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1% (Antifungal (clotrimazole))</i>	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05%</i>	2	
<i>econazole topical cream 1%</i>	2	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>itraconazole oral capsule 100 mg (Sporanox)</i>	2	
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2%</i>	2	
<i>ketoconazole topical shampoo 2% (Nizoral)</i>	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NM; NDS
nyamyc topical powder 100,000 unit/gram	2	
nystatin oral suspension 100,000 unit/ml	2	
nystatin oral tablet 500,000 unit	2	
nystatin topical cream 100,000 unit/gram	2	
nystatin topical ointment 100,000 unit/gram	2	
nystatin topical powder 100,000 (Nyamyc) unit/gram	2	
nystop topical powder 100,000 unit/gram	2	
posaconazole oral tablet, delayed release (dr/ec) 100 mg (Noxafil)	5	NM; NDS
terbinafine hcl oral tablet 250 mg	1	GC
voriconazole intravenous recon soln 200 mg (Vfend IV)	5	PA BvD; NM; NDS
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)	5	NM; NDS
voriconazole oral tablet 200 mg, 50 mg (Vfend)	5	NM; NDS
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
allopurinol oral tablet 100 mg, 300 mg (Zyloprim)	1	GC
colchicine oral tablet 0.6 mg (Colcrys)	4	PA; QL (120 per 30 days)
febuxostat oral tablet 40 mg, 80 mg (Uloric)	2	QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	2	QL (60 per 30 days)
probenecid oral tablet 500 mg	2	
probenecid-colchicine oral tablet 500-0.5 mg	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
cyproheptadine oral syrup 2 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Diphen)</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>	2	
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>	2	
<i>metronidazole vaginal gel 0.75 % (Metrogel Vaginal)</i>	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
<i>AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML</i>	3	PA; QL (2 per 30 days)
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; QL (1 per 30 days)
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution (D.H.E.45)</i> <i>1 mg/ml</i>	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	QL (20 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG	3	PA; QL (8 per 30 days)
REYVOW ORAL TABLET 50 MG	3	PA; QL (4 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i>	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<b>UBRELVY ORAL TABLET 100 MG, 50 MG</b>	3	PA; QL (16 per 30 days)
<b>VYEPTI INTRAVENOUS SOLUTION 100 MG/ML</b>	4	PA; QL (3 per 90 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<b>CAPASTAT INJECTION RECON SOLN 1 GRAM</b>	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg (Myambutol)</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
<b>PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM</b>	4	
<b>PRETOMANID ORAL TABLET 200 MG</b>	4	QL (30 per 30 days)
<b>PRIFTIN ORAL TABLET 150 MG</b>	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg (Mycobutin)</i>	2	
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	2	
<i>rifampin oral capsule 150 mg, 300 mg (Rifadin)</i>	2	
<b>SIRTURO ORAL TABLET 100 MG, 20 MG</b>	5	PA; NM; NDS
<b>TRECATOR ORAL TABLET 250 MG</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg (Emend)</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg (Emend)</i>	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)</i>	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)</i>	2	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg (Emend (fosaprepitant))</i>	2	QL (2 per 28 days)
<i>gransetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>gransetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>gransetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg (Dramamine Less Drowsy)</i>	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg (Zofran)</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml (Phenergan)</i>	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository (Promethegan) 12.5 mg, 25 mg, 50 mg</i>	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	
<i>scopolamine base transdermal patch (Transderm-Skop) 3 day 1 mg over 3 days</i>	2	QL (10 per 30 days)
<b>TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS</b>	4	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg (Albenza)</i>	5	NM; NDS
<i>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</i>	5	NM; NDS
<i>ALINIA ORAL TABLET 500 MG</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<b>COARTEM ORAL TABLET 20- 120 MG</b>	4	
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	2	
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	2	
<b>KRINTAFEL ORAL TABLET 150 MG</b>	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>paromomycin oral capsule 250 mg</i>	2	
<i>pentamidine inhalation recon soln 300 mg (Nebupent)</i>	2	PA BvD
<i>pentamidine injection recon soln 300 mg (Pentam)</i>	2	
<b>PRIMAQUINE ORAL TABLET 26.3 MG</b>	2	
<i>pyrimethamine oral tablet 25 mg (Daraprim)</i>	5	PA; NM; NDS
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<b>APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML</b>	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml (Cogentin)</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg (Parlodel)</i>	2	
<i>bromocriptine oral tablet 2.5 mg (Parlodel)</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 50) tablet 12.5-50-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 75) tablet 18.75-75-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 100) tablet 25-100-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 125) tablet 31.25-125-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 150) tablet 37.5-150-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 200) tablet 50-200-200 mg	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	(Azilect)	2
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i>	(Requip)	2
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>		2
<i>selegiline hcl oral capsule 5 mg</i>		2
<i>selegiline hcl oral tablet 5 mg</i>		2
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>		2
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	5	NM; NDS; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	(Abilify)	2
<i>aripiprazole oral tablet,disintegrating 10 mg</i>		5
<i>aripiprazole oral tablet,disintegrating 15 mg</i>		5
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg (Clozaril)</i>	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg (Clozaril)</i>	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg (Clozaril)</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	2	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</b>	5	NM; NDS; QL (0.75 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML</b>	5	NM; NDS; QL (1 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</b>	5	NM; NDS; QL (1.5 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</b>	4	QL (0.25 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</b>	5	NM; NDS; QL (0.5 per 28 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML</b>	5	NM; NDS; QL (0.875 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxpipamine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	2	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
risperidone oral solution 1 mg/ml (Risperdal)	2	QL (480 per 30 days)
risperidone oral tablet 0.25 mg	1	GC; QL (60 per 30 days)
risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	1	GC; QL (60 per 30 days)
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg	2	QL (60 per 30 days)
risperidone oral tablet,disintegrating 3 mg, 4 mg	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	2	
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	5	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NM; NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200- 25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg (Sustiva)</i>	5	NM; NDS
<i>efavirenz oral capsule 50 mg (Sustiva)</i>	2	
<i>efavirenz oral tablet 600 mg (Sustiva)</i>	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300- 150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg (Lexiva)</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150- 150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	4	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFY LO ORAL TABLET 400-300-300 MG	5	NM; NDS
SYMFY ORAL TABLET 600-300-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSIA ORAL TABLET 400- 100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45- 200 MG, 90-400 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90- 400 mg</i> (Harvoni)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100- 40 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS
VOSEVI ORAL TABLET 400- 100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50- 100 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS
<b>Nucleosides And Nucleotides</b>		
acyclovir oral capsule 200 mg	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg	2	
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	2	PA BvD
ganciclovir sodium intravenous solution 50 mg/ml	2	PA BvD
ribasphere oral capsule 200 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ribasphere oral tablet 600 mg</i>	5	NM; NDS
<i>ribavirin inhalation recon soln 6 gram (Virazole)</i>	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg (Valtrex)</i>	2	
<i>valganciclovir oral tablet 450 mg (Valcyte)</i>	5	NM; NDS
<b>Blood</b>		
<b>Products/Modifiers/Volume</b>		
<b>Expanders</b>		
<b>Anticoagulants</b>		
<i>BEVYXXA ORAL CAPSULE 40 MG, 80 MG</i>	4	QL (43 per 42 days)
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	
<i>ELIQUIS ORAL TABLET 2.5 MG, 5 MG</i>	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	2	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	2	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (360 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG, 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROMACTA ORAL TABLET 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) multiphase 12 hr 25-200 mg	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	4	PA BvD
<i>dextrose 20 % in water (d20w)</i> <i>intravenous parenteral solution 20 %</i>	4	PA BvD
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	4	PA BvD
<i>dextrose 30 % in water (d30w)</i> <i>intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	PA BvD
<b>FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %</b>	4	PA BvD
<b>FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %</b>	4	PA BvD
<b>HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %</b>	4	PA BvD
<b>INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %</b>	4	PA BvD
<b>KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %</b>	4	PA BvD
<b>NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %</b>	4	PA BvD
<b>NUTRILIPID INTRAVENOUS EMULSION 20 %</b>	4	PA BvD
<b>PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %</b>	4	PA BvD
<b>PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %</b>	4	PA BvD
<b>PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION</b>	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg (Catapres)	1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	2	
guanfacine oral tablet 1 mg, 2 mg	1	GC
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)
phenylephrine hcl injection solution 10 mg/ml (Vazculep)	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg (Minipress)	2	
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	GC
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 20 mg</i> (Prinivil)	6	GC
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)	1	GC
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	2	
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	2	
betaxolol oral tablet 10 mg, 20 mg	2	
bisoprolol fumarate oral tablet 10 mg, 5 mg	2	
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)	1	GC
labetalol intravenous solution 5 mg/ml	2	
labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)	2	
labetalol oral tablet 100 mg, 200 mg, 300 mg	2	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)	2	
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg	2	
metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg (Lopressor HCT)	2	
metoprolol tartrate intravenous solution 5 mg/5 ml (Lopressor)	2	
metoprolol tartrate intravenous syringe 5 mg/5 ml	2	
metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)	1	GC
metoprolol tartrate oral tablet 25 mg	1	GC
propranolol intravenous solution 1 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazide oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Sorine)</i>	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg (Tiadylt ER)</i>	2	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)</i>	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
<b>CORLANOR ORAL SOLUTION 5 MG/5 ML</b>	3	QL (560 per 28 days)
<b>CORLANOR ORAL TABLET 5 MG, 7.5 MG</b>	3	QL (60 per 30 days)
<b>DEM SER ORAL CAPSULE 250 MG</b>	5	NM; NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<b>DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)</b>	4	
<i>digoxin oral tablet 125 mcg (0.125 mg) (Digitek)</i>	2	
<i>digoxin oral tablet 250 mcg (0.25 mg) (Digitek)</i>	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml (Auvi-Q)</i>	2	QL (4 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	(Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	(Ranexa)	2	
<b>SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML</b>		3	QL (4 per 30 days)
<b>VYNDAMAX ORAL CAPSULE 61 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>VYNDAQEL ORAL CAPSULE 20 MG</b>		5	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>			
<i>afeditab cr oral tablet extended release 30 mg</i>		2	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	(Lotrel)	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>		2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	(Exforge)	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>		2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	(Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	(Adalat CC)	2	
<b>Diuretics</b>			
<i>amiloride oral tablet 5 mg</i>		2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>		2	
<i>bumetanide injection solution 0.25 mg/ml</i>		2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<i>JYNARQUE ORAL TABLET 15 MG, 30 MG</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</i>	5	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg (Dyazide)</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg (Maxzide-25mg)</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg (Maxzide)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Dyslipidemics</b>		
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	6	GC
cholestyramine (with sugar) oral powder in packet 4 gram (Questran)	2	
cholestyramine light oral powder 4 gram	2	
cholestyramine light packet 4 gram	2	
colesevelam oral tablet 625 mg (WelChol)	2	
colestipol oral packet 5 gram (Colestid)	2	
colestipol oral tablet 1 gram (Colestid)	2	
ezetimibe oral tablet 10 mg (Zetia)	2	QL (30 per 30 days)
fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg	2	
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg (Tricor)	2	
fenofibrate oral tablet 160 mg, 54 mg	2	
gemfibrozil oral tablet 600 mg (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
lovastatin oral tablet 10 mg, 20 mg, 40 mg	6	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
niacin oral tablet 500 mg (Niacor)	2	
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg (Niaspan Extended-Release)	2	
niacor oral tablet 500 mg	2	
omega-3 acid ethyl esters oral capsule 1 gram (Lovaza)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	4	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC
<i>pravastatin oral tablet 20 mg, 40 mg (Pravachol)</i>	6	GC
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	4	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	4	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	4	QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Crestor)</i>	2	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Zocor)</i>	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	
WELCHOL ORAL TABLET 625 MG	2	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i>	2	
<i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i>	2	
TEKTURN A HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titrados)</i>	2	
<i>isosorbide dinitrate oral tablet (ISOCHRON) extended release 40 mg</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)</i>	2	QL (30 per 30 days)
<i>AUBAGIO ORAL TABLET 14 MG, 7 MG</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>AUSTEDO ORAL TABLET 12 MG, 9 MG</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>AUSTEDO ORAL TABLET 6 MG</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG</i>	5	PA; NM; NDS; QL (4 per 28 days)
<i>AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML</i>	5	PA; NM; NDS; QL (1 per 28 days)
<i>AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML</i>	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER)	2	
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate la 30 mg cap 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<b>NUEDEXTA ORAL CAPSULE 20-10 MG</b>	3	PA; QL (60 per 30 days)
<b>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</b>	5	PA; NM; NDS; QL (20 per 180 days)
<b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (1 per 28 days)
<b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS
<b>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (1 per 28 days)
<b>PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS
<b>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</b>	5	PA; NM; NDS; QL (2800 per 28 days)
<b>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (6 per 28 days)
<b>REBIF REBIDOSE SUBCUTANEOUS PEN Injector 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (6 per 28 days)
<b>REBIF REBIDOSE SUBCUTANEOUS PEN Injector 8.8MCG/0.2ML-22 MCG/0.5ML (6)</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	5	PA; NM; NDS
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg,</i> (Xenazine) 25 mg	5	PA; NM; NDS; QL (112 per 28 days)
VUMERTY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23- 0.46-0.92 MG	5	PA; NM; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NM; NDS
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	2	
aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg	2	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
aubra oral tablet 0.1-20 mg-mcg	2	
aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg	2	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	2	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	
aviane oral tablet 0.1-20 mg-mcg	2	
ayuna oral tablet 0.15-0.03 mg	2	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
balziva (28) oral tablet 0.4-35 mg- mcg	2	
bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	
blisovi fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)	2	
briellyn oral tablet 0.4-35 mg-mcg	2	
camila oral tablet 0.35 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg- mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>delyla (28) oral tablet 0.1-20 mg- mcg</i>	2	
<i>desog-e.estradiol/e.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>etonogestrel-ethynodiol estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>		2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>		2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>		2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>		2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>		2	
<i>heather oral tablet 0.35 mg</i>		2	
<i>incassia oral tablet 0.35 mg</i>		2	
<i>introvale oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>		2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>		2	
<i>jaimiess oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>		2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>		2	
<i>jencycla oral tablet 0.35 mg</i>		1	GC
<i>jolivette oral tablet 0.35 mg</i>		4	
<i>juleber oral tablet 0.15-0.03 mg</i>		2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>		2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>		2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>		2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>		2	
<i>kalliga oral tablet 0.15-0.03 mg</i>		2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>		2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>		2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	2	
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	4	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lojaimies oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	4	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (28) (7)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg	2	
norlyda oral tablet 0.35 mg	2	
norlyroc oral tablet 0.35 mg	2	
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)	2	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	2	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
ogestrel (28) oral tablet 0.5-50 mg-mcg	2	
orsythia oral tablet 0.1-20 mg-mcg	2	
philith oral tablet 0.4-35 mg-mcg	2	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg	2	
portia 28 oral tablet 0.15-0.03 mg	2	
previfem oral tablet 0.25-35 mg-mcg	2	
reclipsen (28) oral tablet 0.15-0.03 mg	2	
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	QL (91 per 84 days)
sharobel oral tablet 0.35 mg	2	
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
sprintec (28) oral tablet 0.25-35 mg-mcg	2	
sronyx oral tablet 0.1-20 mg-mcg	2	
syeda oral tablet 3-0.03 mg	2	
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7)/1mg-35mcg (9)</i>	2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30(6)/75-40(5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	2	
<i>viovere (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	

## Dental And Oral Agents

### Dental And Oral Agents

<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>oralone dental paste 0.1 %</i>		2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>		1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>		1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2	

## Dermatological Agents

### Dermatological Agents, Other

<i>acitretin oral capsule 10 mg, 25 mg</i>	(Soriatane)	2	
<i>acitretin oral capsule 17.5 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	QL (30 per 30 days)
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>		1	GC
<i>ammonium lactate topical cream 12 %</i>	(Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i>	(Geri-Hydrolac)	2	
<i>calcipotriene scalp solution 0.005 %</i>		2	
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluorouracil topical cream 0.5 %</i> (Carac)		5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)		2	
<i>fluorouracil topical solution 2 %, 5 %</i>		2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)		2	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i> (Oxsoralen Ultra)		5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS
PICATO TOPICAL GEL 0.015 %		3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %		3	QL (2 per 56 days)
<i>podoftlox topical solution 0.5 %</i>		2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	
TOLAK TOPICAL CREAM 4 %		4	
VALCHLOR TOPICAL GEL 0.016 %		5	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		2	
<b>Dermatological Antibacterials</b>			
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)		2	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)		2	
<i>ery pads topical swab 2 %</i>		2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)		2	
<i>erythromycin with ethanol topical solution 2 %</i>		2	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)		2	
<i>gentamicin topical cream 0.1 %</i>		2	
<i>gentamicin topical ointment 0.1 %</i>		2	
<i>metronidazole topical cream 0.75 %</i> (Rosadan)		2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)		2	
<i>metronidazole topical gel 1 %</i> (Metrogel)		2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)		2	
<i>mupirocin topical ointment 2 %</i> (Centany)		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical (Klaron) suspension 10 %</i>	2	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene)</i>	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 % (Temovate)</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clocortolone pivalate topical cream 0.1 % (Cloderm)</i>	4	
<i>cormax scalp solution 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	
<i>prednicarbate topical cream 0.1 %</i>	4	
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
<i>ALTRENO TOPICAL LOTION 0.05 %</i>	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	
<i>TAZORAC TOPICAL CREAM 0.05 %</i>	4	
<i>tretinoi<i>n</i> topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoi<i>n</i> topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoi<i>n</i> topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoi<i>n</i> topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoi<i>n</i> topical gel 0.05 %</i> (Atralin)	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
<b>Devices</b>		
<b>Devices</b>		
<i>ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"</i>	2	
<i>BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"</i>	2	
<i>BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"</i>	2	
<i>BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin U-100 SYRINGE 1/2 ML 28 Syringe) GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" Pentips)	2	
V-GO 40 DISPOSABLE DEVICE	2	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) (Cyclogyl) drops 0.5 %, 1 %, 2 %</i>	2	
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	5	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops (Pataday) 0.1 %, 0.2 %</i>	2	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	4	
<i>proparacaine ophthalmic (eye) (Alcaine) drops 0.5 %</i>	2	
<b>TEPEZZA INTRAVENOUS RECON SOLN 500 MG</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) (Baciguent) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i>	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<b>CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %</b>	3	
<i>ciprofloxacin hcl ophthalmic (eye) (Ciloxan) drops 0.3 %</i>	1	GC
<i>ciprofloxacin hcl otic (ear) (Cetraxal) dropperette 0.2 %</i>	4	
<i>ciprofloxacin-dexamethasone otic (Ciprodex) (ear) drops,suspension 0.3-0.1 %</i>	2	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<b>MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %</b>	3	
<i>moxifloxacin ophthalmic (eye) (Vigamox) drops 0.5 %</i>	2	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin b-dexamethophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	
<i>neomycin-polymyxin b-dexamethophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	(TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>		2	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>		4	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>		3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>			
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>		3	ST
<b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>		3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>		2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>		2	
<b>DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %</b>		3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>		2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	(FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>		1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>		3	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>		3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	2	
<b>LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %</b>		3	
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LOTEMAX SM OPHTHALMIC (EYE) DROPS, GEL 0.38 %	3	
<i>mometasone nasal spray, non-aerosol</i> (Nasonex) 50 mcg/actuation	2	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic</i> (Pred Forte) (eye) drops, suspension 1 %	4	
<i>prednisolone sodium phosphate</i> ophthalmic (eye) drops 1 %	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XiIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution</i> 300 mg/5 ml	2	
<i>esomeprazole sodium intravenous</i> recon soln 20 mg	2	
<i>esomeprazole sodium intravenous</i> (Nexium IV) recon soln 40 mg	2	
<i>famotidine (pf) intravenous solution</i> 20 mg/2 ml	1	GC
<i>famotidine (pf)-nacl (iso-os)</i> intravenous piggyback 20 mg/50 ml	2	
<i>famotidine intravenous solution</i> 10 mg/ml	2	
<i>famotidine oral tablet</i> 20 mg (Acid Controller)	1	GC
<i>famotidine oral tablet</i> 40 mg (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release (dr/ec)</i> 15 mg 24 Hour	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (dr/ec)</i> 30 mg	2	QL (60 per 30 days)
<i>misoprostol oral tablet</i> 100 mcg, 200 mcg (Cytotec)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
nizatidine oral capsule 150 mg, 300 mg	2	
omeprazole oral capsule, delayed release (dr/ec) 10 mg, 20 mg, 40 mg	1	GC
omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram	2	ST; QL (30 per 30 days)
pantoprazole intravenous recon soln (Protonix) 40 mg	2	
pantoprazole oral tablet, delayed release (dr/ec) 20 mg	1	GC; QL (30 per 30 days)
pantoprazole oral tablet, delayed release (dr/ec) 40 mg	1	GC; QL (60 per 30 days)
ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)	2	
ranitidine hcl oral syrup 15 mg/ml	2	
ranitidine hcl oral tablet 150 mg, 300 mg	1	GC
sucralfate oral tablet 1 gram (Carafate)	2	
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NM; NDS
constulose oral solution 10 gram/15 ml	2	
cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)	2	
dicyclomine oral capsule 10 mg	2	
dicyclomine oral solution 10 mg/5 ml	2	
dicyclomine oral tablet 20 mg	2	
diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml	2	
diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)	2	
enulose oral solution 10 gram/15 ml	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
generlac oral solution 10 gram/15 ml	2	
glycopyrrrolate injection solution 0.2 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
glycopyrrolate oral tablet 1 mg, 2 mg	2	
kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml	2	
lactulose oral solution 10 gram/15 ml (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))	2	
methscopolamine oral tablet 2.5 mg, 5 mg	2	
metoclopramide hcl injection solution 5 mg/ml	2	
metoclopramide hcl injection syringe 5 mg/ml	2	
metoclopramide hcl oral solution 5 mg/5 ml	2	
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
sodium phenylbutyrate oral tablet 500 mg (Buphenyl)	5	NM; NDS
sodium polystyrene (sorb free) oral suspension 15 gram/60 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium polystyrene sulfonate oral powder	2	
sps (with sorbitol) oral suspension 15-20 gram/60 ml	2	
ursodiol oral capsule 300 mg (Actigall)	2	
ursodiol oral tablet 250 mg (URSO 250)	2	
ursodiol oral tablet 500 mg (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	2	
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	2	
gavilyte-n oral recon soln 420 gram	2	
peg 3350-electrolytes oral recon soln (Gavilyte-C) 240-22.72-6.72 -5.84 gram	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
trilyte with flavor packets oral recon soln 420 gram	2	
<b>Phosphate Binders</b>		
calcium acetate(phosphat bind) oral capsule 667 mg	2	
calcium acetate(phosphat bind) oral tablet 667 mg	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	2	
<b>VELPHORO ORAL TABLET,CHEWABLE 500 MG</b>	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</b>	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<b>TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG</b>	3	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<b>PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG</b>	5	NM; NDS
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<b>THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
THIOLA ORAL TABLET 100 MG	5	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	5	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i>	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i>	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch (Dotti) semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly (Climara) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>cortisone oral tablet 25 mg</i>	2	
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD; GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD; GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
<b>EMFLAZA ORAL SUSPENSION 22.75 MG/ML</b>	5	PA; NM; NDS; QL (91 per 28 days)
<b>EMFLAZA ORAL TABLET 18 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4 mcg/ml</i>	2	
<i>desmopressin nasal spray, non- aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NM; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap (ppres) (Makena) intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 (Provera) mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 (Aygestin) mg</i>	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)</i>	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg (Euthyrox)</i>	1	GC
<i>levothyroxine oral tablet 300 mcg (Levo-T)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cyclosporine modified oral capsule 50 mg	2	PA BvD
cyclosporine modified oral solution (Gengraf) 100 mg/ml	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
everolimus (immunosuppressive) (Zortress) oral tablet 0.25 mg	2	PA BvD
everolimus (immunosuppressive) (Zortress) oral tablet 0.5 mg, 0.75 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGRAB RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	
<i>mycophenolate mofetil (hcl) (CellCept Intravenous)</i> <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule (CellCept)</i> <i>250 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	(CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	(CellCept)	2	PA BvD
<b>NULOJIX INTRAVENOUS RECON SOLN 250 MG</b>		5	PA BvD; NM; NDS
<b>OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %</b>		5	PA BvD; NM; NDS
<b>OLUMIANT ORAL TABLET 1 MG, 2 MG</b>		5	PA; NM; NDS
<b>ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG</b>		5	PA; NM; NDS
<b>ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML</b>		5	PA; NM; NDS
<b>ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML</b>		5	PA; NM; NDS
<b>OTEZLA ORAL TABLET 30 MG</b>		5	PA; NM; NDS
<b>OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)</b>		5	PA; NM; NDS
<b>PRIVIGEN INTRAVENOUS SOLUTION 10 %</b>		5	PA BvD; NM; NDS
<b>PROGRAF INTRAVENOUS SOLUTION 5 MG/ML</b>		4	PA BvD
<b>PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG</b>		4	PA BvD; ST
<b>RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML</b>		3	
<b>REMICADE INTRAVENOUS RECON SOLN 100 MG</b>		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOP INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 62 DU/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral</i> (Entocort EC) <i>capsule,delayed,extend.release 3 mg</i>	2	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
<b>DIPENTUM ORAL CAPSULE 250 MG</b>	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<b>LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM</b>	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet,delayed release (dr/rec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (dr/rec) 500 mg</i> (Azulfidine EN-tabs)	2	
<b>UCERIS RECTAL FOAM 2 MG/ACTUATION</b>	3	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	4	
<b>LACTATED RINGERS IRRIGATION SOLUTION</b>	4	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	4	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	4	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)</i>	2	
<i>calcitriol oral solution 1 mcg/ml (Rocaltrol)</i>	2	
<i>cinacalcet oral tablet 30 mg, 60 mg (Sensipar)</i>	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg (Sensipar)</i>	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml (Hectorol)</i>	2	
<b>EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML</b>	5	PA; NM; NDS; QL (2.34 per 30 days)
<b>EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)</b>	5	PA; NM; NDS; QL (2.34 per 30 days)
<b>FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML</b>	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml (Boniva)</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg (Boniva)</i>	2	QL (1 per 28 days)
<b>MIACALCIN INJECTION SOLUTION 200 UNIT/ML</b>	5	NM; NDS
<b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE</b>	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	
<b>PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML</b>	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml</i>	3	PA; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml</i>	2	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous (Ethyol) recon soln 500 mg</i>	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	2	
<i>droperidol injection solution 2.5 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
<i>guanidine oral tablet 125 mg</i>	4	
GVOKE HYPOOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule (Vistaril) 25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	(Carnitor)	2
<i>levocarnitine oral tablet 330 mg</i>	(Carnitor)	2
<b>LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG</b>	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	(Fusilev)	5
<b>MESNEX ORAL TABLET 400 MG</b>	2	NM; NDS
<b>MESTINON ORAL SYRUP 60 MG/5 ML</b>	5	NM; NDS
<b>PROSYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG</b>	5	NM; NDS
<b>PROGLYCEM ORAL SUSPENSION 50 MG/ML</b>	4	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i>	(Mestinon)	2
<i>pyridostigmine bromide oral tablet 30 mg</i>		2
<i>pyridostigmine bromide oral tablet 60 mg</i>	(Mestinon)	2
<b>RECTIV RECTAL OINTMENT 0.4 % (W/W)</b>	4	QL (30 per 30 days)
<b>TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)</b>	5	PA; NM; NDS; QL (4 per 28 days)
<b>THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG</b>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<b>TOTECT INTRAVENOUS RECON SOLN 500 MG</b>	5	NM; NDS
<b>TYBOST ORAL TABLET 150 MG</b>	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	2	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	2	
K-SOL ORAL LIQUID 20 MEQ/15 ML	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
<b>NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 20 meq</i>	4	
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	2	
<i>potassium chloride oral tablet,er (Klor-Con M20) particles/crystals 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet (Urocit-K 10) extended release 10 meq (1,080 mg)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<b>Respiratory Tract Agents</b>		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
SYMBICORT 160-4.5 MCG INHALER 160-4.5 MCG/ACTUATION	3	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 80-4.5 MCG/ACTUATION	3	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)
<b>Antileukotrienes</b>		
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
<b>Bronchodilators</b>		
albuterol 5 mg/ml solution 5 mg/ml	2	PA BvD
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (ProAir HFA)	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	2	QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
<b>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</b>	3	
<b>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</b>	3	QL (25.8 per 28 days)
<b>COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION</b>	3	QL (8 per 30 days)
<b>INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION</b>	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<b>LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML</b>	3	QL (60 per 30 days)
<b>LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML</b>	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	
<b>PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION</b>	3	QL (2 per 30 days)
<b>SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE</b>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	3	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	3	QL (2 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i>	2	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 (Dantrium) mg</i>	2	
<i>methocarbamol oral tablet 500 mg</i>	2	
<i>methocarbamol oral tablet 750 mg (Robaxin-750)</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 (Nuvigil) mg, 250 mg, 50 mg</i>	2	PA; QL (30 per 30 days)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 (Lunesta) mg</i>	2	QL (30 per 30 days)
<i>HETLIOZ ORAL CAPSULE 20 MG</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>SILENOR ORAL TABLET 3 MG, 6 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg (Ambien)</i>	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg (Letairis)</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NM; NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	2	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>pnv prenatal plus multivit tab slf, gluten-free (rx) 27 mg iron- 1 mg</i>	3	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<i>abacavir</i> .....	59	<i>a-hydrocort</i> .....	114	<i>ambrisentan</i> .....	145
<i>abacavir-lamivudine</i> .....	59	<b>AIMOVIG</b>		<i>amethia</i> .....	89
<i>abacavir-lamivudine-</i>		<b>AUTOINJECTOR</b> .....	47	<i>amethia lo</i> .....	89
<i>zidovudine</i> .....	59	<b>AIMOVIG</b>		<i>amifostine crystalline</i> .....	133
<b>ABELCET</b> .....	45	<b>AUTOINJECTOR (2 PACK)</b> .....	47	<i>amiloride</i> .....	80
<b>ABILIFY MAINTENA</b> .....	54	<b>AJOVY AUTOINJECTOR</b> ....	47	<i>amiloride-hydrochlorothiazide</i> ..	80
<b>ABRAXANE</b> .....	17	<b>AJOVY SYRINGE</b> .....	48	<b>AMINOSYN 10 %</b> .....	70
<i>acamprosate</i> .....	8	<b>AKYNZEO</b>		<b>AMINOSYN 7 % WITH</b>	
<i>acarbose</i> .....	40	<b>(FOSNETUPITANT)</b> .....	50	<b>ELECTROLYTES</b> .....	70
<i>acebutolol</i> .....	76	<b>AKYNZEO</b>		<b>AMINOSYN 8.5 %</b> .....	70
<i>acetaminophen-codeine</i> .....	3	<b>(NETUPITANT)</b> .....	50	<b>AMINOSYN 8.5 %-</b>	
<i>acetazolamide</i> .....	136	<i>ala-cort</i> .....	98	<b>ELECTROLYTES</b> .....	70
<i>acetazolamide sodium</i> .....	136	<i>albendazole</i> .....	51	<b>AMINOSYN II 10 %</b> .....	70
<i>acetic acid</i> .....	104, 131	<i>albuterol sulfate</i> .....	140, 141	<b>AMINOSYN II 15 %</b> .....	70
<i>acetylcysteine</i> .....	142	<i>alclometasone</i> .....	98	<b>AMINOSYN II 7 %</b> .....	70
<i>acitretin</i> .....	96	<b>ALCOHOL PADS</b> .....	96	<b>AMINOSYN II 8.5 %</b> .....	70
<b>ACTEMRA</b> .....	120	<b>ALDURAZYME</b> .....	101	<b>AMINOSYN II 8.5 %-</b>	
<b>ACTEMRA ACTPEN</b> .....	120	<b>ALECENSA</b> .....	18	<b>ELECTROLYTES</b> .....	70
<b>ACTHIB (PF)</b> .....	126	<i>alendronate</i> .....	131	<b>AMINOSYN M 3.5 %</b> .....	71
<b>ACTIMMUNE</b> .....	133	<i>alfuzosin</i> .....	111	<b>AMINOSYN-HBC 7%</b> .....	71
<i>acyclovir</i> .....	65, 96	<b>ALIMTA</b> .....	18	<b>AMINOSYN-PF 10 %</b> .....	71
<i>acyclovir sodium</i> .....	65	<b>ALINIA</b> .....	51	<b>AMINOSYN-PF 7 %</b>	
<b>ADACEL(TDAP</b>		<b>ALIQOPA</b> .....	18	<b>(SULFITE-FREE)</b> .....	71
<b>ADOLESN/ADULT)(PF)</b> ....	126	<i>aliskiren</i> .....	83	<b>AMINOSYN-RF 5.2 %</b> .....	71
<b>ADAGEN</b> .....	101	<i>allopurinol</i> .....	46	<i>amiodarone</i> .....	76
<b>ADAKVEO</b> .....	69	<i>alosetron</i> .....	130	<b>AMITIZA</b> .....	108
<i>adapalene</i> .....	100	<b>ALPHAGAN P</b> .....	136	<i>amitriptyline</i> .....	37
<b>ADCETRIS</b> .....	18	<i>alprazolam</i> .....	9	<i>amlodipine</i> .....	80
<i>adefovir</i> .....	65	<b>ALREX</b> .....	106	<i>amlodipine-benazepril</i> .....	80
<b>ADEMPAS</b> .....	145	<i>altavera (28)</i> .....	88	<i>amlodipine-valsartan</i> .....	80
<i>adriamycin</i> .....	18	<b>ALTRENO</b> .....	100	<i>ammonium lactate</i> .....	96
<i>adrucil</i> .....	18	<b>ALUNBRIG</b> .....	18	<i>amoxapine</i> .....	37
<b>ADVAIR DISKUS</b> .....	139	<i>alyacen 1/35 (28)</i> .....	88	<i>amoxicillin</i> .....	15
<b>ADVAIR HFA</b> .....	139	<i>alyacen 7/7/7 (28)</i> .....	89	<i>amoxicillin-pot clavulanate</i> .....	15
<i>afeditab cr</i> .....	80	<i>alyq</i> .....	145	<i>amphotericin b</i> .....	45
<b>AFINITOR</b> .....	18	<i>amabelz</i> .....	113	<i>ampicillin</i> .....	15
<b>AFINITOR DISPERZ</b> .....	18	<i>amantadine hcl</i> .....	52	<i>ampicillin sodium</i> .....	15
<i>afirmelle</i> .....	88	<b>AMBISOME</b> .....	45	<i>ampicillin-sulbactam</i> .....	15

ANADROL-50.....	112	<i>aurovela fe 1-20 (28) .....</i>	89	BENLYSTA .....	133
<i>anagrelide.....</i>	69	AUSTEDO.....	84	<i>benztropine .....</i>	52
<i>anastrozole.....</i>	18	AVASTIN.....	18	BESPONSA .....	19
ANORO ELLIPTA.....	141	<i>aviane .....</i>	89	<i>betamethasone acet,sod phos..</i>	114
APOKYN.....	52	AVONEX.....	84, 85	<i>betamethasone dipropionate .....</i>	98
<i>apraclonidine .....</i>	103	AVONEX (WITH		<i>betamethasone valerate .....</i>	98
<i>aprepitant .....</i>	50	ALBUMIN).....	84	<i>betamethasone, augmented.....</i>	98
<i>apri.....</i>	89	AVSOLA.....	120	BETASERON .....	85
APTIOM.....	32	<i>ayuna .....</i>	89	<i>betaxolol .....</i>	77
APTIVUS.....	59	AYVAKIT.....	18	<i>bethanechol chloride .....</i>	111
APTIVUS (WITH VITAMIN		<i>azacitidine .....</i>	18	BETHKIS .....	10
E).....	59	<i>azathioprine .....</i>	120	BEVYXXA .....	66
<i>aranelle (28) .....</i>	89	<i>azathioprine sodium .....</i>	120	<i>bexarotene .....</i>	19
ARCALYST.....	120	<i>azelastine .....</i>	103	BEXSERO .....	126
<i>ariPIPRAZOLE .....</i>	54	<i>azithromycin .....</i>	13, 14	<i>bicalutamide .....</i>	19
ARISTADA.....	55	AZOPT .....	136	BICILLIN L-A .....	15
ARISTADA INITIO.....	54	<i>aztreonam .....</i>	14	BIDIL .....	83
<i>armodafinil .....</i>	144	<i>azurette (28) .....</i>	89	BIKTARVY .....	59
ARNUITY ELLIPTA.....	139	<i>baciim .....</i>	11	<i>bisoprolol fumarate .....</i>	77
<i>arsenic trioxide .....</i>	18	<i>bacitracin .....</i>	104	<i>bisoprolol-hydrochlorothiazide .....</i>	77
<i>ashlyna .....</i>	89	<i>bacitracin-polymyxin b .....</i>	104	BLENREP .....	19
<i>aspirin-dipyridamole .....</i>	69	<i>baclofen .....</i>	144	<i>bleomycin .....</i>	19
ASSURE ID INSULIN		<i>balsalazide .....</i>	131	<i>bleph-10 .....</i>	104
SAFETY .....	100	BALVERSA.....	18, 19	BLINCYTO .....	19
<i>atazanavir .....</i>	59	<i>balziva (28) .....</i>	89	<i>blisovi 24 fe .....</i>	89
<i>atenolol .....</i>	77	BANZEL.....	32	<i>blisovi fe 1.5/30 (28) .....</i>	89
<i>atenolol-chlorthalidone .....</i>	77	BAVENCIO.....	19	<i>blisovi fe 1/20 (28) .....</i>	89
<i>atomoxetine .....</i>	84	BAXDELA.....	16	BOOSTRIX TDAP .....	126, 127
<i>atorvastatin .....</i>	82	BCG VACCINE, LIVE (PF)	126	BORTEZOMIB .....	19
<i>atovaquone .....</i>	51	BD ULTRA-FINE NANO		BOSULIF .....	19
<i>atovaquone-proguanil .....</i>	51	PEN NEEDLE .....	100	BRAFTOVI .....	19
ATRIPLA.....	59	BD VEO INSULIN SYR		BREO ELLIPTA .....	139
<i>atropine .....</i>	31, 103	HALF UNIT .....	100	<i>briellyn .....</i>	89
ATROVENT HFA.....	141	BD VEO INSULIN		BRILINTA .....	69
AUBAGIO.....	84	SYRINGE UF .....	100, 101	<i>brimonidine .....</i>	136
<i>aubra .....</i>	89	<i>bekyree (28) .....</i>	89	BRIVIACT .....	32
<i>aurovela 1.5/30 (21) .....</i>	89	BELEODAQ .....	19	<i>bromocriptine .....</i>	52
<i>aurovela 1/20 (21) .....</i>	89	BELSOMRA.....	144	BROMSITE .....	106
<i>aurovela 24 fe .....</i>	89	<i>benazepril .....</i>	75	BRUKINSA .....	19
<i>aurovela fe 1.5/30 (28) .....</i>	89	BENDEKA.....	19	<i>budesonide .....</i>	131, 139

<i>bumetanide</i> .....	80	<i>cefadroxil</i> .....	12	<b>CIMZIA</b> .....	120
<i>buprenorphine hcl</i> .....	3, 8	<i>cefazolin</i> .....	12	<b>CIMZIA POWDER FOR RECONST</b> .....	120
<i>buprenorphine-naloxone</i> .....	8	<i>cefdinir</i> .....	12	<i>cinacalcet</i> .....	132
<i>bupropion hcl</i> .....	37	<i>cefditoren pivoxil</i> .....	12	<b>CINQAIR</b> .....	143
<i>bupropion hcl (smoking deter)</i> .....	8	<i>cefepime</i> .....	13	<b>CINRYZE</b> .....	67
<i>buspirone</i> .....	9	<i>cefixime</i> .....	13	<b>CINVANTI</b> .....	50
<i>butalbital-acetaminophen-caff</i> ....	3	<i>cefotaxime</i> .....	13	<b>CIPRODEX</b> .....	104
<i>butalbital-aspirin-caffeine</i> .....	3	<i>cefoxitin</i> .....	13	<i>ciprofloxacin</i> .....	16
<b>BYNFEZIA</b> .....	116	<i>cefpodoxime</i> .....	13	<i>ciprofloxacin hcl</i> .....	16, 104
<b>BYSTOLIC</b> .....	77	<i>cefprozil</i> .....	13	<i>ciprofloxacin in 5 % dextrose</i> ... 16	
<b>BYVALSON</b> .....	77	<i>ceftazidime</i> .....	13	<i>ciprofloxacin-dexamethasone</i> . 104	
<i>cabergoline</i> .....	52	<i>ceftriaxone</i> .....	13	<i>citalopram</i> .....	37
<b>CABLIVI</b> .....	133	<i>cefuroxime axetil</i> .....	13	<i>clarithromycin</i> .....	14
<b>CABOMETYX</b> .....	19	<i>cefuroxime sodium</i> .....	13	<b>CLENPIQ</b> .....	110
<i>caffeine citrate</i> .....	85	<i>celecoxib</i> .....	6	<i>clindamycin hcl</i> .....	11
<i>calcipotriene</i> .....	96	<b>CELONTIN</b> .....	32	<i>clindamycin in 5 % dextrose</i> .... 11	
<i>calcitonin (salmon)</i> .....	132	<i>cephalexin</i> .....	13	<i>clindamycin phosphate</i> .. 11, 47, 97	
<i>calcitriol</i> .....	132	<b>CERDELGA</b> .....	101	<b>CLINIMIX 5%/D15W</b>	
<i>calcium acetate(phosphat bind)</i> .....	110	<b>CEREZYME</b> .....	101	<b>SULFITE FREE</b> .....	71
<i>calcium chloride</i> .....	137	<b>CETYLEV</b> .....	133	<b>CLINIMIX 5%/D25W</b>	
<b>CALDOLOR</b> .....	6	<b>CHANTIX</b> .....	8	<b>SULFITE-FREE</b> .....	71
<b>CALQUENCE</b> .....	19	<b>CHANTIX CONTINUING MONTH BOX</b> .....	8	<b>CLINIMIX 4.25%/D10W</b>	
<i>camila</i> .....	89	<b>CHANTIX STARTING MONTH BOX</b> .....	8	<b>SULF FREE</b> .....	71
<b>CAPASTAT</b> .....	49	<i>chloramphenicol sod succinate</i> .. 11		<b>CLINIMIX 4.25%/D5W</b>	
<b>CAPLYTA</b> .....	55	<i>chlordiazepoxide hcl</i> .....	9	<b>SULFIT FREE</b> .....	71
<b>CAPRELSA</b> .....	20	<i>chlorhexidine gluconate</i> .....	96	<b>CLINIMIX 4.25%-D25W</b>	
<i>captopril</i> .....	75	<i>chloroquine phosphate</i> .....	52	<b>SULF-FREE</b> .....	71
<b>CARBAGLU</b> .....	108	<i>chlorothiazide</i> .....	80	<b>CLINIMIX 5%-D20W(SULFITE-FREE)</b> ..... 71	
<i>carbamazepine</i> .....	32	<i>chlorothiazide sodium</i> .....	81	<b>CLINIMIX E 2.75%/D10W</b>	
<i>carbidopa-levodopa</i> .....	52	<i>chlorpromazine</i> .....	55	<b>SUL FREE</b> .....	72
<i>carbidopa-levodopa-entacapone</i> .....	53	<i>chlorthalidone</i> .....	81	<b>CLINIMIX E 2.75%/D5W</b>	
<i>carteolol</i> .....	136	<i>chlorzoxazone</i> .....	144	<b>SULF FREE</b> .....	72
<i>cartia xt</i> .....	78	<i>cholestyramine (with sugar)</i> ....82		<b>CLINIMIX E 4.25%/D10W</b>	
<i>carvedilol</i> .....	77	<i>cholestyramine light</i> .....	82	<b>SUL FREE</b> .....	72
<i>caspofungin</i> .....	45	<i>ciclopirox</i> .....	45	<b>CLINIMIX E 4.25%/D25W</b>	
<b>CAYSTON</b> .....	14	<i>cilostazol</i> .....	69	<b>SUL FREE</b> .....	72
<i>caziant (28)</i> .....	90	<b>CIMDUO</b> .....	59	<b>CLINIMIX E 4.25%/D5W</b>	
<i>cefaclor</i> .....	12	<i>cimetidine hcl</i> .....	107	<b>SULF FREE</b> .....	72

CLINIMIX E 5%/D15W	COSENTYX (2 SYRINGES)	DELSTRIGO .....
SULFIT FREE.....	.....120	<i>delyla</i> (28) .....
CLINIMIX E 5%/D20W	COSENTYX PEN (2 PENS) 120	DEMSER .....
SULFIT FREE.....	COTELLIC.....20	DEPO-PROVERA.....119
CLINIMIX E 5%/D25W	CREON.....101	DESCOVY .....
SULFIT FREE.....	CRIXIVAN.....60	<i>desipramine</i> .....
CLINOLIPID.....	<i>cromolyn</i> .....103, 108, 143	<i>desmopressin</i> .....
<i>clobazam</i> .....32	<i>cryselle</i> (28) .....	<i>desog-e.estriodiolle.estriol</i> ....
<i>clobetasol</i> .....98	<i>cyclafem 1/35</i> (28) .....	<i>desogestrel-ethinyl estradiol</i> ....
<i>clobetasol-emollient</i> .....98	<i>cyclafem 7/7/7</i> (28) .....	<i>desoximetasone</i> .....
<i>clorcortolone pivalate</i> .....98	<i>cyclobenzaprine</i> .....144	<i>desvenlafaxine succinate</i> .....
<i>clofarabine</i> .....20	<i>cyclopentolate</i> .....103	<i>dexamethasone</i> .....
<i>clomipramine</i> .....37	<i>cyclophosphamide</i> .....20	<i>dexamethasone sodium phos</i>
<i>clonazepam</i> .....9, 10	CYCLOPHOSPHAMIDE.....20	( <i>pf</i> ) .....
<i>clonidine</i> .....74	<i>cyclosporine</i> .....120, 121	<i>dexamethasone sodium</i>
<i>clonidine hcl</i> .....74	<i>cyclosporine modified</i> .....120, 121	<i>phosphate</i> .....
<i>clopidogrel</i> .....69	<i>cyproheptadine</i> .....46	<i>dexamethylphenidate</i> .....
<i>clorazepate dipotassium</i> .....10	CYRAMZA.....20	<i>dextroamphetamine</i> .....
<i>clotrimazole</i> .....45	<i>cyred</i> .....90	<i>dextroamphetamine-</i>
<i>clotrimazole-betamethasone</i> .....45	CYSTADANE.....133	<i>amphetamine</i> .....
<i>clovique</i> .....112	CYSTARAN.....103	<i>dextrose 10 % in water</i> ( <i>d10w</i> ) .72
<i>clozapine</i> .....55	<i>dalfampridine</i> .....85	<i>dextrose 20 % in water</i> ( <i>d20w</i> ) .72
COARTEM.....52	DALIRESP.....143	<i>dextrose 25 % in water</i> ( <i>d25w</i> ) .72
<i>codeine sulfate</i> .....3	<i>danazol</i> .....112	<i>dextrose 30 % in water</i> ( <i>d30w</i> ) .72
<i>colchicine</i> .....46	<i>dantrolene</i> .....144	<i>dextrose 40 % in water</i> ( <i>d40w</i> ) .72
<i>colesevelam</i> .....82	<i>dapsone</i> .....49	<i>dextrose 5 % in water</i> ( <i>d5w</i> ) ....73
<i>colestipol</i> .....82	DAPTACEL (DTAP	<i>dextrose 50 % in water</i> ( <i>d50w</i> ) .73
<i>colistin (colistimethate na)</i> .....	PEDIATRIC) (PF).....127	<i>dextrose 70 % in water</i> ( <i>d70w</i> ) .73
<i>colocort</i> .....131	<i>daptomycin</i> .....11	DIASTAT .....
COMBIGAN.....136	DARZALEX.....20	DIASTAT ACUDIAL .....
COMBIVENT RESPIMAT..141	DARZALEX FASPRO.....20	<i>diazepam</i> .....
COMETRIQ.....20	<i>dasetta 1/35</i> (28) .....	10, 32
COMPLERA.....60	<i>dasetta 7/7/7</i> (28) .....	<i>diazepam intensol</i> .....10
<i>compro</i> .....50	DAURISMO.....20	<i>diazoxide</i> .....
<i>constulose</i> .....108	<i>daysee</i> .....90	<i>diclofenac epolamine</i> .....
COPAXONE.....85	<i>deblitane</i> .....90	<i>diclofenac potassium</i> .....
COPIKTRA.....20	<i>decadron</i> .....114	<i>diclofenac sodium</i> .....
CORLANOR.....79	<i>decitabine</i> .....20	6, 106
<i>cormax</i> .....98	<i>deferasirox</i> .....112	<i>dicloxacillin</i> .....15
<i>cortisone</i> .....114	<i>deferoxamine</i> .....112	<i>dicyclomine</i> .....
		108
		<i>didanosine</i> .....
		60
		DIFICID.....14

digitek	79	DUPIXENT SYRINGE	121	ENGERIX-B (PF)	127
digox	79	DUREZOL	106	ENGERIX-B PEDIATRIC	
digoxin	79	dutasteride	111	(PF)	127
DIGOXIN	79	econazole	45	ENHERTU	21
dihydroergotamine	48	EDARBI	74	enoxaparin	66
diltiazem hcl	78	EDARBYCLOR	74	empresse	90
dilt-xr	78	EDURANT	60	enskyce	90
dimenhydrinate	50	efavirenz	60	entacapone	53
DIPENTUM	131	EGRIFTA	116	entecavir	65
diphenhydramine hcl	47	EGRIFTA SV	116	ENTRESTO	74
diphenoxylate-atropine	108	ELAPRASE	101	enulose	108
dipyridamole	69	ELIGARD	21	EPCLUSA	64
disopyramide phosphate	76	ELIGARD (3 MONTH)	21	EPIDIOLEX	33
disulfiram	9	ELIGARD (4 MONTH)	21	epinastine	103
divalproex	33	ELIGARD (6 MONTH)	21	epinephrine	79
dofetilide	76	elinet	90	epitol	33
donepezil	36	ELIQUIS	66	EPIVIR HBV	60
DOPTELET (10 TAB PACK)	67	ELIQUIS DVT-PE TREAT		eplerenone	83
DOPTELET (15 TAB PACK)	67	30D START	66	EPOGEN	67
DOPTELET (30 TAB PACK)	67	ELITEK	101	epoprostenol (glycine)	145
dorzolamide	136	ELLA	90	ergoloid	134
dorzolamide-timolol	136	ELMIRON	134	ERGOMAR	48
dotti	113	eluryng	90	ERIVEDGE	21
DOVATO	60	EMCYT	21	ERLEADA	21
doxazosin	74	EMEND	50	erlotinib	21
doxepin	37	EMFLAZA	115	errin	90
doxercalciferol	132	EMGALITY PEN	48	ertapenem	14
doxorubicin	20	EMGALITY SYRINGE	48	ery pads	97
doxorubicin, peg-liposomal	20	emoquette	90	erythromycin	14, 104
doxy-100	17	EMPLICITI	21	erythromycin ethylsuccinate	14
doxycycline hyolate	17	EMSAM	38	erythromycin with ethanol	97
doxycycline monohydrate	17	EMTRIVA	60	ESBRIET	143
DRIZALMA SPRINKLE	38	enalapril maleate	75	escitalopram oxalate	38
dronabinol	50	enalaprilat	75	esomeprazole sodium	107
droperidol	133	enalapril-hydrochlorothiazide	75	estarrylla	90
drospirenone-ethynodiol estradiol	90	ENBREL	121	estradiol	113
DROXIA	21	ENBREL MINI	121	estradiol valerate	113
DUAVEE	113	ENBREL SURECLICK	121	estradiol-norethindrone acet.	113
duloxetine	38	ENDARI	134	eszopiclone	144
DUPIXENT PEN	121	endocet	3	ethambutol	49

<i>ethosuximide</i>	33	FIASP PENFILL U-100	
<i>ethynodiol diac-eth estradiol</i>	90	INSULIN	42
<i>etodolac</i>	6, 7	FIASP U-100 INSULIN	42
<i>etonogestrel-ethinyl estradiol</i>	91	<i>finasteride</i>	111
ETOPOPHOS	21	FINTEPLA	33
<i>etoposide</i>	21	FIRVANQ	11
EUCRISA	99	FLEBOGAMMA DIF	121
EVENITY	132	<i>flecainide</i>	76
<i>everolimus</i>		FLOVENT DISKUS	139, 140
( <i>immunosuppressive</i> )	121	FLOVENT HFA	140
EVOTAZ	60	<i>flouxuridine</i>	21
EVRYSDI	134	<i>fluconazole</i>	45
<i>exemestane</i>	21	<i>fluconazole in nacl (iso-osm)</i>	45
EXONDYS-51	134	<i>flucytosine</i>	45
EXTAVIA	85	<i>fludrocortisone</i>	115
<i>ezetimibe</i>	82	<i>flumazenil</i>	85
FABRAZYME	101	<i>flunisolide</i>	106
<i>falmina (28)</i>	91	<i>fluocinolone</i>	99
<i>famciclovir</i>	65	<i>fluocinonide</i>	99
<i>famotidine</i>	107	<i>fluocinonide-e</i>	99
<i>famotidine (pf)</i>	107	<i>fluorometholone</i>	106
<i>famotidine (pf)-nacl (iso-os)</i>	107	<i>fluorouracil</i>	21, 97
FANAPT	55	<i>fluoxetine</i>	38
FARYDAK	21	<i>fluphenazine decanoate</i>	55
FASENRA	143	<i>fluphenazine hcl</i>	56
FASENRA PEN	143	<i>flurbiprofen</i>	7
<i>febuxostat</i>	46	<i>flurbiprofen sodium</i>	106
<i>felbamate</i>	33	<i>flutamide</i>	21
FEMRING	114	<i>fluticasone propionate</i>	99, 106
<i>femynor</i>	91	<i>fluvoxamine</i>	38
<i>fenofibrate</i>	82	<i>fomepizole</i>	134
<i>fenofibrate micronized</i>	82	<i>fondaparinux</i>	66
<i>fenofibrate nanocrystallized</i>	82	FORTEO	132
<i>fentanyl</i>	3	<i>fosamprenavir</i>	60
<i>fentanyl citrate</i>	3	<i>fosaprepitant</i>	50
FERRIPROX	112	<i>foscarnet</i>	63
FETZIMA	38	<i>fosinopril</i>	75
FIASP FLEXTOUCH U-100		<i>fosphenytoin</i>	33
INSULIN	42	FREAMINE HBC 6.9 %	73
		FREAMINE III 10 %	73
		FULPHILA	67
		<i>fulvestrant</i>	22
		<i>furosemide</i>	81
		FUZEON	60
		<i>fyavolv</i>	114
		FYCOMPA	33
		<i>gabapentin</i>	33
		GALAFOLD	102
		<i>galantamine</i>	36
		GAMASTAN	121
		GAMMAGARD LIQUID	121
		GAMMAGARD S-D (IGA < 1 MCG/ML)	121
		GAMMAPLEX	122
		GAMMAPLEX (WITH SORBITOL)	122
		<i>ganciclovir sodium</i>	65
		GARDASIL 9 (PF)	127
		GATTEX 30-VIAL	108
		GAUZE PAD	101
		<i>gavilyte-c</i>	110
		<i>gavilyte-g</i>	110
		<i>gavilyte-n</i>	110
		GAZYVA	22
		<i>gemfibrozil</i>	82
		<i>generlac</i>	108
		<i>gengraf</i>	122
		GENOTROPIN	116
		GENOTROPIN MINIQUICK	116
		<i>gentak</i>	104
		<i>gentamicin</i>	10, 97, 104
		<i>gentamicin sulfate (ped) (pf)</i>	10
		<i>gentamicin sulfate (pf)</i>	10
		GENVOYA	60
		GILENYA	85
		GILOTrif	22
		GIVLAARI	69
		<i>glatiramer</i>	85
		<i>glatopa</i>	85

GLEOSTINE	22	HEPATAMINE 8%	73	HYPERRAB (PF)	123
<i>glimepiride</i>	44	HERCEPTIN	22	HYPERRAB S/D (PF)	123
<i>glipizide</i>	44	HERCEPTIN HYLECTA	22	HYQVIA	123
<i>glipizide-metformin</i>	44	HERZUMA	22	<i>ibandronate</i>	132
GLUCAGEN HYPOKIT	134	HETLIOZ	144	IBRANCE	22
<i>glyburide</i>	44	HIBERIX (PF)	127	<i>ibu</i>	7
<i>glyburide micronized</i>	44	HUMATROPE	116	<i>ibuprofen</i>	7
<i>glyburide-metformin</i>	44	HUMIRA	122	<i>icatibant</i>	80
<i>glycopyrrolate</i>	108, 109	HUMIRA PEDIATRIC		ICLUSIG	22
<i>glydo</i>	7	CROHNS START	122	IDHIFA	22
GLYXAMBI	40	HUMIRA PEN	122	<i>ifosfamide</i>	22
GOCOVRI	53	HUMIRA PEN CROHNS-		<i>ifosfamide-mesna</i>	22
<i>granisetron (pf)</i>	50	UC-HS START	122	ILARIS (PF)	123
<i>granisetron hcl</i>	50	HUMIRA PEN PSOR-		ILEVRO	106
GRANIX	67	UVEITS-ADOL HS	122	ILUMYA	123
<i>griseofulvin microsize</i>	45	HUMIRA(CF)	123	<i>imatinib</i>	22
<i>guanfacine</i>	74, 86	HUMIRA(CF) PEDI		IMBRUVICA	22, 23
<i>guanidine</i>	134	CROHNS STARTER	122	IMFINZI	23
GVOKE HYPOOPEN 1-PACK	134	HUMIRA(CF) PEN	122	<i>imipenem-cilastatin</i>	14
GVOKE HYPOOPEN 2-PACK	134	CROHNS-UC-HS	122	<i>imipramine hcl</i>	38
GVOKE PFS 1-PACK SYRINGE	134	HUMIRA(CF) PEN PSOR-		<i>imiquimod</i>	97
GVOKE PFS 2-PACK SYRINGE	134	UV-ADOL HS	122	IMLYGIC	23
HAEGARDA	67, 68	HUMULIN R U-500		IMO GAM RABIES-HT (PF)	
<i>hailey</i>	91	(CONC) INSULIN	42	IMO VAX RABIES	
<i>hailey 24 fe</i>	91	HUMULIN R U-500		VACCINE (PF)	127
<i>hailey fe 1.5/30 (28)</i>	91	(CONC) KWIKPEN	42	IMPAVIDO	52
<i>hailey fe 1/20 (28)</i>	91	<i>hydralazine</i>	79	INBRIJA	53
<i>halobetasol propionate</i>	99	<i>hydrochlorothiazide</i>	81	<i>incassia</i>	91
<i>haloperidol</i>	56	<i>hydrocodone-acetaminophen</i>	3, 4	INCRELEX	117
<i>haloperidol decanoate</i>	56	<i>hydrocodone-ibuprofen</i>	4	INCRUSE ELLIPTA	141
<i>haloperidol lactate</i>	56	<i>hydrocortisone</i>	99, 115, 131	<i>indapamide</i>	81
HARVONI	64	<i>hydromorphone</i>	4	<i>indomethacin</i>	7
HAVRIX (PF)	127	<i>hydromorphone (pf)</i>	4	INFANRIX (DTAP) (PF)	
<i>heather</i>	91	<i>hydroxychloroquine</i>	52	127, 128	
<i>heparin (porcine)</i>	66	<i>hydroxyprogesterone</i>		INFLECTRA	123
<i>heparin, porcine (pf)</i>	66	<i>cap(ppres)</i>	119	INGREZZA	86
		<i>hydroxyurea</i>	22	INGREZZA INITIATION	
		<i>hydroxyzine hcl</i>	47	PACK	86
		<i>hydroxyzine pamoate</i>	134	INLYTA	23

INQOVI	23	JANUMET XR	40	<i>klor-con m15</i>	137
INREBIC	23	JANUVIA	40	<i>klor-con m20</i>	137
INSULIN SYRINGE-NEEDLE U-100	101	JARDIANCE	40	<i>klor-con sprinkle</i>	137
INTELENCE	60	<i>jasmiel</i> (28)	91	KORLYM	41
INTRALIPID	73	<i>jencycla</i>	91	KOSELUGO	24
INTRON A	65	JENTADUETO	40	KRINTAFEL	52
<i>introvale</i>	91	JENTADUETO XR	41	KRYSTEXXA	102
INVEGA SUSTENNA	56	<i>jinteli</i>	114	K-SOL	137
INVEGA TRINZA	56, 57	<i>jolivette</i>	91	<i>kurvelo</i> (28)	92
INVELTYS	106	<i>juleber</i>	91	KUVAN	102
INVIRASE	60	JULUCA	61	KYNMOBI	53
INVOKAMET	40	<i>junel 1.5/30</i> (21)	91	KYPROLIS	24
INVOKAMET XR	40	<i>junel 1/20</i> (21)	91	<i>l norgest/e.estradiol-e.estrad</i>	92
INVOKANA	40	<i>junel fe 1.5/30</i> (28)	91	<i>labetalol</i>	77
IONOSOL-B IN D5W	137	<i>junel fe 1/20</i> (28)	91	LACTATED RINGERS	131
IONOSOL-MB IN D5W	137	<i>junel fe 24</i>	91	<i>lactulose</i>	109
IPOL	128	JUXTAPID	82	<i>lamivudine</i>	61
<i>ipratropium bromide</i>	103, 141	JYNARQUE	81	<i>lamivudine-zidovudine</i>	61
<i>irbesartan</i>	74	KABIVEN	73	<i>lamotrigine</i>	33
<i>irbesartan-hydrochlorothiazide</i>	75	KALETTRA	61	<i>lansoprazole</i>	107
IRESSA	23	<i>kalliga</i>	91	LANTUS SOLOSTAR U-100	
ISENTRESS	60, 61	KALYDECO	143	INSULIN	42
ISENTRESS HD	60	KANJINTI	23	LANTUS U-100 INSULIN	42
<i>isibloom</i>	91	KANUMA	102	<i>larin 1.5/30</i> (21)	92
ISOLYTE-P IN 5 %		<i>kariva</i> (28)	91	<i>larin 1/20</i> (21)	92
DEXTROSE	137	KEDRAB (PF)	123	<i>larin 24 fe</i>	92
ISOLYTE-S	137	<i>kelnor 1/35</i> (28)	91	<i>larin fe 1.5/30</i> (28)	92
<i>isoniazid</i>	49	<i>kelnor 1-50</i>	91	<i>larin fe 1/20</i> (28)	92
<i>isosorbide dinitrate</i>	84	<i>ketoconazole</i>	45	<i>larissia</i>	92
<i>isosorbide mononitrate</i>	84	<i>ketorolac</i>	7, 106	<i>latanoprost</i>	136
<i>itraconazole</i>	45	KEVEYIS	134	LATUDA	57
<i>ivermectin</i>	52	KEVZARA	123	LAZANDA	4
IXEMPRA	23	KEYTRUDA	23	<i>ledipasvir-sofosbuvir</i>	64
IXIARO (PF)	128	KINERET	123	<i>leena 28</i>	92
JADENU SPRINKLE	112	KINRIX (PF)	128	<i>leflunomide</i>	123
<i>jaimiess</i>	91	<i>kionex</i> (with sorbitol)	109	LEMTRADA	86
JAKAFI	23	KISQALI	24	LENVIMA	24
<i>jantoven</i>	67	KISQALI FEMARA CO-		<i>lessina</i>	92
JANUMET	40	PACK	23	<i>letrozole</i>	24
		<i>klor-con m10</i>	137	<i>leucovorin calcium</i>	134, 135

LEUKERAN	24	LONHALA MAGNAIR	
LEUKINE	68	REFILL	141
leuprolide	24	LONHALA MAGNAIR	
levetiracetam	34	STARTER	141
levobunolol	136	LONSURF	24
levocarnitine	135	loperamide	109
levocarnitine (with sugar)	135	lopinavir-ritonavir	61
levocetirizine	47	lorazepam	10
levofloxacin	16, 104	LORBRENA	24
levofloxacin in d5w	16	lorcet (hydrocodone)	4
LEVOLEUCOVORIN		lorcet hd	4
CALCIUM	135	lorcet plus	4
levoleucovorin calcium	135	loryna (28)	93
levonest (28)	92	losartan	75
levonorgestrel-ethinyl estrad	92	losartan-hydrochlorothiazide	75
levonorg-eth estrad triphasic	92	LOTEMAX	106
levora-28	92	LOTEMAX SM	107
levothyroxine	119	lovastatin	82
LEXIVA	61	low-ogestrel (28)	93
LIALDA	131	loxapine succinate	57
LIBTAYO	24	lo-zumandimine (28)	93
lidocaine	8	LUCEMYRA	9
lidocaine (pf)	7, 76	LUMIGAN	136
lidocaine hcl	8	LUMOXITI	24
lidocaine viscous	8	LUPRON DEPOT	25, 117
lidocaine-prilocaine	8	LUPRON DEPOT (3 MONTH)	24, 117
lillow (28)	92	LUPRON DEPOT (4 MONTH)	25
linezolid	11	LUPRON DEPOT (6 MONTH)	25
linezolid in dextrose 5%	11	LUPRON DEPOT-PED	117
linezolid-0.9% sodium chloride	11	LUPRON DEPOT-PED (3 MONTH)	117
LINZESS	109	lutera (28)	93
liothyronine	120	LYNPARZA	25
lisinopril	75	LYSODREN	25
lisinopril-hydrochlorothiazide	76	lyza	93
lithium carbonate	86	magnesium sulfate	138
lithium citrate	86	magnesium sulfate in d5w	137
LIVALO	82	magnesium sulfate in water	138
lojaimiess	93	malathion	100
LOKELMA	109	maprotiline	38

mesalamine .....	131	minoxidil .....	84	necon 0.5/35 (28) .....	93
mesna .....	135	mirtazapine .....	38, 39	nefazodone .....	39
MESNEX .....	135	misoprostol .....	107	neomycin .....	10
MESTINON .....	135	MITIGARE .....	46	neomycin-bacitracin-poly-hc .....	104
metaproterenol .....	141	mitoxantrone .....	25	neomycin-bacitracin-	
metformin .....	41	M-M-R II (PF) .....	128	polymyxin .....	104
methadone .....	4	molindone .....	57	neomycin-polymyxin b gu .....	98
methadose .....	4	mometasone .....	99, 107	neomycin-polymyxin b-	
methenamine hippurate .....	11	monodoxe nl .....	17	dexameth .....	105
methimazole .....	120	MONJUVI .....	25	neomycin-polymyxin-	
methocarbamol .....	144	mono-linyah .....	93	gramicidin .....	105
methotrexate sodium .....	25	mononessa (28) .....	93	neomycin-polymyxin-hc .....	105
methotrexate sodium (pf) .....	25	montelukast .....	140	neo-polycin .....	105
methoxsalen .....	97	MORPHINE .....	4, 5	neo-polycin hc .....	105
methscopolamine .....	109	morphine .....	4, 5	NEPHRAMINE 5.4 % .....	73
methyclothiazide .....	81	morphine concentrate .....	4	NERLYNX .....	25
methylphenidate hcl .....	86, 87	MOVANTIK .....	109	NEULASTA .....	68
methylprednisolone .....	115	MOXEZA .....	104	NEUPOGEN .....	68
methylprednisolone acetate .....	115	moxifloxacin .....	16, 104	NEUPRO .....	53
methylprednisolone sodium succ .....	115	MOZOBIL .....	68	nevirapine .....	61
metipranolol .....	136	MULPLETA .....	68	NEXAVAR .....	26
metoclopramide hcl .....	109	MULTAQ .....	76	NEXLETOL .....	82
metoprolol succinate .....	77	mupirocin .....	97	NEXLIZET .....	82
metoprolol ta-hydrochlorothiaz ..	77	mycophenolate mofetil .....	123, 124	niacin .....	82
metoprolol tartrate .....	77	mycophenolate mofetil (hcl) .....	123	niacor .....	82
metronidazole .....	12, 47, 97	MYLOTARG .....	25	nicardipine .....	80
metronidazole in nacl (iso-os) ..	12	MYRBETRIQ .....	111	NICOTROL .....	9
metyrosine .....	80	myzilra .....	93	nifedipine .....	80
mexiletine .....	76	nabumetone .....	7	nikki (28) .....	93
MIACALCIN .....	132	nafcillin .....	15	nilutamide .....	26
miconazole-3 .....	45	nafcillin in dextrose iso-osm .....	15	NINLARO .....	26
microgestin fe 1/20 (28) .....	93	NAGLAZYME .....	102	nitisinone .....	102
midodrine .....	74	naloxone .....	9	nitrofurantoin macrocrystal .....	12
miglustat .....	102	naltrexone .....	9	nitrofurantoin monohyd/m-	
mili .....	93	NAMZARIC .....	37	cryst .....	12
mimvey .....	114	naproxen .....	7	nitroglycerin .....	84
mimvey lo .....	114	NARCAN .....	9	NITYR .....	102
minitran .....	84	NATACYN .....	104	NIVESTYM .....	68
minocycline .....	17	NATPARA .....	132	nizatidine .....	108
		NAYZILAM .....	34	NOCDURNA (MEN) .....	117

NOCDURNA (WOMEN).....	117	NOVOLOG PENFILL U-100	
<i>nora-be</i> .....	93	INSULIN.....	43
NORDITROPIN FLEXPRO .....	117	NOVOLOG U-100 INSULIN	
<i>norethindrone (contraceptive)</i> ..	93	ASPART.....	43
<i>norethindrone acetate</i> .....	119	NOXAFILE.....	46
<i>norethindrone ac-eth estradiol</i> .....	93, 114	NUBEQA.....	26
<i>norethindrone-e.estriadiol-iron</i> ..	93	NUCALA.....	143
<i>norgestimate-ethinyl estradiol</i> .....	93, 94	NUCYNTA.....	5
<i>norlyda</i> .....	94	NUCYNTA ER.....	5
<i>norlyroc</i> .....	94	NUEDEXTA.....	87
NORMOSOL-M IN 5 %		NULOJIX.....	124
DEXTROSE.....	138	NUPLAZID.....	57
NORMOSOL-R PH 7.4.....	138	NURTEC ODT.....	48
NORTHERA.....	74	NUTRILIPID.....	73
<i>nortrel 0.5/35 (28)</i> .....	94	NUTROPIN AQ NUSPIN ...	117
<i>nortrel 1/35 (21)</i> .....	94	<i>nyamyc</i> .....	46
<i>nortrel 1/35 (28)</i> .....	94	<i>nystatin</i> .....	46
<i>nortrel 7/7/7 (28)</i> .....	94	<i>nystop</i> .....	46
<i>nortriptyline</i> .....	39	OCALIVA.....	109
NORVIR.....	61	OCREVUS.....	87
NOVOLIN 70/30 U-100		OCTAGAM.....	124
INSULIN.....	42	<i>octreotide acetate</i> .....	117, 118
NOVOLIN 70-30 FLEXPEN		ODEFSEY.....	61
U-100.....	43	ODOMZO.....	26
NOVOLIN N FLEXPEN.....	43	OFEV.....	143
NOVOLIN N NPH U-100		<i>ofloxacin</i> .....	105
INSULIN.....	43	<i>ogestrel (28)</i> .....	94
NOVOLIN R FLEXPEN.....	43	OGIVRI.....	26
NOVOLIN R REGULAR U-		<i>olanzapine</i> .....	57
100 INSULN.....	43	<i>olmesartan</i> .....	75
NOVOLOG FLEXPEN U-		<i>olmesartan-</i>	
100 INSULIN.....	43	<i>hydrochlorothiazide</i> .....	75
NOVOLOG MIX 70-30 U-		<i>olopatadine</i> .....	103
100 INSULN.....	43	OLUMIANT.....	124
NOVOLOG MIX 70-30FLEXPEN U-100.....	43	<i>omega-3 acid ethyl esters</i> .....	82
		<i>omeprazole</i> .....	108
		<i>omeprazole-sodium</i>	
		<i>bicarbonate</i> .....	108
		OMNITROPE.....	118
		ONCASPAR.....	26
		<i>ondansetron</i> .....	51
		<i>ondansetron hcl</i> .....	50, 51
		<i>ondansetron hcl (pf)</i> .....	50
		ONIVYDE.....	26
		ONTRUZANT.....	26
		OPDIVO.....	26
		OPSUMIT.....	145
		<i>oralone</i> .....	96
		ORENCIA.....	124
		ORENCIA (WITH	
		<i>MALTOSE)</i> .....	124
		ORENCIA CLICKJECT .....	124
		ORENITRAM.....	145
		ORFADIN.....	102
		ORILISSA.....	118
		ORKAMBI.....	143
		<i>orsythia</i> .....	94
		<i>oseltamivir</i> .....	63
		OSMOLEX ER.....	53
		OTEZLA.....	124
		OTEZLA STARTER .....	124
		<i>oxcarbazepine</i> .....	34
		OXTELLAR XR.....	34
		<i>oxybutynin chloride</i> .....	111
		<i>oxycodone</i> .....	5
		<i>oxycodone-acetaminophen</i> .....	5
		<i>oxycodone-aspirin</i> .....	5
		OXYCONTIN.....	6
		OZEMPIC.....	41
		<i>pacerone</i> .....	76
		PADCEV.....	26
		<i>paliperidone</i> .....	57
		PALYNZIQ.....	102
		PANRETIN.....	97
		<i>pantoprazole</i> .....	108
		<i>paricalcitol</i> .....	132
		PARICALCITOL.....	132
		<i>paroex oral rinse</i> .....	96
		<i>paramomycin</i> .....	52
		<i>paroxetine hcl</i> .....	39

PASER .....	49	PIFELTRO .....	61	PREMPRO .....	114
PAXIL .....	39	<i>pilocarpine hcl</i> .....	96, 136	<i>prenatal plus (calcium carb)</i> ..	146
PEDIARIX (PF) .....	128	<i>pimecrolimus</i> .....	99	<i>prenatal vitamin plus low iron</i> ..	146
PEDVAX HIB (PF) .....	128	<i>pimozide</i> .....	57	PRETOMANID .....	49
peg 3350-electrolytes .....	110	<i>pimtrea (28)</i> .....	94	<i>prevalite</i> .....	83
PEGANONE .....	34	<i>pioglitazone</i> .....	41	<i>previfem</i> .....	94
PEGASYS .....	65	<i>piperacillin-tazobactam</i> .....	16	PREVYMIS .....	63
PEGASYS PROCLICK .....	65	PIQRAY .....	26	PREZCOBIX .....	61
PEGINTRON .....	65	<i>pirmella</i> .....	94	PREZISTA .....	61, 62
PEMAZYRE .....	26	PLASMA-LYTE 148 .....	138	PRIFTIN .....	49
PEN NEEDLE, DIABETIC ..	101	PLASMA-LYTE A .....	138	PRIMAQUINE .....	52
<i>penicillamine</i> .....	112	PLEGRIDY .....	87	<i>primidone</i> .....	35
<i>penicillin g potassium</i> .....	16	<i>podofilox</i> .....	97	PRIVIGEN .....	124
<i>penicillin g procaine</i> .....	16	POLIVY .....	26	PROAIR RESPICLICK .....	141
<i>penicillin v potassium</i> .....	16	<i>polycin</i> .....	105	<i>probenecid</i> .....	46
PENNSAID .....	7	<i>polymyxin b sulfate</i> .....	12	<i>probenecid-colchicine</i> .....	46
PENTACEL (PF) .....	128	<i>polymyxin b sulf-trimethoprim</i> ..	105	<i>procainamide</i> .....	76
PENTACEL DTAP-IPV COMPNT (PF) .....	128	POMALYST .....	26	PROCALAMINE 3% .....	73
<i>pentamidine</i> .....	52	<i>portia 28</i> .....	94	<i>prochlorperazine</i> .....	51
<i>pentoxifylline</i> .....	70	PORTRAZZA .....	27	<i>prochlorperazine edisylate</i> .....	51
PERIKABIVEN .....	73	<i>posaconazole</i> .....	46	<i>prochlorperazine maleate</i> .....	51
<i>perindopril erbumine</i> .....	76	<i>potassium chloride</i> .....	138	PROCRT .....	68
<i>periogard</i> .....	96	<i>potassium chloride-0.45 % nacl</i> .....	138	<i>procto-med hc</i> .....	99
<i>permethrin</i> .....	100	<i>potassium citrate</i> .....	138, 139	<i>proctosol hc</i> .....	99
<i>perphenazine</i> .....	57	PRADAXA .....	67	<i>protozone-hc</i> .....	99
<i>perphenazine-amitriptyline</i> .....	39	PRALUENT PEN .....	83	PROCYSBI .....	111, 135
PERSERIS .....	57	<i>pramipexole</i> .....	54	<i>progesterone</i> .....	119
<i>pfiizerpen-g</i> .....	16	<i>prasugrel</i> .....	70	<i>progesterone micronized</i> .....	119
<i>phenadoz</i> .....	51	<i>pravastatin</i> .....	83	PROGLYCEM .....	135
<i>phenelzine</i> .....	39	<i>prazosin</i> .....	74	PROGRAF .....	124
<i>phenobarbital</i> .....	34	<i>prednicarbate</i> .....	99	PROLASTIN-C .....	143
<i>phenylephrine hcl</i> .....	74, 103	<i>prednisolone</i> .....	115	PROLENSA .....	107
<i>phenytoin</i> .....	34	<i>prednisolone acetate</i> .....	107	PROLEUKIN .....	27
<i>phenytoin sodium</i> .....	34	<i>prednisolone sodium phosphate</i> .....	107, 115	PROLIA .....	133
<i>phenytoin sodium extended</i> .....	34	<i>prednisone</i> .....	115	PROMACTA .....	68, 69
PHESGO .....	26	<i>pregabalin</i> .....	34	<i>promethazine</i> .....	47, 51
<i>philith</i> .....	94	PREMARIN .....	114	<i>promethegan</i> .....	51
PHOSLYRA .....	110	PREMPHASE .....	114	<i>propafenone</i> .....	76
PICATO .....	97			<i>proparacaine</i> .....	103
				<i>propranolol</i> .....	77, 78

<i>propranolol-hydrochlorothiazid</i>	78	RESCRIPTOR	62	SABRIL	35
<i>propylthiouracil</i>	120	RESTASIS	107	SAIZEN	118
PROQUAD (PF)	129	RETACRIT	69	SAIZEN SAIZENPREP	118
PROSOL 20 %	73	RETEVMO	27	SANDOSTATIN LAR	
<i>protamine</i>	69	RETROVIR	62	DEPOT	118
<i>protriptyline</i>	39	REVCAMI	102	SANTYL	97
PULMOZYME	102	REVLIMID	27	SAPHRIS	58
PURIXAN	27	<i>revonto</i>	144	SARCLISA	27
<i>pyrazinamide</i>	49	REXULTI	58	SAVELLA	88
<i>pyridostigmine bromide</i>	135	REYATAZ	62	<i>scopolamine base</i>	51
<i>pyrimethamine</i>	52	REYVOW	48	SECUADO	58
QINLOCK	27	RHOPRESSA	136	<i>selegiline hcl</i>	54
QUADRACEL (PF)	129	<i>ribasphere</i>	65, 66	<i>selenium sulfide</i>	98
<i>quetiapine</i>	58	<i>ribavirin</i>	66	SELZENTRY	62
<i>quinapril</i>	76	RIDAURA	125	SEREVENT DISKUS	141
<i>quinidine sulfate</i>	76	<i>rifabutin</i>	49	SEROSTIM	118
RABAVERT (PF)	129	<i>rifampin</i>	49	<i>sertraline</i>	39
RADICAVA	87	<i>riluzole</i>	88	<i>setlakin</i>	94
<i>raloxifene</i>	114	<i>rimantadine</i>	64	<i>sevelamer carbonate</i>	110, 111
<i>ramipril</i>	76	RINVOQ	125	<i>sevelamer hcl</i>	111
<i>ranitidine hcl</i>	108	RISPERDAL CONSTA	58	sharobel	94
<i>ranolazine</i>	80	<i>risperidone</i>	58	SHINGRIX (PF)	129
<i>rasagiline</i>	54	<i>ritonavir</i>	62	SIGNIFOR	118
RASUVO (PF)	124	RITUXAN	27	SIKLOS	69
RAVICTI	109	RITUXAN HYCELA	27	<i>sildenafil (pulm.hypertension)</i>	145
RAYALDEE	133	<i>rivastigmine</i>	37	SILENOR	144
REBIF (WITH ALBUMIN)	87	<i>rivastigmine tartrate</i>	37	SILIQ	125
REBIF REBIDOSE	87	<i>rizatriptan</i>	48	<i>silver sulfadiazine</i>	98
REBIF TITRATION PACK	88	ROCKLATAN	136	SIMBRINZA	137
<i>reclipsen (28)</i>	94	<i>ropinirole</i>	54	<i>simliya (28)</i>	94
RECOMBIVAX HB (PF)	129	<i>rosadan</i>	98	<i>simpesesse</i>	94
RECTIV	135	<i>rosuvastatin</i>	83	SIMPONI	125
RELENZA DISKHALER	64	ROTARIX	129	SIMPONI ARIA	125
RELISTOR	109	ROTATEQ VACCINE	129	<i>simvastatin</i>	83
REMICADE	124	ROZLYTREK	27	<i>sirolimus</i>	125
RENFLEXIS	125	RUBRACA	27	SIRTURO	49
<i>repaglinide</i>	41	RUKOBIA	62	SKYRIZI	125
REPATHA PUSHTRONEX	83	RUXIENCE	27	<i>smoflipid</i>	73
REPATHA SURECLICK	83	RYBELSUS	41	<i>sodium chloride</i>	131
REPATHA SYRINGE	83	RYDAPT	27	<i>sodium chloride 0.9 %</i>	139

sodium phenylbutyrate .....	109	sulfadiazine .....	16	TALZENNA .....	28
sodium polystyrene (sorb free) .....	109	sulfamethoxazole-trimethoprim .....	16, 17	tamoxifen .....	28
sodium polystyrene sulfonate ..	110	sulfasalazine .....	131	tamsulosin .....	111
sofosbuvir-velpatasvir .....	64	sulfatrim .....	17	TARGETIN .....	28
SOLIQUA 100/33 .....	43	sulindac .....	7	tarina 24 fe .....	94
SOLTAMOX .....	27	sumatriptan .....	48	tarina fe 1/20 (28) .....	95
SOLU-CORTEF ACT-O-VIAL (PF) .....	116	sumatriptan succinate .....	48, 49	TASIGNA .....	28
SOMATULINE DEPOT .....	118	SUNOSI .....	145	TAVALISSE .....	69
SOMAVERT .....	118	SUPPRELIN LA .....	119	tazarotene .....	100
sorine .....	78	SUPREP BOWEL PREP .....		TAZORAC .....	100
sotalol .....	78	KIT .....	110	taztia xt .....	78
sotalol af .....	78	SUTENT .....	28	TAZVERIK .....	28
SOVALDI .....	64	syeda .....	94	TDVAX .....	129
SPIRIVA RESPIMAT .....	142	SYLATRON .....	65	TECENTRIQ .....	28
SPIRIVA WITH HANDIHALER .....	142	SYLVANT .....	28	TECFIDERA .....	88
spironolactone .....	81	SYMBICORT .....	140	TECHNIVIE .....	64
SPRAVATO .....	39	SYMDEKO .....	144	TEFLARO .....	13
sprintec (28) .....	94	SYMFY .....	62	TEKTURNA HCT .....	83
SPRITAM .....	35	SYMFY LO .....	62	telmisartan .....	75
SPRYCEL .....	27, 28	SYMJEPI .....	80	temazepam .....	10
sps (with sorbitol) .....	110	SYMLINPEN 120 .....	41	TEMIXYS .....	62
sronyx .....	94	SYMLINPEN 60 .....	41	TEMODAR .....	28
ssd .....	98	SYMPAZAN .....	35	TENIVAC (PF) .....	129
stavudine .....	62	SYMTUZA .....	62	tenofovir disoproxil fumarate .....	62
STELARA .....	125	SYNAGIS .....	64	TEPEZZA .....	103
STIOLTO RESPIMAT .....	142	SYNAREL .....	119	terazosin .....	111
STIVARGA .....	28	SYNERCID .....	12	terbinafine hcl .....	46
STRENSIQ .....	102	SYNJARDY .....	41	terbutaline .....	142
streptomycin .....	10	SYNJARDY XR .....	41, 42	terconazole .....	47
STRIBILD .....	62	SYNRIBO .....	28	teriparatide .....	133
STRIVERDI RESPIMAT ....	142	TABLOID .....	28	testosterone .....	113
SUBLOCADE .....	9	TABRECTA .....	28	testosterone cypionate .....	112
subvenite .....	35	tacrolimus .....	99, 125	testosterone enanthate .....	112
sucralfate .....	108	tadalafil (pulm. hypertension) ..	145	TETANUS,DIPHTHERIA	
sulfacetamide sodium .....	105	TAFINLAR .....	28	TOX PED(PF) .....	130
sulfacetamide sodium (acne) ..	98	TAGRISSO .....	28	tetrabenazine .....	88
sulfacetamide-prednisolone ..	105	TAKHYRO .....	135	tetracycline .....	17
		TALTZ AUTOINJECTOR ..	125	THALOMID .....	135
		TALTZ SYRINGE .....	125	theophylline .....	142
				THIOLA .....	112

THIOLA EC	111	TRAVASOL 10 %	74	<i>tri-sprintec</i> (28)	95
<i>thioridazine</i>	58	<i>travoprost</i>	137	TRIUMEQ	63
<i>thiotepa</i>	28	TRAZIMERA	29	<i>trivora</i> (28)	95
<i>thiothixene</i>	58	<i>trazodone</i>	39	<i>tri-vylibra</i>	95
<i>tiadylt er</i>	78	TREANDA	29	<i>tri-vylibra lo</i>	95
<i>tiagabine</i>	35	TRECATOR	49	TRODELVY	29
TIBSOVO	29	TRELEGY ELLIPTA	142	TROGARZO	63
TICE BCG	126	TRELSTAR	29	TROPHAMINE 10 %	74
<i>tigecycline</i>	17	TREMFYA	126	TROPHAMINE 6%	74
<i>tilia fe</i>	95	<i>treprostinil sodium</i>	145	TRULICITY	42
<i>timolol maleate</i>	78, 137	TRESIBA FLEXTOUCH U-		TRUMENBA	130
TIVICAY	62	100	44	TRUVADA	63
TIVICAY PD	63	TRESIBA FLEXTOUCH U-		TRUXIMA	29
<i>tizanidine</i>	144	200	44	TUDORZA PRESSAIR	142
TOBI PODHALER	11	TRESIBA U-100 INSULIN	44	TUKYSA	29
<i>tobramycin</i>	105	<i>tretinoi</i> n	100	<i>tulana</i>	95
<i>tobramycin in 0.225 % nacl</i>	11	<i>tretinoi</i> n (antineoplastic)	29	TURALIO	29
<i>tobramycin sulfate</i>	11	<i>tri femynor</i>	95	TWINRIX (PF)	130
<i>tobramycin-dexamethasone</i>	106	<i>triamicinolone acetonide</i>		TYBOST	135
TOLAK	97	96, 100, 116		TYKERB	29
<i>tolazamide</i>	44, 45	<i>triamterene-hydrochlorothiazid</i>	81	TYMLOS	133
<i>tolterodine</i>	111	<i>trientine</i>	112	TYPHIM VI	130
<i>topiramate</i>	35	<i>tri-estarrylla</i>	95	TYSABRI	126
<i>toposar</i>	29	<i>trifluoperazine</i>	58	TYVASO	146
<i>toremifene</i>	29	<i>trifluridine</i>	106	UBRELVY	49
<i>torsemide</i>	81	<i>trihexyphenidyl</i>	54	UCERIS	131
TOTECT	135	TRIKAFTA	144	UDENYCA	69
TOUJEO MAX U-300		<i>tri-legest fe</i>	95	UNITUXIN	29
SOLOSTAR	43	<i>tri-linyah</i>	95	UPTRAVI	146
TOUJEO SOLOSTAR U-300		<i>tri-lo-estarrylla</i>	95	<i>ursodiol</i>	110
INSULIN	44	<i>tri-lo-marzia</i>	95	<i>valacyclovir</i>	66
TOVIAZ	111	<i>tri-lo-mili</i>	95	VALCHLOR	97
TRACLEER	145	<i>tri-lo-sprintec</i>	95	<i>valganciclovir</i>	66
TRADJENTA	42	<i>trilyte with flavor packets</i>	110	<i>valproate sodium</i>	35
<i>tramadol</i>	6	<i>trimethoprim</i>	12	<i>valproic acid</i>	35
<i>tramadol-acetaminophen</i>	6	<i>tri-mili</i>	95	<i>valproic acid (as sodium salt)</i>	35
<i>trandolapril</i>	76	<i>trimipramine</i>	39	<i>valrubicin</i>	29
<i>tranexamic acid</i>	69	TRINTELLIX	39	<i>valsartan</i>	75
TRANSDERM-SCOP	51	<i>tri-previfem</i> (28)	95	<i>valsartan-hydrochlorothiazide</i>	75
<i>tranylcypromine</i>	39	TRIPTODUR	119	VALTOCO	35

<i>vancomycin</i>	12	VOTRIENT	30	XYOSTED	113
VAQTA (PF)	130	VPRIV	102	XYREM	145
VARIVAX (PF)	130	VRAYLAR	59	YERVOY	31
VASCEPA	83	VUMERTY	88	YF-VAX (PF)	130
VELCADE	29	VYEPTI	49	YONDELIS	31
<i>velvet triphasic regimen</i> (28)	95	<i>vyfemla</i> (28)	96	YONSA	31
VELPHORO	111	<i>vylibra</i>	96	<i>yuvafem</i>	114
VELTASSA	110	VYNDAMAX	80	<i>zafirlukast</i>	140
VEMLIDY	63	VYNDAQEL	80	<i>zaleplon</i>	145
VENCLEXTA	30	VYXEOS	30	<i>zarah</i>	96
<b>VENCLEXTA STARTING PACK</b>	<b>30</b>	<i>warfarin</i>	<b>67</b>	ZARXIO	<b>69</b>
<i>venlafaxine</i>	39	<i>water for irrigation, sterile</i>	131	ZEJULA	31
<i>verapamil</i>	79	WELCHOL	83	ZELBORAF	31
VERSACLOZ	58	<i>wera</i> (28)	96	<i>zenatane</i>	97
VERZENIO	30	XADAGO	54	<i>zenchent</i> (28)	96
V-GO 40	101	XALKORI	30	ZENPEP	103
VIBERZI	110	XARELTO	67	ZEPATIER	64
VICTOZA	42	XARELTO DVT-PE TREAT	30D START	ZEPOSIA	88
VIDEX 2 GRAM PEDIATRIC	63	XATMEP	30	ZEPOSIA STARTER KIT	88
VIDEX EC	63	XCOPRI	36	ZEPOSIA STARTER PACK	88
VIEKIRA PAK	64	XCOPRI MAINTENANCE	PACK	ZEPZELCA	31
<i>vienna</i>	95	XCOPRI TITRATION	36	<i>zidovudine</i>	63
<i>vigabatrin</i>	35	PACK	36	ZIEXTENZO	69
<i>vigadrone</i>	35	XELJANZ	126	<i>ziprasidone hcl</i>	59
VIIBRYD	39, 40	XELJANZ XR	126	<i>ziprasidone mesylate</i>	59
VIMIZIM	102	XERMELO	110	ZIRABEV	31
VIMPAT	36	XHANCE	107	ZIRGAN	106
<i>vinorelbine</i>	30	XIFAXAN	12	ZOLADEX	31
<i>viorele</i> (28)	95	XXIIDRA	107	<i>zoledronic acid</i>	133
VIRACEPT	63	XOFLUZA	64	<i>zoledronic acid-mannitol-water</i>	133
VIREAD	63	XOLAIR	144	ZOLINZA	31
VISTOGARD	136	XOSPATA	30	<i>zolpidem</i>	145
VITRAKVI	30	XPOVIO	30, 31	ZOMACTON	119
VIZIMPRO	30	XTAMPZA ER	6	<i>zonisamide</i>	36
<i>volnea</i> (28)	95	XTANDI	31	ZORBTIVE	119
VOLTAREN	7	<i>xulane</i>	96	ZORTRESS	126
voriconazole	46	XULTOPHY 100/3.6	44	ZOSTAVAX (PF)	130
VOSEVI	64	XURIDEN	136	<i>zovia 1/35e</i> (28)	96
				ZTLIDO	8

ZUBSOLV	9
ZULRESSO	40
zumandimine (28)	96
ZYDELIG	31
ZYKADIA	31
ZYLET	106
ZYPREXA RELPREVV	59
ZYTIGA	31



## **Discrimination is Against the Law**

Stanford Health Care Advantage (HMO) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Stanford Health Care Advantage does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact Member Care Services.

If you believe that Stanford Health Care Advantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Member Care Services  
P.O. Box 2336, Dublin, CA 94568-9802  
1- 855-996-8422 (TTY:711)  
[Advantage@stanfordhealthcare.org](mailto:Advantage@stanfordhealthcare.org)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Care Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**English:** ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711).

**Spanish:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711).

**Chinese:** 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)

**Vietnamese:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-996-8422 (TTY: 711).

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-996-8422 (TTY: 711).

**Korean:** 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-996-8422 (TTY: 711) 번으로 전화해 주십시오.

**Armenian:** ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Զանգահարեք 1-855-996-8422 (TTY (հեռատիպ)՝ 711):

**Persian:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با تماس بگیرید. 1-855-996-8422 (TTY: 711)

**Russian:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-996-8422 (телефайп: 711).

**Japanese:** 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-996-8422 (TTY:711) まで、お電話にてご連絡ください。

**Arabic:**

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية متوافر لك بالمجان. اتصل برقم 855-996-8422 (رقم هاتف الصم والبكم): .(711)

**Punjabi:** ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-855-996-8422 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

**Mon-Khmer, Cambodian:** ប្រយ័ត្តុ៖ បៀសិនជាមួកកិច្ចយោ តាសាទ្វេ, សភាជំនួយខ្មែរការាសា ងោយមិនគិតល្អូណាល តីមាប់មានសំរាប់បំរើអ្នក។ ចូរ ក្នុង 1-855-996-8422 (TTY: 711)។

**Hmong:** LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-855-996-8422 (TTY: 711).

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-855-996-8422 (TTY: 711) पर कॉल करें।

**Thai:** เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-855-996-8422 (TTY: 711).



P.O. Box 2336  
Dublin, CA 94568-9802  
[StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org)

Stanford Health Care Advantage is an HMO with a Medicare Contract. Enrollment in Stanford Health Care Advantage depends on contract renewal.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711). ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711). 注意: 如果您使用繁體中文, 您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)。

00020019, 19

*This formulary was updated on 10/01/2020. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through March 31 and Monday through Friday (except holidays) from April 1 through September 30, or visit [StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org).*

H2986\_PD20102\_C