

Stanford Health Care Advantage  
2018 Formulary  
*List of Covered Drugs*



**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

00018031, 1

This formulary was updated on 11/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit [StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org).

## 2018 Comprehensive Formulary

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Stanford Health Care Advantage (HMO). When it refers to “plan” or “our plan,” it means Stanford Health Care Advantage Platinum or Stanford Health Care Advantage Gold.

This document includes a list of the drugs (formulary) for our plan which is current as of November 1, 2018. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

## Table of Contents

<b>WHAT IS THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?</b> .....	<b>III</b>
<b>CAN THE FORMULARY (DRUG LIST) CHANGE?</b> .....	<b>III</b>
<b>HOW DO I USE THE FORMULARY? .....</b>	<b>IV</b>
Medical Condition.....	iv
Alphabetical Listing.....	iv
<b>WHAT ARE GENERIC DRUGS?.....</b>	<b>IV</b>
<b>ARE THERE ANY RESTRICTIONS ON MY COVERAGE? .....</b>	<b>IV</b>
<b>WHAT IF MY DRUG IS NOT ON THE FORMULARY? .....</b>	<b>V</b>
<b>HOW DO I REQUEST AN EXCEPTION TO THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY? .....</b>	<b>VI</b>
<b>WHAT DO I DO BEFORE I CAN TALK TO MY DOCTOR ABOUT CHANGING MY DRUGS OR REQUESTING AN EXCEPTION? .....</b>	<b>VI</b>
<b>FOR MORE INFORMATION .....</b>	<b>VII</b>
<b>STANFORD HEALTH CARE ADVANTAGE (HMO)'S FORMULARY.....</b>	<b>VIII</b>

## **What is the Stanford Health Care Advantage (HMO) Formulary?**

A formulary is a list of covered drugs selected by Stanford Health Care Advantage (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Stanford Health Care Advantage (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Stanford Health Care Advantage (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2018 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2018 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of 11/1/2018. To get updated information about the drugs covered by Stanford Health Care Advantage (HMO), please contact us. Our contact information appears on the front and back cover pages. In the event we make a non-maintenance change to the formulary, we will post an errata sheet to our website and mail a letter to members.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1 below. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Stanford Health Care Advantage (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Stanford Health Care Advantage (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that our plan will cover. For example, our plan provides 30 per prescription for SILENOR. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, Stanford Health Care Advantage (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Stanford Health Care Advantage (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Stanford Health Care Advantage (HMO) formulary?” on page vi for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Stanford Health Care Advantage (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Stanford Health Care Advantage (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Stanford Health Care Advantage (HMO).
- You can ask Stanford Health Care Advantage (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?**

You can ask Stanford Health Care Advantage (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Stanford Health Care Advantage limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Stanford Health Care Advantage (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

## 2018 Comprehensive Formulary

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with at least a 91-day transition supply and may be as much as a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

In circumstances where you are changing from one treatment setting to another, Stanford Health Care Advantage (HMO) will ensure a transition process for approving non-formulary Part D drugs. This process shall also apply to formulary Part D drugs that require prior authorization or step-therapy.

Examples of level of care changes include: you are discharged from a hospital to a home; you end your skilled nursing facility Medicare Part A stay and need to revert to your Part D plan formulary; you end a long-term care facility stay and return to the community; and, you are discharged from psychiatric hospitals with medication regimens that are highly individualized.

The pharmacy benefit manager for Stanford Health Care Advantage (HMO) will provide pharmacies with access to representatives of the plan who have the ability to override pharmacy claims processing issues. This access will allow pharmacies to obtain prescription claims overrides at the point-of-sale and ensure that members receive reliable access to medications.

## For more information

For more detailed information about your Stanford Health Care Advantage (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Stanford Health Care Advantage (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Stanford Health Care Advantage (HMO)'s Formulary**

The formulary that begins on page 1 provides coverage information about the drugs covered by Stanford Health Care Advantage (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *doxazosin*).

The information in the Requirements/Limits column tells you if Stanford Health Care Advantage (HMO) has any special requirements for coverage of your drug.

The second column of the chart lists the drug tier. Every drug on the plan's Drug List is in one of six cost-sharing tiers. The tables on the below provide an explanation of each tier.

### **Network Retail Pharmacy Drug Tier Copayment Levels**

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$15
Tier 2 (NON-Preferred Generic)	\$15	\$45
Tier 3 (Preferred Brand)	\$47	\$141
Tier 4 (NON-Preferred Brand Name)	\$100	\$300
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$6

### **Network Mail Order Drug Tier Copayment Levels**

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$10
Tier 2 (NON-Preferred Generic)	\$15	\$30
Tier 3 (Preferred Brand)	\$47	\$94
Tier 4 (NON-Preferred Brand Name)	\$100	\$200
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$4

**The following Utilization Management abbreviations may be found within the body of this document**

**COVERAGE NOTES ABBREVIATIONS**

ABBREVIATION	DESCRIPTION	EXPLANATION
<b>Utilization Management Restrictions</b>		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
QL	Quantity Limit Restriction	Stanford Health Care Advantage (HMO) limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before Stanford Health Care Advantage (HMO) will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

**The following additional coverage note abbreviations may be found within the body of this document**

**OTHER SPECIAL REQUIREMENTS FOR COVERAGE**

ABBREVIATION	DESCRIPTION	EXPLANATION
EX	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.
GC	Gap Coverage	We provide coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via your mail order benefit are noted with "NM" in the Requirements/Limits column of your formulary.
HI	Home Infusion Drug	This prescription drug may be covered under our medical benefit. For more information, call Member Services 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.

## Table of Contents

Analgesics .....	3
Anesthetics .....	9
Anti-Addiction/Substance Abuse Treatment Agents .....	10
Antianxiety Agents .....	11
Antibacterials .....	13
Anticancer Agents .....	22
Anticholinergic Agents .....	33
Anticonvulsants .....	33
Antidementia Agents .....	37
Antidepressants .....	38
Antidiabetic Agents .....	41
Antifungals .....	46
Antigout Agents .....	48
Antihistamines .....	48
Anti-Infectives (Skin And Mucous Membrane) .....	49
Antimigraine Agents .....	49
Antimycobacterials .....	50
Antinausea Agents .....	51
Antiparasite Agents .....	52
Antiparkinsonian Agents .....	53
Antipsychotic Agents .....	55
Antivirals (Systemic) .....	59
Blood Products/Modifiers/Volume Expanders .....	65
Caloric Agents .....	69
Cardiovascular Agents .....	72
Central Nervous System Agents .....	85
Contraceptives .....	88
Dental And Oral Agents .....	95
Dermatological Agents .....	95
Devices .....	101
Enzyme Replacement/Modifiers .....	101
Eye, Ear, Nose, Throat Agents .....	103
Gastrointestinal Agents .....	108
Genitourinary Agents .....	112
Heavy Metal Antagonists .....	113
Hormonal Agents, Stimulant/Replacement/Modifying .....	113

Immunological Agents.....	120
Inflammatory Bowel Disease Agents.....	130
Irrigating Solutions.....	130
Metabolic Bone Disease Agents.....	131
Miscellaneous Therapeutic Agents.....	133
Ophthalmic Agents.....	135
Replacement Preparations.....	136
Respiratory Tract Agents.....	140
Skeletal Muscle Relaxants.....	144
Sleep Disorder Agents.....	145
Vasodilating Agents.....	145
Vitamins And Minerals.....	146

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 (Tylenol-Codeine #3) mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 (Tylenol-Codeine #4) mg</i>	2	QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	QL (180 per 30 days)
<b>BELBUCA Buccal Film 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG</b>	3	QL (60 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	2	QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminop-caff oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	2	QL (5 per 28 days)
<b>BUTRANS TRANSDERMAL PATCH WEEKLY 7.5 MCG/HOUR</b>	3	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>capacet oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	QL (180 per 30 days)
<b>EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG</b>	4	QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (240 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (300 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 2.5-167 mg/5 ml, 5-163 mg/7.5ml(7.5ml)</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	2	QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	2	QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydromorphone (pf) injection solution 10 mg/ml	2	
hydromorphone hcl 10 mg/ml vial pl/f, sdv 10 mg/ml	2	
hydromorphone injection solution 2 mg/ml, 4 mg/ml	2	
hydromorphone injection syringe 2 mg/ml, 4 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	QL (180 per 30 days)
HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	2	QL (360 per 30 days)
lorcet hd oral tablet 10-325 mg	2	QL (360 per 30 days)
lorcet plus oral tablet 7.5-325 mg	2	QL (360 per 30 days)
methadone injection solution 10 mg/ml	2	
methadone oral solution 10 mg/5 ml, 5 mg/5 ml	2	QL (1800 per 30 days)
methadone oral tablet 10 mg (Dolophine)	2	QL (360 per 30 days)
methadone oral tablet 5 mg (Dolophine)	2	QL (180 per 30 days)
methadose oral tablet,soluble 40 mg	2	QL (90 per 30 days)
morphine 2 mg/ml syringe pl/f, suv 2 mg/ml	2	
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	QL (180 per 30 days)
morphine injection solution 10 mg/ml	2	
morphine intravenous cartridge 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine oral solution 10 mg/5 ml	2	QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 (MS Contin) mg, 200 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 (MS Contin) mg, 30 mg</i>	2	QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 80 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10- 325 mg</i>	2	QL (240 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	QL (300 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG	3	QL (120 per 30 days)
<i>oxymorphone oral tablet 10 mg</i> (Opana)	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i> (Opana)	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release</i> 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg	2	QL (60 per 30 days)
<i>repxain oral tablet 10-200 mg, 2.5-200</i> <i>mg, 5-200 mg</i>	2	QL (150 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NM; NDS
<i>tencon oral tablet 50-325 mg</i>	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-</i> (Ultracet) 325 mg	2	QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	QL (390 per 30 days)
XARTEMIS XR ORAL TAB,ORAL ONLY,IR - ER, BIPHASE 7.5-325 MG	3	QL (300 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	3	QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	2	QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg- mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg- mcg</i> (Arthrotec 75)	2	
<i>disflunisal oral tablet 500 mg</i>	2	
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	QL (60 per 30 days)
<i>indomethacin sodium intravenous recon soln 1 mg</i>	2	
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac injection cartridge 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral suspension 125 mg/5 ml (Naprosyn)</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	2	
<i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
<b>VIMOVO ORAL TABLET,IR,DELAYED REL,BIPHASIC 375-20 MG, 500-20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (Xylocaine-MPF) (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	2	
<i>lidocaine hcl injection solution 10 mg/ml (Xylocaine) (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA BvD
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	2	
<b>BUNAVAIL BUCCAL FILM 2.1-0.3 MG</b>	3	QL (30 per 30 days)
<b>BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG</b>	3	QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet (Zyban) extended release 12 hr 150 mg</i>	2	
<b>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</b>	3	QL (168 per 84 days)
<b>CHANTIX ORAL TABLET 0.5 MG, 1 MG</b>	3	QL (168 per 84 days)
<b>CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)</b>	3	QL (53 per 28 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	2	
<b>LUCEMYRA ORAL TABLET 0.18 MG</b>	5	NM; NDS; QL (228 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 2 MG/ACTUATION, 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	QL (90 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<b>DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG</b>	4	
<b>DIASTAT RECTAL KIT 2.5 MG</b>	4	
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	2	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	2	
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	2	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	QL (10 per 30 days)
<b>ONFI ORAL SUSPENSION 2.5 MG/ML</b>	5	PA NSO; NM; NDS; QL (480 per 30 days)
<b>ONFI ORAL TABLET 10 MG, 20 MG</b>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	2	QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>triazolam oral tablet 0.25 mg</i>	(Halcion)	2	QL (60 per 30 days)
<b>Antibacterials</b>			
<b>Aminoglycosides</b>			
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML		5	PA BvD; NM; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>		2	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>		2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>		2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>		2	
<i>neomycin oral tablet 500 mg</i>		1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>		2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG		5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	(Tobi)	5	PA BvD; NM; NDS
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>		2	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>		2	
<b>Antibacterials, Miscellaneous</b>			
<i>bacium intramuscular recon soln 50,000 unit</i>		2	
<i>bacitracin intramuscular recon soln 50,000 unit</i>	(BACiiM)	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>		2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	(Cleocin HCl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	(Cleocin in 5 % dextrose)	2	
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i>	(Cleocin Pediatric)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>		2	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	(Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	(Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	2	
<i>daptomycin intravenous recon soln 500 mg</i>	(Cubicin)	5	NM; NDS
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>		5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	5	NM; NDS
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	(Flagyl)	2	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrodantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i>	(Furadantin)	2	QL (2400 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>		5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>		1	GC
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	5	NM; NDS
<b>XIFAXAN ORAL TABLET 200 MG</b>	5	PA; NM; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>	5	PA; NM; NDS
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin in 0.9% sod chloride intravenous solution 2 gram/100 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/100 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	2	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	2	
<b>CEFEPIME 1 GM INJECTION 1 GRAM/50 ML</b>	4	
<b>CEFEPIME INJECTION RECON SOLN 1 GRAM, 2 GRAM</b>	4	
<b>CEFEPIME-DEXTROSE 2 GM/50 ML 2 GRAM/50 ML</b>	4	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	2	
<i>cefotaxime injection recon soln 10 gram, 2 gram (Claforan)</i>	2	
<i>cefoxitin 2 gm piggyback bag 2 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cefoxitin intravenous recon soln 1 gram, 10 gram	2	
cefoxitin intravenous recon soln 2 gram	2	
cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml	2	
cefpodoxime oral tablet 100 mg, 200 mg	2	
cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefprozil oral tablet 250 mg, 500 mg	2	
ceftazidime injection recon soln 2 gram, 6 gram	2	
ceftibuten oral capsule 400 mg	2	
ceftibuten oral suspension for reconstitution 180 mg/5 ml	2	
ceftriaxone 1 gm piggyback llf, single use 1 gram/50 ml	2	
ceftriaxone 2 gm piggyback llf, single use 2 gram/50 ml	2	
ceftriaxone injection recon soln 1 gram, 2 gram	2	
ceftriaxone injection recon soln 10 gram, 250 mg, 500 mg	2	
cefuroxime axetil oral tablet 250 mg, 500 mg	2	
cefuroxime sodium injection recon soln 750 mg	2	
cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram	2	
cefuroxime-dextrose (iso-osm) intravenous piggyback 1.5 gram/50 ml	2	
cephalexin oral capsule 250 mg, 500 mg (Keflex)	1	GC
cephalexin oral capsule 750 mg (Keflex)	2	
cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cephalexin oral tablet 250 mg, 500 mg	2	
SUPRAX ORAL CAPSULE 400 MG	4	
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4	
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	4	
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i>	2	
<i>azithromycin oral packet 1 gram</i>	(Zithromax)	2
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	(Zithromax)	2
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	2	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>	(Zithromax)	2
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i>	4	
E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION 400 MG/5 ML	4	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 500 mg</i>	2	
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	4	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	
ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG, 500 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	(E.E.S. 400)	2	
<i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i>		2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		2	
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	2	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>		5	NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	2	
<b>INVANZ INJECTION RECON SOLN 1 GRAM</b>		4	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	(Merrem)	2	
<b>Penicillins</b>			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>		1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>		1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>		2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	(Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral tablet (Augmentin) 500-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet (Augmentin XR) extended release 12 hr 1,000-62.5 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin sodium intravenous recon soln 2 gram</i>	2	
<i>ampicillin-sulbactam injection recon soln (Unasyn) 1.5 gram, 15 gram, 3 gram</i>	2	
<b>BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)</b>	4	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin intravenous recon soln 2 gram</i>	5	NM; NDS
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	2	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	
<i>pfsizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous (Zosyn) recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er (Cipro XR) multiphase 24 hr 1,000 mg, 500 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 (Cipro) mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	2	
<i>ciprofloxacin in 5 % dextrose intravenous (Cipro in D5W) piggyback 400 mg/200 ml</i>	2	
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	2	
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg</i>	2	
<i>levofloxacin oral tablet 500 mg, 750 mg (Levaquin)</i>	2	
<i>moxifloxacin oral tablet 400 mg (Avelox)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	(Sulfatrim)	2
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	(Bactrim)	1
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	(Bactrim DS)	1
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>		2
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>		2
<i>doxy-100 intravenous recon soln 100 mg</i>		2
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxy-100)	2
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	(Morgidox)	2
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>		2
<i>doxycycline hyclate oral tablet,delayed release (drlec) 100 mg, 75 mg</i>		2
<i>doxycycline hyclate oral tablet,delayed release (drlec) 150 mg</i>	(Soloxide)	2
<i>doxycycline hyclate oral tablet,delayed release (drlec) 200 mg, 50 mg</i>	(Doryx)	2
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i>	(Mondoxyne NL)	2
<i>doxycycline monohydrate oral capsule 150 mg</i>		2
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	(Vibramycin)	2
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	2
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>		2
<b>MINOCIN INTRAVENOUS RECON SOLN 100 MG</b>		3
<i>minocycline oral capsule 100 mg, 75 mg</i>		2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>minocycline oral capsule 50 mg</i> (Minocin)	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet extended release (CoreMino) 24 hr 135 mg, 45 mg, 90 mg</i>	2	
<i>monodoxine nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>okebo oral capsule 100 mg, 75 mg</i>	2	
<i>soloxide oral tablet, delayed release (drlec) 150 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<b>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</b>	5	NM; NDS
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	2	PA BvD
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
<b>AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG</b>	5	PA NSO; NM; NDS; QL (112 per 28 days)
<b>AFINITOR ORAL TABLET 10 MG</b>	5	PA NSO; NM; NDS; QL (56 per 28 days)
<b>AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG</b>	5	PA NSO; NM; NDS; QL (28 per 28 days)
<b>ALECensa ORAL CAPSULE 150 MG</b>	5	PA NSO; NM; NDS; QL (240 per 30 days)
<b>ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG</b>	5	NM; NDS
<b>ALIQOPA INTRAVENOUS RECON SOLN 60 MG</b>	5	PA NSO; NM; NDS; QL (3 per 28 days)
<b>ALUNBRIG ORAL TABLET 180 MG, 90 MG</b>	5	PA NSO; NM; NDS; QL (30 per 30 days)
<b>ALUNBRIG ORAL TABLET 30 MG</b>	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML, 25 MG/ML (16 ML)	5	PA NSO; NM; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (50 ML)	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS
<i>docetaxel intravenous solution 140 mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml</i>	5	NM; NDS
<i>docetaxel intravenous solution 20 mg/ml (Taxotere) (1 ml), 80 mg/4 ml (20 mg/ml)</i>	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARESTON ORAL TABLET 60 MG	5	NM; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	NM; NDS
<i>flouxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	2	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> (Gemzar)	5	NM; NDS
<i>gemcitabine intravenous recon soln 2 gram</i>	5	NM; NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	4	
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
HEXALEN ORAL CAPSULE 50 MG	5	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i>	2	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	PA BvD; NM; NDS
<i>imatinib oral tablet 100 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	5	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	5	PA NSO; NM; NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KEYTRUDA INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS; QL (4 per 21 days)
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (19 ML)	5	PA NSO; NM; LA; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>tetrozole oral tablet 2.5 mg</i> (Femara)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NM; NDS; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg (Alkeran)</i>	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml, 25 mg/ml (10 ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
<b>MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)</b>	5	PA NSO; NM; NDS
<b>NERLYNX ORAL TABLET 40 MG</b>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<b>NEXAVAR ORAL TABLET 200 MG</b>	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
<b>NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG</b>	5	PA NSO; NM; NDS; QL (3 per 28 days)
<b>ODOMZO ORAL CAPSULE 200 MG</b>	5	PA NSO; NM; LA; NDS
<b>ONCASPAR INJECTION SOLUTION 750 UNIT/ML</b>	5	PA NSO; NM; NDS
<b>ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML</b>	5	PA BvD; NM; NDS
<b>OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML</b>	5	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	
<b>PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)</b>	5	PA NSO; NM; NDS
<b>POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG</b>	5	PA NSO; NM; NDS; QL (21 per 28 days)
<b>PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)</b>	5	PA NSO; NM; NDS; QL (100 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML, 10 MG/ML (10 ML)	5	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	4	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TARCEVA ORAL TABLET 100 MG, 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	5	PA NSO; NM; NDS; QL (20 per 21 days)
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	PA BvD; NM; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	5	NM; NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NM; NDS
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	5	PA BvD; NM; NDS; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	NM; NDS
TRELSTAR 11.25 MG VIAL INNER, SDV 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR 22.5 MG VIAL INNER, SDV 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR 3.75 MG VIAL INNER, SDV 3.75 MG	5	NM; NDS
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
tretinoin (chemotherapy) oral capsule 10 mg	5	NM; NDS
TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG	4	PA BvD; ST
TYKERB ORAL TABLET 250 MG	5	NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	5	NM; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, (Vincasar PFS) 2 mg/2 ml</i>	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NM; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (140 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
atropine injection syringe 0.05 mg/ml, 0.1 mg/ml	2	
propantheline oral tablet 15 mg	2	
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	5	NM; NDS
BANZEL ORAL SUSPENSION 40 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BANZEL ORAL TABLET 200 MG, 400 MG	5	NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	4	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	3	
DILANTIN ORAL CAPSULE 30 MG	2	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
<i>fosphénytoïn injection solution 100 mg per/2 ml, 500 mg per/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	4	
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	2	
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i> (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	3	QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG</b>	4	
<b>PEGANONE ORAL TABLET 250 MG</b>	3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg</i>	1	GC
<i>phenobarbital oral tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<b>POTIGA ORAL TABLET 200 MG, 300 MG, 400 MG</b>	5	NM; NDS; QL (90 per 30 days)
<b>POTIGA ORAL TABLET 50 MG</b>	5	NM; NDS; QL (270 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<b>ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG</b>	2	
<b>SABRIL ORAL TABLET 500 MG</b>	5	NM; NDS
<b>SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG</b>	4	ST; QL (60 per 30 days)
<b>SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG</b>	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	(Qudexy XR)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 50 mg</i>	(Topamax)	2	
<i>topiramate oral tablet 25 mg</i>	(Topamax)	1	GC
<b>TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG</b>		4	QL (30 per 30 days)
<b>TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG</b>		5	NM; NDS; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	(Depacon)	2	
<i>valproic acid (as sodium salt) oral solution 500 mg/10 ml (10 ml)</i>		2	
<i>valproic acid 250 mg/5 ml soln 250 mg/5 ml</i>	(Depakene)	2	
<i>valproic acid oral capsule 250 mg</i>	(Depakene)	2	
<i>vigabatrin oral powder in packet 500 mg</i>	(Sabril)	5	NM; NDS
<i>vigadronate oral powder in packet 500 mg</i>		5	NM; NDS
<b>VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML</b>		3	QL (200 per 5 days)
<b>VIMPAT ORAL SOLUTION 10 MG/ML</b>		3	QL (1200 per 30 days)
<b>VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG</b>		3	QL (60 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg</i>	(Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>		2	
<b>Antidementia Agents</b>			
<b>Antidementia Agents</b>			
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i>	(Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>		2	QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	(Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>		2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	(Razadyne)	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	(Namenda XR)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>memantine oral solution 2 mg/ml</i>	2	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
<i>memantine oral tablets,dose pack 5-10 mg</i> (Namenda Titration Pak)	2	QL (49 per 28 days)
<b>NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7-14-21-28 MG</b>	3	QL (28 per 28 days)
<b>NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG</b>	3	QL (56 per 365 days)
<b>NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG</b>	3	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	
<i>doxepin oral concentrate 10 mg/ml</i>		2	
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 60 mg</i>	(Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i>	(Cymbalta)	2	QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>		2	QL (30 per 30 days)
<b>EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR</b>		5	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>		2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	(Lexapro)	1	GC
<b>FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)</b>		4	ST; QL (56 per 365 days)
<b>FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG</b>		4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	(Prozac)	1	GC
<i>fluoxetine oral capsule,delayed release(dr/ec) 90 mg</i>		2	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>		2	
<i>fluoxetine oral tablet 10 mg, 20 mg</i>	(Sarafem)	2	
<b>FLUOXETINE ORAL TABLET 60 MG</b>		4	
<i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i>		2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>		2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	(Tofranil)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<b>MARPLAN ORAL TABLET 10 MG</b>	4	
<i>mirtazapine oral tablet 15 mg (Remeron)</i>	1	GC
<i>mirtazapine oral tablet 30 mg (Remeron)</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i>	2	
<b>PAXIL ORAL SUSPENSION 10 MG/5 ML</b>	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	GC
<b>SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG</b>	4	
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	2	
<i>trazodone oral tablet 100 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 150 mg, 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg (Surmontil)</i>	2	
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	3	ST; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg (Effexor XR)</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine oral capsule, extended release (Effexor XR) 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 225 mg</i>	4	
<b>VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>	3	ST; QL (30 per 30 days)
<b>VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)</b>	3	ST; QL (30 per 180 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i>	2	QL (90 per 30 days)
<b>CYCLOSET ORAL TABLET 0.8 MG</b>	4	QL (180 per 30 days)
<b>GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG</b>	3	
<b>GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG</b>	4	
<b>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</b>	3	ST; QL (30 per 30 days)
<b>INVOKAMET ORAL TABLET 150- 1,000 MG, 150-500 MG, 50-1,000 MG</b>	3	ST; QL (60 per 30 days)
<b>INVOKAMET ORAL TABLET 50- 500 MG</b>	3	ST; QL (120 per 30 days)
<b>INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50- 500 MG</b>	3	ST; QL (60 per 30 days)
<b>INVOKANA ORAL TABLET 100 MG</b>	3	ST; QL (60 per 30 days)
<b>INVOKANA ORAL TABLET 300 MG</b>	3	ST; QL (30 per 30 days)
<b>JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG</b>	3	QL (60 per 30 days)
<b>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG</b>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5- 1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	4	QL (60 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	GC; QL (90 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	2	QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	4	QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	4	QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/0.75 ML (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	2	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)	2	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	QL (150 per 30 days)
<b>SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML</b>	5	PA; NM; NDS; QL (10.8 per 28 days)
<b>SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML</b>	5	PA; NM; NDS; QL (10.8 per 28 days)
<b>SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG</b>	3	ST; QL (60 per 30 days)
<b>SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG</b>	3	ST; QL (30 per 30 days)
<b>SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG</b>	3	ST; QL (60 per 30 days)
<b>TRADJENTA ORAL TABLET 5 MG</b>	3	QL (30 per 30 days)
<b>TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML</b>	3	QL (2 per 28 days)
<b>VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)</b>	3	QL (9 per 30 days)
<b>Insulins</b>		
<b>FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)</b>	3	QL (30 per 28 days)
<b>FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML</b>	3	QL (40 per 28 days)
<b>HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML</b>	4	ST; QL (30 per 28 days)
<b>HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)</b>	4	ST; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	4	ST; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	4	ST; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	4	ST; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	4	ST; QL (40 per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	4	ST; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	4	ST; QL (30 per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Sulfonylureas</b>		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg (Glucotrol XL)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg (Glucotrol XL)	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	2	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	2	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)	2	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	2	
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	2	
tolazamide oral tablet 250 mg	2	QL (120 per 30 days)
tolazamide oral tablet 500 mg	2	QL (60 per 30 days)
tolbutamide oral tablet 500 mg	2	QL (180 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
amphotericin b injection recon soln 50 mg	2	PA BvD
caspofungin intravenous recon soln 50 mg, 70 mg (Cancidas)	5	NM; NDS
ciclopirox topical cream 0.77% (Ciclodan)	2	
ciclopirox topical gel 0.77%	2	
ciclopirox topical shampoo 1% (Loprox)	2	
ciclopirox topical solution 8% (Ciclodan)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ciclopirox topical suspension 0.77 %	(Loprox (as olamine))	2	
clotrimazole mucous membrane troche 10 mg		2	
clotrimazole topical cream 1 %	(Antifungal (clotrimazole))	2	
clotrimazole topical solution 1 %		2	
clotrimazole-betamethasone topical cream 1-0.05 %	(Lotrisone)	2	
clotrimazole-betamethasone topical lotion 1-0.05 %		2	
econazole topical cream 1 %		2	
EXELDERM TOPICAL CREAM 1 %		4	
EXELDERM TOPICAL SOLUTION 1 %		4	
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml		2	
fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml	(Diflucan)	2	
fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg	(Diflucan)	2	
flucytosine oral capsule 250 mg, 500 mg	(Ancobon)	5	NM; NDS
griseofulvin microsize oral suspension 125 mg/5 ml		2	
griseofulvin microsize oral tablet 500 mg		2	
griseofulvin ultramicrosize oral tablet 125 mg, 250 mg		2	
itraconazole oral capsule 100 mg	(Sporanox)	2	
itraconazole oral solution 10 mg/ml	(Sporanox)	5	NM; NDS
ketoconazole oral tablet 200 mg		2	
ketoconazole topical cream 2 %		2	
ketoconazole topical shampoo 2 %	(Nizoral)	2	
miconazole-3 vaginal suppository 200 mg		2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML		5	NM; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		5	NM; NDS
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nyamyc topical powder 100,000 unit/gram</i>	2	
<i>nyata topical powder 100,000 unit/gram</i>	2	
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	
<i>nystatin topical ointment 100,000 unit/gram</i>	2	
<i>nystatin topical powder 100,000 (Nyamyc) unit/gram</i>	2	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	
SPORANOX ORAL SOLUTION 10 MG/ML	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous solution 200 mg (Vfend IV)</i>	5	NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	5	NM; NDS
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>	1	GC
COLCRYS ORAL TABLET 0.6 MG	2	
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
ULORIC ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
ZURAMPIK ORAL TABLET 200 MG	3	ST; QL (30 per 30 days)
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
diphenhydramine hcl injection solution 50 mg/ml	2	
diphenhydramine hcl injection syringe 50 mg/ml	2	
diphenhydramine hcl oral elixir 12.5 mg/5 ml (Children's Allergy (diphenhyd))	1	GC
hydroxyzine hcl intramuscular solution 25 mg/ml	2	
hydroxyzine hcl intramuscular solution 50 mg/ml	2	
hydroxyzine hcl oral solution 10 mg/5 ml	2	
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	2	
levocetirizine oral solution 2.5 mg/5 ml (Xyzal)	2	
levocetirizine oral tablet 5 mg (24HR Allergy Relief)	1	GC
promethazine oral syrup 6.25 mg/5 ml	2	
promethazine vc oral syrup 6.25-5 mg/5 ml	2	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
AVC VAGINAL VAGINAL CREAM 15 %	3	
clindamycin phosphate vaginal cream 2 % (Cleocin)	2	
metronidazole vaginal gel 0.75 % (Metrogel Vaginal)	2	
terconazole vaginal cream 0.4 %, 0.8 %	2	
terconazole vaginal suppository 80 mg	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG 70 MG/ML AUTOINJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
dihydroergotamine injection solution 1 mg/ml (D.H.E.45)	5	NM; NDS; QL (30 per 28 days)
dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)	5	NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ERGOMAR SUBLINGUAL TABLET 2 MG	3	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i> (Maxalt-MLT)	2	QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	2	QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Kit Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 28 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	2	QL (12 per 28 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	2	
RIFATER ORAL TABLET 50-120-300 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SIRTURO ORAL TABLET 100 MG	5	PA; NM; NDS; QL (188 per 168 days)
TRECATOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	3	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA BvD
<i>aprepitant oral capsule 125 mg</i> (Emend)	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	4	QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>gransetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>gransetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>gransetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml (Zofran)</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg (Zofran)</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg (Zofran ODT)</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg (Compazine)</i>	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml (Phenergan)</i>	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	
<i>promethazine rectal suppository 12.5 mg, 25 mg (Phenadoz)</i>	2	
<i>promethazine rectal suppository 50 mg (Phenergan)</i>	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days (Transderm-Scop)</i>	2	QL (10 per 30 days)
<b>SYNDROS ORAL SOLUTION 5 MG/ML</b>	4	PA
<b>TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS</b>	4	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>ALBENZA ORAL TABLET 200 MG</i>	5	NM; NDS
<i>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</i>	4	
<i>ALINIA ORAL TABLET 500 MG</i>	4	
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<b>COARTEM ORAL TABLET 20-120 MG</b>	4	
<b>DARAPRIM ORAL TABLET 25 MG</b>	5	PA; NM; NDS
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>mesfloquine oral tablet 250 mg</i>	2	
<b>NEBUPENT INHALATION RECON SOLN 300 MG</b>	4	PA BvD
<i>paromomycin oral capsule 250 mg</i>	2	
<b>PENTAM INJECTION RECON SOLN 300 MG</b>	4	
<b>PRIMAQUINE ORAL TABLET 26.3 MG</b>	4	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg</i>	2	
<i>tinidazole oral tablet 500 mg</i> (Tindamax)	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<b>APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML</b>	5	NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	5	NM; NDS
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	2	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	2	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	2	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	2	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	2	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	2	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
<b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR</b>	3	QL (30 per 30 days)
<b>OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG</b>	4	ST; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	2	
<i>pramipexole oral tablet 0.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)	2	ST; QL (120 per 30 days)
<b>FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG</b>	4	ST; QL (60 per 30 days)
<b>FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG</b>	5	ST; NM; NDS; QL (60 per 30 days)
<b>FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)</b>	4	ST; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<b>GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)</b>	4	QL (6 per 28 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
loxpipavine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg	2	
molindone oral tablet 10 mg	2	QL (240 per 30 days)
molindone oral tablet 25 mg	2	QL (270 per 30 days)
molindone oral tablet 5 mg	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	5	NM; NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	5	NM; NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST; QL (7 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)</i>	2	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	2	
<i>abacavir oral tablet 300 mg (Ziagen)</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg (Epzicom)</i>	5	NM; NDS
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg (Trizivir)</i>	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
APTIVUS ORAL SOLUTION 100 MG/ML	4	
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg (Reyataz)</i>	5	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release (dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	5	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG	3	
EMTRIVA ORAL SOLUTION 10 MG/ML	3	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	3	
INVIRASE ORAL CAPSULE 200 MG	5	NM; NDS
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	3	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	3	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	2	
NORVIR ORAL CAPSULE 100 MG	3	
NORVIR ORAL POWDER IN PACKET 100 MG	3	
NORVIR ORAL SOLUTION 80 MG/ML	3	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	4	
PREZISTA ORAL TABLET 150 MG, 75 MG	3	
PREZISTA ORAL TABLET 600 MG, 800 MG	5	NM; NDS
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG <i>ritonavir oral tablet 100 mg</i> (Norvir)	5 2	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit)	4 2	
<i>stavudine oral recon soln 1 mg/ml</i> (Zerit)	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFY LO ORAL TABLET 400-300-300 MG	5	NM; NDS
SYMFY ORAL TABLET 600-300-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	5	NM; NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	3	
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	4	
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
ZERIT ORAL RECON SOLN 1 MG/ML	3	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<b>Hcv Antivirals</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL TABLET 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HARVONI ORAL TABLET 90-400 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
OLYSIO ORAL CAPSULE 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS, DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	5	PA; NM; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Nucleosides And Nucleotides</b>		
acyclovir 1,000 mg/20 ml vial 10's, latex-free, sdv 50 mg/ml	5	PA BvD; NM; NDS
acyclovir oral capsule 200 mg (Zovirax)	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg (Zovirax)	2	
acyclovir sodium intravenous recon soln 500 mg	5	PA BvD; NM; NDS
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	5	NM; NDS
cidofovir intravenous solution 75 mg/ml	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	5	NM; NDS
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	2	PA BvD
ganciclovir sodium intravenous solution 50 mg/ml	2	PA BvD
ribasphere oral capsule 200 mg	2	
ribasphere oral tablet 200 mg, 400 mg, 600 mg	2	
ribasphere ribapak oral tablets, dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28)	5	NM; NDS
ribavirin inhalation recon soln 6 gram (Virazole)	5	PA BvD; NM; NDS
ribavirin oral capsule 200 mg (Ribasphere)	2	
ribavirin oral tablet 200 mg (Moderiba)	2	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	
valganciclovir oral recon soln 50 mg/ml (Valcyte)	2	
valganciclovir oral tablet 450 mg (Valcyte)	5	NM; NDS
<b>Blood Products/Modifiers/Volume</b>		
<b>Expanders</b>		
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	
ELIQUIS ORAL TABLETS, DOSE PACK 5 MG (74 TABS)	3	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	2	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml (100 unit/ml)</i>	2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin 25,000 unit/250 ml (100 unit/ml)-0.45% nacl bag l/f, inner, single-use 25,000 unit/250 ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	5	PA; NM; NDS; QL (24 per 28 days)
<i>jantoven oral tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	4	
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Coumadin)	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET ORAL TABLET 20 MG, 20 MG (15 PACK)	5	PA; NM; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; NM; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	4	PA; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (30 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	4	PA; QL (6 per 28 days)
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	ST; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>protamine intravenous solution 10 mg/ml</i>	2	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 300 mg</i> (Plavix)	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
prasugrel oral tablet 10 mg, 5 mg <b>Caloric Agents</b>	2	QL (30 per 30 days)
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 20 % in water (d20w)</i> <i>intravenous parenteral solution 20 %</i>	2	PA BvD
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	2	PA BvD
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	2	PA BvD
<i>dextrose 5 % in ringer's intravenous</i> <i>parenteral solution 5 %</i>	2	
<i>dextrose 5 % in water (d5w) intravenous</i> <i>parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous</i> <i>piggyback 5 %</i>	2	
<i>dextrose 50 % in water (d50w)</i> <i>intravenous parenteral solution</i>	2	PA BvD
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	2	PA BvD
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	2	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD	
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD	
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD	
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD	
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD	
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD	
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD	
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD	
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD	
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD	
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD	
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD	
<b>Cardiovascular Agents</b>			
<b>Alpha-Adrenergic Agents</b>			
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	(Catapres)	1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr	(Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr	(Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr	(Catapres-TTS-3)	2	QL (8 per 28 days)
clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)</i>	2	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<b>NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG</b>	5	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml (Vazculep)</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg (Minipress)</i>	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)</i>	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT)</i>	2	
<b>DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG</b>	4	ST
<b>DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG</b>	4	ST
<b>EDARBI ORAL TABLET 40 MG, 80 MG</b>	3	
<b>EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG</b>	3	
<b>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</b>	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	2	
<i>olmesartanamlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	(Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	(Micardis)	2	
<i>telmisartanamlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	(Twynsta)	2	
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	(Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	(Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	(Diovan HCT)	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	(Lotensin)	6	GC
<i>benazepril oral tablet 5 mg</i>		6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>		2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>		2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>		2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Vasotec)	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>		2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	(Vaseretic)	2	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>		2	
<b>EPANED ORAL SOLUTION 1 MG/ML</b>		4	ST
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>		6	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>		2	
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i>	(Prinivil)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i> (Zestril)		6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)		6	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>		2	
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>		2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>		2	
<b>QBRELIS ORAL SOLUTION 1 MG/ML</b>		4	ST
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)		6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)		2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)		6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>		2	
<b>Antiarrhythmic Agents</b>			
<i>amiodarone intravenous solution 50 mg/ml</i>		2	
<i>amiodarone intravenous syringe 150 mg/3 ml</i>		2	
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)		2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)		1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)		2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)		2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>		2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>		2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>		2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>		2	
<b>MULTAQ ORAL TABLET 400 MG</b>		3	
<i>pacerone oral tablet 100 mg, 400 mg</i>		2	
<i>pacerone oral tablet 200 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	(Rythmol SR)	2
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	GC
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	3	
<b>BYVALSON ORAL TABLET 5-80 MG</b>	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i> (Brevibloc)	5	PA BvD; NM; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	(Corgard)	2
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	(Inderal LA)	2
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol 120 mg tablet 120 mg</i>	(Betapace)	2
<i>sotalol af oral tablet 120 mg</i>	2	
<i>sotalol oral tablet 160 mg, 240 mg, 80 mg</i>	(Betapace)	2
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i>	(Taztia XT)	2
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i>	(Tiazac)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cardizem CD)	2	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	1	GC
diltiazem hcl oral tablet 90 mg		1	GC
diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(Cardizem LA)	2	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg		2	
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg		2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg		2	
verapamil intravenous syringe 2.5 mg/ml		2	
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg	(Verelan PM)	2	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg	(Verelan)	2	
verapamil oral tablet 120 mg, 80 mg	(Calan)	1	GC
verapamil oral tablet 40 mg		1	GC
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg	(Calan SR)	1	GC
<b>Cardiovascular Agents, Miscellaneous</b>			
CORLANOR ORAL TABLET 5 MG, 7.5 MG		3	PA; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG		5	NM; NDS
digitek oral tablet 125 mcg, 250 mcg		2	
digox oral tablet 125 mcg, 250 mcg		2	
digoxin 0.25 mg/ml syringe 250 mcg/ml		2	
digoxin injection solution 250 mcg/ml	(Lanoxin)	2	
DIGOXIN ORAL SOLUTION 50 MCG/ML		3	
digoxin oral tablet 125 mcg, 250 mcg	(Digitek)	2	
dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	2	PA BvD
<i>dopamine in 5% dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	PA BvD
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>	2	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>	2	Mylan generic preferred; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml (Auvi-Q)</i>	2	Mylan generic preferred; QL (4 per 30 days)
<b>EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML</b>	2	QL (4 per 30 days)
<b>EPIPEN INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML</b>	2	QL (4 per 30 days)
<b>EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML</b>	2	QL (4 per 30 days)
<b>FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML</b>	5	NM; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<b>LANOXIN ORAL TABLET 187.5 MCG</b>	4	QL (30 per 30 days)
<b>LANOXIN ORAL TABLET 62.5 MCG</b>	4	
<i>milrinone in 5% dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	5	PA BvD; NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml (Levophed (bitartrate))</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	3	
<b>Dihydropyridines</b>		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	2	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	2	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
CLEVIPREX INTRAVENOUS EMULSION 25 MG/50 ML, 50 MG/100 ML	4	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg</i> (Procardia)	2	
<i>nifedipine oral capsule 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<b>DYRENIUM ORAL CAPSULE 100 MG, 50 MG</b>	4	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<b>JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</b>	5	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg</i> (Aldactone)	2	
<i>spironolactone oral tablet 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>torsemide oral tablet 10 mg, 20 mg</i> (Demadex)	2	
<i>torsemide oral tablet 100 mg</i>	2	
<i>torsemide oral tablet 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)</i>	6	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	
<i>cholestyramine light oral powder 4 gram</i>	2	
<i>cholestyramine light packet 4 gram</i>	2	
<i>colestipol oral packet 5 gram</i>	(Colestid)	2
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	2
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	2
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	2
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	2
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg</i>	(Trilipix)	2
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	2
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	(Lescol)	2
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1
<i>JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>JUXTAPID ORAL CAPSULE 20 MG</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>JUXTAPID ORAL CAPSULE 5 MG</i>	5	PA; NM; NDS; QL (45 per 30 days)
<i>KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML</i>	5	PA; NM; NDS; QL (4 per 28 days)
<i>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
<b>PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML</b>	5	PA; NM; NDS; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	2	
<i>pravastatin oral tablet 20 mg, 40 mg, 80 mg</i> (Pravachol)	2	
<i>prevalite oral powder in packet 4 gram</i>	2	
<b>REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML</b>	5	PA; NM; NDS; QL (3.5 per 28 days)
<b>REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML</b>	5	PA; NM; NDS; QL (3 per 28 days)
<b>REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML</b>	5	PA; NM; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	2	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	GC
<i>simvastatin oral tablet 5 mg</i>	6	GC
<i>simvastatin oral tablet 80 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<b>VASCEPA ORAL CAPSULE 0.5 GRAM</b>	3	QL (240 per 30 days)
<b>VASCEPA ORAL CAPSULE 1 GRAM</b>	3	QL (120 per 30 days)
<b>WELCHOL ORAL POWDER IN PACKET 3.75 GRAM</b>	2	
<b>WELCHOL ORAL TABLET 625 MG</b>	2	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TEKAMLO ORAL TABLET 150-10 MG, 150-5 MG, 300-10 MG, 300-5 MG	3	ST
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	ST
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg (ISOCHRON)</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg</i>	2	
<i>isosorbide mononitrate oral tablet 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 60 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 30 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	2	QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg (Nitrostat)</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr (Minitran)</i>	2	QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr (Minitran)</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	5	PA; NM; NDS; QL (60 per 30 days)
atomoxetine oral capsule 10 mg, 100 mg, (Strattera) 18 mg, 25 mg, 40 mg, 60 mg, 80 mg	2	
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
caffeine citrate intravenous solution 60 (Cafcit) mg/3 ml (20 mg/ml)	2	
caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)	2	
clonidine hcl oral tablet extended release (Kapvay) 12 hr 0.1 mg	2	
dalfampridine oral tablet extended (Ampyra) release 12 hr 10 mg	5	PA; NM; NDS; QL (60 per 30 days)
dexmethylphenidate oral tablet 10 mg, (Focalin) 2.5 mg, 5 mg	2	QL (60 per 30 days)
dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg (Dexedrine Spansule)	2	QL (120 per 30 days)
dextroamphetamine oral tablet 10 mg, 5 (Zeneddi) mg	2	QL (180 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	2	QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	QL (60 per 30 days)
<b>EXTAVIA SUBCUTANEOUS KIT 0.3 MG</b>		5	PA; NM; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>		2	
<b>GILENYA ORAL CAPSULE 0.25 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>GILENYA ORAL CAPSULE 0.5 MG</b>		5	PA; NM; NDS; QL (28 per 28 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	
<b>INGREZZA ORAL CAPSULE 40 MG</b>		5	PA; NM; NDS; QL (60 per 30 days)
<b>INGREZZA ORAL CAPSULE 80 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML</b>		5	PA; NM; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg</i>		1	GC
<i>lithium carbonate oral capsule 600 mg</i>		2	
<i>lithium carbonate oral tablet 300 mg</i>		2	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>		2	
<i>lithium citrate oral solution 8 meq/5 ml</i>		2	
<i>methylphenidate er 18 mg tab 18 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i>	(Concerta)	2	QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i>	(Concerta)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)	
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)	
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	(Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	(Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>		2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>		2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	(Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>		2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	(Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	(Concerta)	2	QL (60 per 30 days)
<b>NUEDEXTA ORAL CAPSULE 20-10 MG</b>	3	PA NSO; QL (60 per 30 days)	
<b>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</b>	5	PA; NM; NDS; QL (20 per 180 days)	
<b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS	
<b>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS	
<b>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</b>	5	PA; NM; NDS; QL (2800 per 28 days)	
<b>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>	5	PA; NM; NDS	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	QL (60 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg- mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
balziva (28) oral tablet 0.4-35 mg-mcg	2	
bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	
briellyn oral tablet 0.4-35 mg-mcg	2	
camila oral tablet 0.35 mg	2	
camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
caziant (28) oral tablet 0.11/125/.15-25 mg-mcg	2	
cryselle (28) oral tablet 0.3-30 mg-mcg	2	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	2	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
cyred oral tablet 0.15-0.03 mg	2	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	2	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
deblitane oral tablet 0.35 mg	2	
delyla (28) oral tablet 0.1-20 mg-mcg	2	
desog-e.estradiolle.estriadiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5	2	
desogestrel-ethinyl estradiol oral tablet (Aprि) 0.15-0.03 mg	2	
drospirenone-ethinyl estradiol oral tablet (Gianvi (28)) 3-0.02 mg	2	
drospirenone-ethinyl estradiol oral tablet (Ocella) 3-0.03 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50)	2
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	2	
<i>gildagia oral tablet 0.4-35 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	2	
<i>incassia oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>jolivette oral tablet 0.35 mg</i>	2	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>kimidess</i> (28) oral tablet 0.15-0.02 <i>mgx21</i> /0.01 mg x 5	2	
<i>kurvelo</i> oral tablet 0.15-0.03 mg	2	
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month</i> 0.10 mg-20 mcg (84)/10 mcg (7)	(Amethia Lo)	2 QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month</i> 0.15 mg-20 mcg/ 0.15 mg-25 mcg	(Fayosim)	2 QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month</i> 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	2 QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	2	
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	2	
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
<i>larin fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	
<i>larin fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	
<i>larissa</i> oral tablet 0.1-20 mg-mcg	2	
<i>leena</i> 28 oral tablet 0.5/1/0.5-35 mg-mcg	2	
<i>lessina</i> oral tablet 0.1-20 mg-mcg	2	
<i>levonest</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>levonorgestrel-ethinyl estrad oral tablet</i> 0.1-20 mg-mcg	(Aubra)	2
<i>levonorgestrel-ethinyl estrad oral tablet</i> 0.15-0.03 mg	(Altavera (28))	2 QL (91 per 84 days)
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i> 0.15 mg-30 mcg	(Introvale)	2 QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	2 QL (91 per 84 days)
<i>levora-28</i> oral tablet 0.15-0.03 mg	2	
<i>lillow</i> oral tablet 0.15-0.03 mg	2	
<i>lomedia</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
<i>loryna</i> (28) oral tablet 3-0.02 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lulera (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>mini oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>necon 1/50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>necon 10/11 (28) oral tablet 0.5-35/1-35 mg-mcg/mg-mcg</i>	2	
<i>necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	2	
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>norethindrone (contraceptive) oral tablet (Camila) 0.35 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Junel 1/20 (21)) 1-20 mg-mcg</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Blisovi Fe 1/20 (28)) 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Blisovi 24 Fe) 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen LO 0.18/0.215/0.25 mg-25 mcg (28))</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen (28)) 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Estarylla) 0.25-35 mg-mcg</i>	2	
<i>norlyda oral tablet 0.35 mg</i>	2	
<i>norlyroc oral tablet 0.35 mg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<b>NUVARING VAGINAL RING 0.12-0.015 MG/24 HR</b>	3	QL (1 per 28 days)
<i>ocella oral tablet 3-0.03 mg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>wymzyafe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>zenchent fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	2	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline oral capsule 30 mg (Evoxac)</i>	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	2
<i>oralone dental paste 0.1 %</i>		2
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>		2
<i>periogard mucous membrane mouthwash 0.12 %</i>		2
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))</i>	2	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg (Soriatane)</i>	5	NM; NDS
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>	1	GC
<b>ALCOHOL PREP PADS</b>	1	GC
<i>ammonium lactate topical cream 12 %</i>	(Geri-Hydrolac)	2
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	2
<i>calcipotriene scalp solution 0.005 %</i>		2
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	2
<i>calcipotriene topical ointment 0.005 %</i>	(Calcitrene)	2
<i>calcitrene topical ointment 0.005 %</i>		2
<i>calcitriol topical ointment 3 mcg/gram</i>	(Vectical)	2
<b>CONDYLOX TOPICAL GEL 0.5 %</b>	4	
<b>COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML</b>	5	PA; NM; NDS
<b>COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DENAVIR TOPICAL CREAM 1 %	5	NM; NDS
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	5	PA; NM; NDS; QL (100 per 28 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; NM; NDS
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	3	PA
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	PA NSO; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TOLAK TOPICAL CREAM 4 %	4	
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NM; NDS
VOLTAREN TOPICAL GEL 1 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<b>ZOVIRAX TOPICAL CREAM 5 %</b>	5	NM; NDS; QL (5 per 4 days)
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical foam 1 % (Evoclin)</i>	2	
<i>clindamycin phosphate topical gel 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical lotion 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical solution 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical swab 1 % (Cleocin T)</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Duac)</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 % (Benzacllin)</i>	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 % (Erygel)</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin with ethanol topical swab 2 % (Ery Pads)</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 % (Aktipak)</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	
<i>gentamicin topical ointment 0.1 %</i>	2	
<i>metronidazole topical cream 0.75 % (MetroCream)</i>	2	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 1 % (Metrogel)</i>	2	
<i>metronidazole topical lotion 0.75 % (MetroLotion)</i>	2	
<i>mupirocin calcium topical cream 2 % (Bactroban)</i>	2	
<i>mupirocin topical ointment 2 % (Centany)</i>	2	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 % (Silvadene)</i>	2	
<i>ssd topical cream 1 %</i>	2	
<i>sulfacetamide sodium (acne) topical suspension 10 % (Klaron)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	2	
<i>ala-cort topical cream 2.5 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 (Luxiq) %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene)</i>	2	
<i>clobetasol scalp solution 0.05 % (Cormax)</i>	2	
<i>clobetasol topical cream 0.05 % (Temovate)</i>	2	
<i>clobetasol topical foam 0.05 % (Olux)</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	2	
<i>clobetasol topical ointment 0.05 % (Temovate)</i>	2	
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>	2	
<i>clocortolone pivalate topical cream 0.1 % (Cloderm)</i>	2	
<i>cormax scalp solution 0.05 %</i>	2	
<i>desonide topical cream 0.05 % (DesOwen)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desonide topical lotion 0.05 %</i>	(DesOwen)	2	
<i>desonide topical ointment 0.05 %</i>		2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	2	
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	2	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	2	
<i>diflorasone topical cream 0.05 %</i>	(Psorcon)	2	
<i>diflorasone topical ointment 0.05 %</i>		2	
<b>ELIDEL TOPICAL CREAM 1 %</b>		3	
<b>EUCRISA TOPICAL OINTMENT 2 %</b>		3	
<i>fluocinolone topical cream 0.01 %</i>		2	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>		2	
<i>fluocinonide topical gel 0.05 %</i>		2	
<i>fluocinonide topical ointment 0.05 %</i>		2	
<i>fluocinonide topical solution 0.05 %</i>		2	
<i>fluocinonide-e topical cream 0.05 %</i>		2	
<i>fluticasone topical cream 0.05 %</i>	(Cutivate)	2	
<i>fluticasone topical ointment 0.005 %</i>		2	
<i>halobetasol propionate topical cream 0.05 %</i>	(Ultravate)	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	(Ultravate)	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	(Locoid)	2	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		2	
<i>hydrocortisone butyrate topical solution 0.1 %</i>	(Locoid)	2	
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	(Ala-Cort)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>		2	
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>		1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>		2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mometasone topical cream 0.1 %</i>	(Elocon)	2	
<i>mometasone topical ointment 0.1 %</i>	(Elocon)	2	
<i>mometasone topical solution 0.1 %</i>		2	
<i>prednicarbate topical cream 0.1 %</i>		2	
<i>prednicarbate topical ointment 0.1 %</i>	(Dermatop)	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>		2	
<i>procto-pak topical cream with perineal applicator 1 %</i>		2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>		2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>		2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	(Protopic)	2	
<i>triamcinolone acetonide topical cream 0.025 %</i>		1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	(Triderm)	2	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>		1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>		2	
<i>tridesilon topical cream 0.05 %</i>		2	
<b>Dermatological Retinoids</b>			
<i>adapalene topical cream 0.1 %</i>	(Differin)	2	
<i>adapalene topical gel 0.1 %</i>	(Differin)	2	
<i>tazarotene topical cream 0.1 %</i>	(Avage)	2	
<b>TAZORAC TOPICAL CREAM 0.05 %</b>		4	
<i>tretinoin topical cream 0.025 %</i>	(Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i>	(Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i>	(Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i>	(Avita)	2	PA
<b>Scabicides And Pediculicides</b>			
<i>malathion topical lotion 0.5 %</i>	(Ovide)	2	
<i>permethrin topical cream 5 %</i>	(Elimate)	2	
<i>spinosad topical suspension 0.9 %</i>	(Natroba)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin Syringe) SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE (1st Tier Unifine Pentips) 29 GAUGE X 1/2"	2	
STERILE PADS 2" X 2" 2 X 2 "	1	GC
VGO 40 DISPOSABLE DEVICE	2	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000- 19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT	5	NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROSYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000- 63,000- 84,000 UNIT, 20,000-68,000 - 109,000 UNIT, 25,000-79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000- 10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 40,000-136,000- 218,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	4	
<i>apraclonidine ophthalmic (eye) drops 0.5% (Iopidine)</i>	2	
<i>atropine ophthalmic (eye) drops 1% (Isopto Atropine)</i>	2	
<i>azelastine nasal aerosol,spray 137 mcg (0.1%)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 0.15% (Astupro) (205.5 mcg)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05%</i>	2	
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST
<i>cromolyn ophthalmic (eye) drops 4%</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
epinastine ophthalmic (eye) drops 0.05 % (Elestat)	2	
ipratropium bromide nasal spray, non- aerosol 0.03 %	2	QL (30 per 28 days)
ipratropium bromide nasal spray, non- aerosol 42 mcg (0.06 %)	2	QL (15 per 10 days)
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	3	
olopatadine nasal spray, non-aerosol 0.6 % (Patanase)	2	QL (30.5 per 30 days)
olopatadine ophthalmic (eye) drops 0.1 % (Patanol)	2	
olopatadine ophthalmic (eye) drops 0.2 % (Pataday)	2	
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)	3	
phenylephrine hcl ophthalmic (eye) drops 10 %	1	GC
phenylephrine hcl ophthalmic (eye) drops 2.5 %	2	
proparacaine ophthalmic (eye) drops 0.5 %	2	
TYZINE NASAL DROPS 0.1 %	4	
TYZINE NASAL SPRAY, NON- AEROSOL 0.1 %	4	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
acetasol hc otic (ear) drops 1-2 %	2	
acetic acid otic (ear) solution 2 %	2	
bacitracin ophthalmic (eye) ointment 500 unit/gram	2	
bacitracin-polymyxin b ophthalmic (eye) (AK-Poly-Bac) ointment 500-10,000 unit/gram	2	
bleph-10 ophthalmic (eye) drops 10 %	2	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	4	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ciprofloxacin hcl ophthalmic (eye) drops (Ciloxan) 0.3 %	2	
ciprofloxacin hcl otic (ear) dropperette (Cetraxal) 0.2 %	2	
COLY-MYCIN S OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	4	
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)	2	
gatifloxacin ophthalmic (eye) drops 0.5 (Zymaxid) %	2	
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)	2	
gentamicin ophthalmic (eye) drops 0.3 %	2	
gentamicin ophthalmic (eye) ointment (Gentak) 0.3 % (3 mg/gram)	2	
hydrocortisone-acetic acid otic (ear) drops 1-2 %	2	
levofloxacin ophthalmic (eye) drops 0.5 %	2	
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	
moxifloxacin ophthalmic (eye) drops 0.5 (Vigamox) %	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
neomycin-bacitracin-poly-hc ophthalmic (Neo-Polycin HC) (eye) ointment 3.5-400-10,000 mg-unit/g-1%	2	
neomycin-bacitracin-polymyxin (Neo-Polycin) ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %	2	
neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 % (Bleph-10)</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<b>TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %</b>	4	
<b>TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %</b>	3	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 % (Viroptic)</i>	2	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	2	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	2	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	4	PA; QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
CARAFATE ORAL SUSPENSION 100 MG/ML	3	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG, 60 MG	3	ST
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon</i> (Nexium IV) <i>soln 40 mg</i>	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	2	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i> (Pepcid)	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Heartburn Treatment 24 Hour)	2	
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)	2	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>omeprazole oral capsule, delayed release (dr/ec) 20 mg, 40 mg</i>	1	GC
<i>pantoprazole intravenous recon soln 40 mg (Protonix)</i>	2	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg (Protonix)</i>	1	GC
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg (Aciphex)</i>	2	ST; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml) (Zantac)</i>	2	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	2	
<i>ranitidine hcl oral tablet 150 mg (Acid Control (ranitidine))</i>	1	GC
<i>ranitidine hcl oral tablet 300 mg (Zantac)</i>	1	GC
<i>sucralfate oral tablet 1 gram (Carafate)</i>	2	
<b>Gastrointestinal Agents, Other</b>		
<i>AMITIZA ORAL CAPSULE 24 MCG, 8 MCG</i>	3	QL (60 per 30 days)
<i>CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG</i>	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)</i>	5	NM; NDS
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)</i>	2	
<i>enulose oral solution 10 gram/15 ml</i>	2	
<i>GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG</i>	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrrolate injection solution 0.2 mg/ml</i>	2	
<i>glycopyrrrolate oral tablet 1 mg (Robinul)</i>	2	
<i>glycopyrrrolate oral tablet 2 mg (Robinul Forte)</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5</i> (Reglan) <i>mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
NUTRESTORE ORAL POWDER IN PACKET 5 GRAM	4	
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	5	PA; NM; NDS; QL (28 per 28 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	2	
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG- 3.5 GRAM -12 GRAM/160 ML	4	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	
<i>peg 3350-electrolytes oral recon soln 236- (GaviLyte-G) 22.74-6.74 -5.86 gram</i>	2	
<i>peg 3350-electrolytes oral recon soln 240- (Colyte with Flavor 22.72-6.72 -5.84 gram Packs)</i>	1	GC
<i>peg-electrolyte soln oral recon soln 420 gram (GaviLyte-N)</i>	2	
<i>polyethylene glycol 3350 oral powder 17 gram/dose (ClearLax)</i>	2	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
<b>Phosphate Binders</b>		
AURYXIA ORAL TABLET 210 MG IRON	4	
<i>calcium acetate oral capsule 667 mg</i>	2	
<i>calcium acetate oral tablet 667 mg (Calphron)</i>	2	
<i>eliphos oral tablet 667 mg</i>	2	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	4	
<i>lanthanum oral tablet, chewable 1,000 mg, (Fosrenol) 500 mg, 750 mg</i>	5	NM; NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RENAGEL ORAL TABLET 400 MG, 800 MG	3	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	2	
<i>sevelamer carbonate oral tablet 800 mg</i>	(Renvela)	2
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	(Urecholine)	2
<i>flavoxate oral tablet 100 mg</i>		2
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>		1
<i>oxybutynin chloride oral tablet 5 mg</i>		2
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i>	(Ditropan XL)	2
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>		2
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	(Detrol LA)	2
<i>tolterodine oral tablet 1 mg, 2 mg</i>	(Detrol)	2
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule,extended release 24hr 60 mg</i>		2
<i>trospium oral tablet 20 mg</i>		2
VESICARE ORAL TABLET 10 MG, 5 MG	3	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	(Uroxatral)	2
<i>dutasteride oral capsule 0.5 mg</i>	(Avodart)	2
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	(Jalyn)	2
<i>finasteride oral tablet 5 mg</i>	(Proscar)	1
<i>tamsulosin oral capsule 0.4 mg</i>	(Flomax)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
CUPRIMINE ORAL CAPSULE 250 MG	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, (Desferal) 500 mg</i>	2	PA
DEPEN TITRATABS ORAL TABLET 250 MG	5	PA; NM; NDS
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 500 MG	5	PA; NM; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
<i>trientine oral capsule 250 mg (Syprine)</i>	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	3	PA; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; QL (150 per 30 days)
<i>androxy oral tablet 10 mg</i>	2	
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR</i>	3	QL (8 per 28 days)
<i>DUAVEE ORAL TABLET 0.45-20 MG</i>	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	2	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	2	QL (8 per 28 days)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Minivelle)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	2	
<b>ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)</b>	4	QL (1 per 84 days)
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	2	
<b>FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR</b>	4	QL (1 per 84 days)
<i>fyavolv oral tablet 1-5 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
jinteli oral tablet 1-5 mg-mcg	2	
lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg	2	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	4	
mimvey lo oral tablet 0.5-0.1 mg	2	
mimvey oral tablet 1-0.5 mg	2	
norethindrone ac-eth estradiol oral tablet (Femhrt Low Dose) 0.5-2.5 mg-mcg	2	
norethindrone ac-eth estradiol oral tablet (Fyavolv) 1-5 mg-mcg	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
raloxifene oral tablet 60 mg (Evista)	2	
yuvafem vaginal tablet 10 mcg	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
a-hydrocort injection recon soln 100 mg	2	
betamethasone acet,sod phos injection (Celestone Soluspan) suspension 6 mg/ml	2	
cortisone oral tablet 25 mg	2	PA BvD
decadron oral elixir 0.5 mg/5 ml	2	PA BvD
dexamethasone oral elixir 0.5 mg/5 ml (Decadron)	2	PA BvD
dexamethasone oral tablet 0.5 mg, 0.75 (Decadron) mg, 4 mg	1	PA BvD; GC
dexamethasone oral tablet 1 mg, 1.5 mg	1	PA BvD; GC
dexamethasone oral tablet 2 mg	2	PA BvD
dexamethasone oral tablet 6 mg (Decadron)	2	PA BvD
dexamethasone sodium phos (pf) injection solution 10 mg/ml	2	
dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (39 per 30 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, (Cortef) 5 mg</i>	2	PA BvD
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML	4	
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 (Medrol) mg, 4 mg, 8 mg</i>	2	PA BvD
<i>methylprednisolone oral tablets, dose pack (Medrol (Pak)) 4 mg</i>	2	PA BvD
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ (Solu-Medrol) intravenous recon soln 1,000 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone 10 mg tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg</i>	2	PA BvD
<i>prednisone oral tablet 10 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 20 mg (Deltasone)</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)	2	
desmopressin injection solution 4 mcg/ml (DDAVP)	2	
desmopressin nasal solution 0.1 mg/ml (DDAVP) (refrigerate)	2	
desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)	2	
desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)	2	
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml</i>	2	
<i>octreotide acetate injection solution 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 500 (Sandostatin) mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	NM; NDS
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	NM; NDS
STIMATE NASAL SPRAY, NON- AEROSOL 150 MCG/SPRAY (0.1 ML)	4	
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone caproate</i> <i>intramuscular oil 250 mg/ml</i>	2	PA NSO
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	(Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>		2	
<i>norethindrone acetate oral tablet 5 mg</i>	(Aygestin)	2	
<i>progesterone in oil intramuscular oil 50 mg/ml</i>		2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	(Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>			
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>		5	NM; NDS
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Levo-T)	1	GC
<i>liothyronine intravenous solution 10 mcg/ml</i>	(Triostat)	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	(Cytomel)	2	
<i>methimazole oral tablet 10 mg</i>	(Tapazole)	2	
<i>methimazole oral tablet 5 mg</i>	(Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>		2	
<b>Immunological Agents</b>			
<b>Immunological Agents</b>			
<i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)</i>		5	PA; NM; NDS
<i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML</i>		5	PA; NM; NDS
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>		5	NM; NDS
<i>ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG</i>		4	PA BvD
<i>azathioprine oral tablet 50 mg</i>	(Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA BvD; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	5	PA; NM; NDS
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	4	PA BvD
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15- 18 % RANGE, 15-18 % RANGE (10 ML), 15-18 % RANGE (2 ML)	3	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK), 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML, 150 UNIT/ML (10 ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA; BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGLAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	
<i>mycophenolate mofetil hcl intravenous (CellCept Intravenous) recon soln 500 mg</i>	2	PA; BvD
<i>mycophenolate mofetil oral capsule 250 mg (CellCept)</i>	2	PA; BvD
<i>mycophenolate mofetil oral suspension (CellCept) for reconstitution 200 mg/ml</i>	5	PA; BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg (CellCept)</i>	2	PA; BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/lec) 180 mg, 360 mg (Myfortic)</i>	2	PA; BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA; BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA; BvD; NM; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	3	
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA; BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA; BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	5	PA; BvD; NM; NDS
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 27.5 MG/0.55 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 10 MG	5	PA; NM; NDS; QL (60 per 30 days)
XELJANZ ORAL TABLET 5 MG	5	PA; NM; NDS; QL (120 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	5	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF- (2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
CERVARIX VACCINE (PF) INTRAMUSCULAR SYRINGE 20-20 MCG/0.5 ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 10 MCG/0.5 ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL (PF) INTRAMUSCULAR SUSPENSION 20-40-40-20 MCG/0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN 5-2.5 MCG/0.5 ML	3	
MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN 50 MCG	3	
MENOMUNE - A/C/Y/W-135 SUBCUTANEOUS RECON SOLN 50 MCG	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TETANUS-DIPHTHERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SUSPENSION 720 ELISA UNIT- 20 MCG/ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS
<b>APRISO ORAL CAPSULE, EXTENDED RELEASE 24HR 0.375 GRAM</b>	3	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend.release 3 mg</i> (Entocort EC)	5	NM; NDS
<b>CANASA RECTAL SUPPOSITORY 1,000 MG</b>	3	
<i>cocolcort rectal enema 100 mg/60 ml</i>	2	
<b>DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG</b>	3	
<b>DIPENTUM ORAL CAPSULE 250 MG</b>	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	2	
<b>LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM</b>	2	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	
<b>UCERIS RECTAL FOAM 2 MG/ACTUATION</b>	3	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	2	
<b>LACTATED RINGERS IRRIGATION SOLUTION</b>	3	
<i>ringer's irrigation solution</i>	2	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	2	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	2	
<i>sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml</i>	2	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	
<b>FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML</b>	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
<b>MIACALCIN INJECTION SOLUTION 200 UNIT/ML</b>	3	
<b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE</b>	5	PA; NM; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	
<i>paricalcitol intravenous solution 2 mcg/ml</i> (Zemplar)	2	
PARICALCITOL INTRAVENOUS (Zemplar) SOLUTION 5 MCG/ML	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	2	QL (30 per 30 days)
SENSIPAR ORAL TABLET 30 MG	3	QL (60 per 30 days)
SENSIPAR ORAL TABLET 60 MG	5	NM; NDS; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	5	NM; NDS; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	2	
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTHAR H.P. INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BOTOX INJECTION RECON SOLN 100 UNIT	4	PA; QL (4 per 90 days)
BOTOX INJECTION RECON SOLN 200 UNIT	4	PA; QL (1 per 90 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl))	2	
<i>droperidol injection solution 2.5 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
<i>guanidine oral tablet 125 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg</i>	2	
<i>leucovorin calcium injection recon soln 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine intravenous solution 200 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NM; NDS
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	2	
MYOBLOC INTRAMUSCULAR SOLUTION 10,000 UNIT/2 ML	4	PA; QL (2 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 2,500 UNIT/0.5 ML	4	PA; QL (0.5 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 5,000 UNIT/ML	4	PA; QL (1 per 90 days)
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; NM; NDS; QL (8 per 28 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	5	NM; NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.15 (Alphagan P) %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 (Xalatan) %</i>	2	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	3	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	3	QL (30 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	2	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	2	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	2	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	2	
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	2	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	2	
<b>IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	4	
<b>IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	4	
<b>ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	4	
<b>ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE-56 IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	
<i>potassium chloride oral capsule, extended release 10 meq</i>	2	
<i>potassium chloride oral capsule, extended (Klor-Con Sprinkle) release 8 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	2	
<i>potassium citrate oral tablet extended release 15 meq</i>	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2	
<i>potassium citrate-citric acid oral packet 3,300-1,002 mg</i>	2	
<i>ringer's intravenous parenteral solution</i>	2	
<i>sodium acetate intravenous solution 2 meq/ml</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>	2	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	2	
<i>sodium lactate intravenous solution 5 meq/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium phosphate intravenous solution 3 mmol/ml	2	
TPN ELECTROLYTES II IV SOLN 25'S,20ML/50ML FTV 18-18-5-4.5-35 MEQ/20 ML	4	
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	4	
<b>Respiratory Tract Agents</b>		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization</i> 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	2	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	3	QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (21.2 per 25 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	QL (12 per 25 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (11 per 25 days)
<b>Antileukotrienes</b>		
montelukast oral granules in packet 4 mg (Singulair)	2	
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	2	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
<b>Bronchodilators</b>		
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml	2	PA BvD
albuterol sulfate oral syrup 2 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
<b>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</b>	3	QL (60 per 30 days)
<b>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</b>	3	QL (25.8 per 28 days)
<b>COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION</b>	3	QL (8 per 30 days)
<i>elioxophyllin oral elixir 80 mg/15 ml</i>	2	
<b>INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION</b>	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i>	(Xopenex HFA) 2	QL (30 per 30 days)
<b>LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML</b>	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	
<b>PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION</b>	3	
<b>PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION</b>	3	
<b>SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE</b>	3	QL (60 per 30 days)
<b>SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION</b>	3	
<b>SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	4	ST
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 (Acetadote) mg/ml (20 %)</i>	2	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>carisoprodol oral tablet 250 mg, 350 mg (Soma)</i>	2	QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>cyclobenzaprine oral tablet 7.5 mg (Fexmid)</i>	2	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i>	2	
<i>methocarbamol oral tablet 500 mg (Robaxin)</i>	2	
<i>methocarbamol oral tablet 750 mg (Robaxin-750)</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg (Zanaflex)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<b>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</b>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
<b>HETLIOZ ORAL CAPSULE 20 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>SILENOR ORAL TABLET 3 MG, 6 MG</b>	3	QL (30 per 30 days)
<b>XYREM ORAL SOLUTION 500 MG/ML</b>	5	NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i> (Sonata)	2	QL (60 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	2	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
<b>ADCIRCA ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</b>	5	PA; NM; NDS; QL (90 per 30 days)
<b>CIALIS ORAL TABLET 2.5 MG, 5 MG</b>	3	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NM; NDS
<b>LETAIRIS ORAL TABLET 10 MG, 5 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>OPSUMIT ORAL TABLET 10 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG</b>	3	PA
<b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	5	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS; QL (400 per 365 days)
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	2	
<i>pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>sodium fluoride 0.5 mg/ml drop dl/f, sl/f,gluten-free (otc) 0.5 mg (1.1 mg sod.fluorid)/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

<i>abacavir</i> .....	59	AIMOVIG		<i>amiloride-hydrochlorothiazide</i> ..	80
<i>abacavir-lamivudine</i> .....	59	AUTOINJECTOR .....	49	AMINOSYN 10 %.....	69
<i>abacavir-lamivudine-zidovudine</i> 59		AIMOVIG		AMINOSYN 7 % WITH	
ABELCET .....	46	AUTOINJECTOR (2 PACK) 49		ELECTROLYTES.....	69
ABILIFY MAINTENA .....	55	AKTEN (PF).....	103	AMINOSYN 8.5 %.....	69
ABRAXANE .....	22	AKYNZEO		AMINOSYN 8.5 %-	
<i>acamprosate</i> .....	10	(FOSNETUPITANT).....	51	ELECTROLYTES.....	69
<i>acarbose</i> .....	41	AKYNZEO (NETUPITANT)51		AMINOSYN II 10 %.....	69
<i>acebutolol</i> .....	76	<i>ala-cort</i> .....	98	AMINOSYN II 15 %.....	69
<i>acetaminophen-codeine</i> .....	3	<i>ala-scalp</i> .....	98	AMINOSYN II 7 %.....	69
<i>acetasol hc</i> .....	104	ALBENZA.....	52	AMINOSYN II 8.5 %.....	69
<i>acetazolamide</i> .....	135	<i>albuterol sulfate</i> .....	141, 142	AMINOSYN II 8.5 %-	
<i>acetazolamide sodium</i> .....	135	<i>alclometasone</i> .....	98	ELECTROLYTES.....	69
<i>acetic acid</i> .....	104, 130	ALCOHOL PADS.....	95	AMINOSYN M 3.5 %.....	69
<i>acetylcysteine</i> .....	143	ALCOHOL PREP PADS .....	95	AMINOSYN-HBC 7%.....	69
<i>acitretin</i> .....	95	ALDURAZYME .....	101	AMINOSYN-PF 10 %.....	69
ACTEMRA .....	120	ALECENSA.....	22	AMINOSYN-PF 7 %	
ACTHAR H.P.....	133	<i>alendronate</i> .....	131	(SULFITE-FREE).....	69
ACTHIB (PF).....	125	<i>alfuzosin</i> .....	112	AMINOSYN-RF 5.2 %.....	70
ACTIMMUNE .....	133	ALIMTA.....	22	<i>amiodarone</i> .....	75
<i>acyclovir</i> .....	65, 95	ALINIA.....	52	AMITIZA.....	109
<i>acyclovir sodium</i> .....	65	ALIQOPA.....	22	<i>amitriptyline</i> .....	38
ADACEL(TDAP		<i>allopurinol</i> .....	48	<i>amitriptyline-chlordiazepoxide</i> .38	
ADOLESN/ADULT)(PF)....	125	<i>alosetron</i> .....	130	<i>amlodipine</i> .....	80
ADAGEN .....	101	ALPHAGAN P .....	135	<i>amlodipine-atorvastatin</i> .....	81, 82
<i>adapalene</i> .....	100	<i>alprazolam</i> .....	11	<i>amlodipine-benazepril</i> .....	80
ADCIRCA .....	145	ALREX.....	107	<i>amlodipine-olmesartan</i> .....	80
<i>adefovir</i> .....	65	<i>altavera (28)</i> .....	88	<i>amlodipine-valsartan</i> .....	80
ADEMPAS .....	145	ALUNBRIG .....	22, 23	<i>amlodipine-valsartan-hcthiazid</i> .80	
<i>adriamycin</i> .....	22	<i>alyacen 1/35 (28)</i> .....	88	<i>ammonium lactate</i> .....	95
<i>adrucil</i> .....	22	<i>alyacen 7/7/7 (28)</i> .....	88	<i>amoxapine</i> .....	38
ADVAIR DISKUS .....	140	<i>amabelz</i> .....	114	<i>amoxicil-clarithromy-lansopraz</i>	
ADVAIR HFA .....	140	<i>amantadine hcl</i> .....	53	.....	108
<i>afeditab cr</i> .....	80	AMBISOME .....	46	<i>amoxicillin</i> .....	18
AFINITOR .....	22	<i>amethia</i> .....	88	<i>amoxicillin-pot clavulanate</i> .18, 19	
AFINITOR DISPERZ .....	22	<i>amethia lo</i> .....	88	<i>amphotericin b</i> .....	46
<i>a-hydrocort</i> .....	115	<i>amifostine crystalline</i> .....	133	<i>ampicillin</i> .....	19
		<i>amiloride</i> .....	80	<i>ampicillin sodium</i> .....	19

<i>ampicillin-sulbactam</i>	19	<i>aubra</i>	88	<i>benztropine</i>	53
AMPYRA	85	AURYXIA	111	BEPREVE	103
ANADROL-50	113	AUSTEDO	85	BESPONSA	23
<i>anagrelide</i>	68	AVASTIN	23	<i>betamethasone acet,sod phos</i>	115
<i>anastrozole</i>	23	AVC VAGINAL	49	<i>betamethasone dipropionate</i>	98
ANDRODERM	113	<i>aviane</i>	88	<i>betamethasone valerate</i>	98
ANDROGEL	113	AVONEX	85	<i>betamethasone, augmented</i>	98
<i>androxy</i>	113	AVONEX (WITH		BETASERON	85
ANORO ELLIPTA	142	ALBUMIN)	85	<i>betaxolol</i>	76, 135
APOKYN	53	<i>azacitidine</i>	23	<i>bethanechol chloride</i>	112
<i>apraclonidine</i>	103	<i>azathioprine</i>	120	BETHKIS	13
<i>aprepitant</i>	51	<i>azathioprine sodium</i>	120	BEVYXXA	65
<i>apri</i>	88	<i>azelastine</i>	103	<i>bexarotene</i>	23
APRISO	130	<i>azithromycin</i>	17	BEXSERO	126
APTIOM	33	AZOPT	135	<i>bicalutamide</i>	23
APTIVUS	59	<i>aztreonam</i>	18	BICILLIN C-R	19
<i>aranelle (28)</i>	88	<i>azurette (28)</i>	89	BICILLIN L-A	19
ARCALYST	120	<i>baciim</i>	13	BIDIL	84
<i>ariPIPrazole</i>	55	<i>bacitracin</i>	13, 104	BIKTARVY	60
ARISTADA	55	<i>bacitracin-polymyxin b</i>	104	<i>bimatoprost</i>	135
ARISTADA INITIO	55	<i>baclofen</i>	144	<i>bisoprolol fumarate</i>	76
<i>armodafinil</i>	145	<i>balsalazide</i>	130	<i>bisoprolol-hydrochlorothiazide</i>	76
ARNUITY ELLIPTA	140	<i>balziva (28)</i>	89	<i>bleomycin</i>	23
<i>ascomp with codeine</i>	3	BANZEL	33, 34	<i>bleph-10</i>	104
<i>ashlynna</i>	88	BAVENCIO	23	BLINCYTO	23
<i>aspirin-dipyridamole</i>	68	BAXDELA	20	<i>blisovi 24 fe</i>	89
ASSURE ID INSULIN		BCG VACCINE, LIVE (PF)	125	<i>blisovi fe 1.5/30 (28)</i>	89
SAFETY	101	BD ULTRA-FINE NANO		<i>blisovi fe 1/20 (28)</i>	89
ASTAGRAF XL	120	PEN NEEDLE	101	BOOSTRIX TDAP	126
<i>atazanavir</i>	59	BD VEO INSULIN		BORTEZOMIB	23
<i>atenolol</i>	76	SYRINGE UF	101	BOSULIF	23
<i>atenolol-chlorthalidone</i>	76	<i>bekyree (28)</i>	89	BOTOX	133
<i>atomoxetine</i>	85	BELBUCA	3	BRAFTOVI	23
<i>atorvastatin</i>	82	BELEODAQ	23	BREO ELLIPTA	140
<i>atovaquone</i>	52	BELSOMRA	145	<i>briellyn</i>	89
<i>atovaquone-proguanil</i>	52, 53	<i>benazepril</i>	74	BRILINTA	68
ATRIPLA	59	<i>benazepril-hydrochlorothiazide</i>	74	<i>brimonidine</i>	135
<i>atropine</i>	33, 103	BENDEKA	23	BRIVIACT	34
ATROVENT HFA	142	BENLYSTA	133	<i>bromfenac</i>	107
AUBAGIO	85	<i>benznidazole</i>	53	<i>bromocriptine</i>	53

BROMSITE	107	<i>captopril-hydrochlorothiazide</i>	74	<i>cefuroxime axetil</i>	16
budesonide	130, 140	CARAFATE	108	<i>cefuroxime sodium</i>	16
bumetanide	80	CARBAGLU	109	<i>cefuroxime-dextrose (iso-osm)</i>	16
BUNAVAIL	10	<i>carbamazepine</i>	34	<i>celecoxib</i>	8
buprenorphine	3	<i>carbidopa</i>	53	CELONTIN	34
buprenorphine hcl	3, 10	<i>carbidopa-levodopa</i>	53, 54	<i>cephalexin</i>	16
buprenorphine-naloxone	10	<i>carbidopa-levodopa-entacapone</i>	54	CEPROTIN (BLUE BAR)	65
bupropion hcl	38	<i>carbinoxamine maleate</i>	48	CERDELGA	101
bupropion hcl (smoking deter)	10	<i>carboplatin</i>	24	CEREZYME	101
buspirone	11	CARIMUNE NF		CERVARIX VACCINE (PF)	
butalbital compound w/codeine	3	NANOFILTERED	121	.....	126
butalbital-acetaminop-caf-cod	3	<i>carisoprodol</i>	144	CETYLEV	133
butalbital-acetaminophen	3	<i>carteolol</i>	135	<i>cevimeline</i>	95
butalbital-acetaminophen-caff	3	<i>cartia xt</i>	77	CHANTIX	10
butalbital-aspirin-caffeine	3	<i>carvedilol</i>	76	CHANTIX CONTINUING	
butorphanol tartrate	3	<i>caspofungin</i>	46	MONTH BOX	10
BUTRANS	3	CAYSTON	18	CHANTIX STARTING	
BYSTOLIC	76	<i>caziant (28)</i>	89	MONTH BOX	10
BYVALSON	76	<i>cefaclor</i>	15	<i>chloramphenicol sod succinate</i>	13
cabergoline	53	<i>cefadroxil</i>	15	<i>chlordiazepoxide hcl</i>	11
CABOMETYX	23	<i>cefazolin</i>	15	<i>chlorhexidine gluconate</i>	95
caffeine citrate	85	<i>cefazolin in 0.9% sod chloride</i>	15	<i>chloroquine phosphate</i>	53
calcipotriene	95	<i>cefazolin in dextrose (iso-os)</i>	15	<i>chlorothiazide</i>	80
calcitonin (salmon)	131	<i>cefdinir</i>	15	<i>chlorothiazide sodium</i>	81
calcitrene	95	<i>cefditoren pivoxil</i>	15	<i>chlorpromazine</i>	55, 56
calcitriol	95, 131	CEFEPIME	15	<i>chlorthalidone</i>	81
calcium acetate	111	CEFEPIME IN DEXTROSE		<i>chlorzoxazone</i>	144
calcium chloride	136	5 %	15	<i>cholestyramine (with sugar)</i>	82
CALDOLOR	8	CEFEPIME IN		<i>cholestyramine light</i>	82
CALQUENCE	23	DEXTROSE,ISO-OSM	15	CIALIS	145
camila	89	<i>cefixime</i>	15	<i>ciclopirox</i>	46, 47
camrese	89	<i>cefotaxime</i>	15	<i>cidofovir</i>	65
camrese lo	89	<i>cefoxitin</i>	16	<i>cilostazol</i>	68
CANASA	130	<i>cefoxitin in dextrose, iso-osm</i>	15	CILOXAN	104
candesartan	73	<i>cefepodoxime</i>	16	CIMDUO	60
candesartan-hydrochlorothiazid	73	<i>cefprozil</i>	16	<i>cimetidine</i>	108
capacet	4	<i>ceftazidime</i>	16	<i>cimetidine hcl</i>	108
CAPASTAT	50	<i>ceftibuten</i>	16	CIMZIA	121
CAPRELSA	23, 24	<i>ceftriaxone</i>	16	CIMZIA POWDER FOR	
captopril	74	<i>ceftriaxone in dextrose, iso-os</i>	16	RECONST	121

CINQAIR .....	143	CLINIMIX E 4.25%/D10W	CONDYLOX.....	95
CINRYZE.....	67	SUL FREE.....	<i>constulose</i> .....	109
CINVANTI.....	51	CLINIMIX E 4.25%/D25W	CORLANOR.....	78
CIPRODEX.....	104	SUL FREE.....	<i>cormax</i> .....	98
<i>ciprofloxacin</i> .....	20	CLINIMIX E 4.25%/D5W	<i>cortisone</i> .....	115
<i>ciprofloxacin (mixture)</i> .....	20	SULF FREE.....	COSENTYX (2 SYRINGES).....	95
<i>ciprofloxacin hcl</i> .....	20, 105	CLINIMIX E 5%/D15W	COSENTYX PEN (2 PENS).....	95
<i>ciprofloxacin in 5 % dextrose</i> ..	20	SULFIT FREE.....	COTELLIC.....	24
<i>ciprofloxacin lactate</i> .....	20	CLINIMIX E 5%/D20W	CREON.....	102
<i>citalopram</i> .....	38	SULFIT FREE.....	CRIXIVAN.....	60
<i>cladribine</i> .....	24	CLINIMIX E 5%/D25W	<i>cromolyn</i> .....	103, 109, 143
<i>clarithromycin</i> .....	17	SULFIT FREE.....	<i>cryselle</i> (28).....	89
<i>clemastine</i> .....	48	CLINISOL SF 15 %.....	CUPRIMINE.....	113
CLENPIQ.....	111	<i>clobetasol</i> .....	<i>cyclafem</i> 1/35 (28).....	89
CLEVIPREX.....	80	<i>clobetasol-emollient</i> .....	<i>cyclafem</i> 7/7/7 (28).....	89
<i>clindamycin hcl</i> .....	13	<i>clocortolone pivalate</i> .....	<i>cyclobenzaprine</i> .....	144
<i>clindamycin in 5 % dextrose</i> ....	14	<i>clofarabine</i> .....	<i>cyclopentolate</i> .....	104
<i>clindamycin palmitate hcl</i> .....	14	<i>clomipramine</i> .....	<i>cyclophosphamide</i> .....	24
<i>clindamycin phosphate</i> ..	14, 49, 97	<i>clonazepam</i> .....	CYCLOPHOSPHAMIDE.....	24
<i>clindamycin-benzoyl peroxide</i> ..	97	<i>clonidine</i> .....	CYCLOSET.....	41
CLINIMIX 5%/D15W		<i>clonidine hcl</i> .....	<i>cyclosporine</i> .....	121
SULFITE FREE.....	70	<i>clopidogrel</i> .....	<i>cyclosporine modified</i> .....	121
CLINIMIX 5%/D25W		<i>clorazepate dipotassium</i> .....	<i>cyproheptadine</i> .....	48
SULFITE-FREE.....	70	<i>clorpres</i> .....	CYRAMZA.....	24
CLINIMIX 2.75%/D5W		<i>clotrimazole</i> .....	<i>cyred</i> .....	89
SULFIT FREE.....	70	<i>clotrimazole-betamethasone</i> ..	CYSTADANE.....	133
CLINIMIX 4.25%/D10W		<i>clozapine</i> .....	CYSTARAN.....	104
SULF FREE.....	70	COARTEM.....	<i>d10 %-0.45 % sodium chloride</i> ..	136
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i> .....	<i>d2.5 %-0.45 % sodium chloride</i> ..	136
SULFIT FREE.....	70	COLCRYS.....	<i>d5 % and 0.9 % sodium chloride</i> ..	136
CLINIMIX 4.25%-D20W		<i>colestipol</i> .....	<i>d5 %-0.45 % sodium chloride</i> ..	136
SULF-FREE.....	70	<i>colistin (colistimethate na)</i> ..	<i>DAKLINZA</i> .....	63
CLINIMIX 4.25%-D25W		<i>colocort</i> .....	<i>dalfampridine</i> .....	85
SULF-FREE.....	70	COLY-MYCIN S.....	DALIRESP.....	143
CLINIMIX 5%- D20W(SULFITE-FREE).....	70	COMBIGAN.....	<i>danazol</i> .....	113
CLINIMIX E 2.75%/D10W		COMBIPATCH.....	<i>danotrolene</i> .....	144
SUL FREE.....	70	COMBIVENT RESPIMAT.	<i>dapsone</i> .....	50
CLINIMIX E 2.75%/D5W		COMETRIQ.....		
SULF FREE.....	70	COMPLERA.....		
		<i>compro</i> .....		

DAPTACEL (DTAP PEDIATRIC) (PF).....	126	dextrose 10 % in water (d10w) .....	71	diphenoxylate-atropine .....	109
daptomycin.....	14	dextrose 20 % in water (d20w) .....	71	dipyridamole .....	68
DARAPRIM.....	53	dextrose 25 % in water (d25w) .....	71	disopyramide phosphate .....	75
DARZALEX.....	24	dextrose 40 % in water (d40w) .....	71	disulfiram .....	10
dasetta 1/35 (28).....	89	dextrose 5 % in ringer's .....	71	divalproex .....	34
dasetta 7/7/7 (28).....	89	dextrose 5 % in water (d5w) .....	71	dobutamine .....	79
daysee .....	89	dextrose 5 %-lactated ringers .....	137	dobutamine in d5w .....	78
deblitane .....	89	dextrose 5%-0.2 % sod chloride .....	137	docetaxel .....	24
decadron .....	115	dextrose 5%-0.3 % sod.chloride .....	137	dofetilide .....	75
decitabine .....	24	dextrose 50 % in water (d50w) .....	71	donepezil .....	37
deferoxamine .....	113	dextrose 70 % in water (d70w) .....	71	dopamine .....	79
DELSTRIGO .....	60	dextrose with sodium chloride .....	137	dopamine in 5 % dextrose .....	79
delyla (28) .....	89	DIASTAT .....	12	DOPTELET .....	67
DELZICOL .....	130	DIASSTAT ACUDIAL .....	12	dorzolamide .....	135
demeclocycline .....	21	diazepam .....	12	dorzolamide-timolol .....	135
DEM SER .....	78	diazepam intensol .....	12	doxazosin .....	73
DENAVIR .....	96	diclofenac potassium .....	8	doxepin .....	39
DEPEN TITRATABS .....	113	diclofenac sodium .....	8, 96, 107	doxercalciferol .....	131
DEPO-PROVERA .....	119	diclofenac-misoprostol .....	8	doxorubicin .....	24
DESCOVY .....	60	dicloxacillin .....	19	doxorubicin, peg-liposomal .....	24
desipramine .....	38	dicyclomine .....	109	doxy-100 .....	21
desmopressin .....	117	didanosine .....	60	doxycycline hyolate .....	21
desog-e.estradiolle.estriadiol....	89	DIFID .....	17	doxycycline monohydrate .....	21
desogestrel-ethinyl estradiol....	89	diflorasone .....	99	dronabinol .....	51
desonide .....	98, 99	diflunisal .....	8	droperidol .....	133
desoximetasone .....	99	digitek .....	78	drospirenone-ethinyl estradiol..	89
desvenlafaxine succinate .....	39	digox .....	78	DROXIA .....	24
dexamethasone .....	115	digoxin .....	78	DUAVEE .....	114
dexamethasone sodium (pf) .....	115	DIGOXIN .....	78	DUEXIS .....	8
dexamethasone sodium phosphate .....	107, 115, 116	dihydroergotamine .....	49	DULERA .....	140
DEXILANT .....	108	DILANTIN .....	34	duloxetine .....	39
dexmethylphenidate .....	85	diltiazem hcl .....	77, 78	DUPIXENT .....	96
dexrazoxane hcl .....	133	dilt-xr .....	78	DUREZOL .....	107
dextroamphetamine .....	85	dimenhydrinate .....	51	dutasteride .....	112
dextroamphetamine- amphetamine .....	85, 86	DIOVAN .....	73	dutasteride-tamsulosin .....	112
dextrose 10 % and 0.2 % nacl.	136	DIOVAN HCT .....	73	DYRENIUM .....	81
		DIPENTUM .....	130	e.e.s. 400 .....	17
		diphenhydramine hcl .....	49	E.E.S. GRANULES .....	17
				econazole .....	47
				EDARBI .....	73

EDARBYCLOR	73	<i>entacapone</i>	54	<i>estazolam</i>	12
EDURANT	60	<i>entecavir</i>	65	<i>estradiol</i>	114
<i>efavirenz</i>	60	ENTRESTO	73	<i>estradiol valerate</i>	114
ELAPRASE	102	<i>enulose</i>	109	<i>estradiol-norethindrone acet</i>	114
<i>electrolyte-48 in d5w</i>	137	ENVARSUS XR	121	ESTRING	114
ELIDEI	99	EPANED	74	<i>estropipate</i>	114
ELIGARD	25	EPCLUSA	63	<i>eszopiclone</i>	145
ELIGARD (3 MONTH)	24	<i>epinastine</i>	104	<i>ethambutol</i>	50
ELIGARD (4 MONTH)	25	<i>epinephrine</i>	79	<i>ethosuximide</i>	34
ELIGARD (6 MONTH)	25	EPIPEN	79	<i>ethynodiol diac-eth estradiol</i>	90
<i>elinest</i>	90	EPIPEN 2-PAK	79	<i>etidronate disodium</i>	131
<i>eliphos</i>	111	EPIPEN JR 2-PAK	79	<i>etodolac</i>	8
ELIQUIS	66	<i>epitol</i>	34	ETOPOPHOS	25
ELITEK	102	EPIVIR HBV	60	<i>etoposide</i>	25
<i>elixophyllin</i>	142	<i>eplerenone</i>	83	EUCRISA	99
ELLA	90	EPOGEN	67	EVOTAZ	60
ELMIRON	133	<i>epoprostenol (glycine)</i>	145	EXELDERM	47
EMBEDA	4	<i>eprosartan</i>	73	<i>exemestane</i>	25
EMCYT	25	<i>ergoloid</i>	133	EXJADE	113
EMEND	51	ERGOMAR	50	EXONDYS 51	133
EMEND (FOSAPREPITANT)	51	ERIVEDGE	25	EXTAVIA	86
EMFLAZA	116	ERLEADA	25	<i>ezetimibe</i>	82
<i>emoquette</i>	90	<i>errin</i>	90	<i>ezetimibe-simvastatin</i>	82
EMPLICITI	25	<i>ertapenem</i>	18	FABRAZYME	102
EMSAM	39	<i>ery pads</i>	97	<i>falmina (28)</i>	90
EMTRIVA	60	ERYPED 200	17	<i>famciclovir</i>	65
<i>enalapril maleate</i>	74	ERYPED 400	17	<i>famotidine</i>	108
<i>enalaprilat</i>	74	<i>ery-tab</i>	17	<i>famotidine (pf)</i>	108
<i>enalapril-hydrochlorothiazide</i>	74	ERY-TAB	17	<i>famotidine (pf)-nacl (iso-os)</i>	108
ENBREL	121	ERYTHROCIN	17	FANAPT	56
ENBREL SURECLICK	121	<i>erythrocin (as stearate)</i>	17	FARESTON	25
ENDARI	133	<i>erythromycin</i>	18, 105	FARYDAK	25
<i>endocet</i>	4	<i>erythromycin ethylsuccinate</i>	18	FASENRA	144
ENGERIX-B (PF)	126	<i>erythromycin with ethanol</i>	97	FASLODEX	25
ENGERIX-B PEDIATRIC (PF)	126	<i>erythromycin-benzoyl peroxide</i>	97	<i>felbamate</i>	34
<i>enoxaparin</i>	66	ESBRIET	144	<i>felodipine</i>	80
<i>enpresse</i>	90	<i>escitalopram oxalate</i>	39	FEMRING	114
<i>enskyce</i>	90	<i>esmolol</i>	76	<i>femynor</i>	90
		<i>esomeprazole sodium</i>	108	<i>fenofibrate</i>	82
		<i>estarrylla</i>	90	<i>fenofibrate micronized</i>	82

<i>fenofibrate nanocrystallized</i>	82	<i>flutamide</i>	25	<b>GAZYVA</b>	25
<i>fenofibric acid</i>	82	<i>fluticasone</i>	99, 107	<i>gemcitabine</i>	25
<i>fenofibric acid (choline)</i>	82	<i>fluvastatin</i>	82	<i>gemfibrozil</i>	82
<i>fenoprofen</i>	8	<i>fluvoxamine</i>	39	<i>generlac</i>	109
<i>fentanyl</i>	4	<i>fomepizole</i>	133	<i>gengraf</i>	122
<i>fentanyl citrate</i>	4	<i>fondaparinux</i>	66	<b>GENOTROPIN</b>	117
<b>FERRIPROX</b>	113	<b>FORTEO</b>	131	<b>GENOTROPIN</b>	
<b>FETZIMA</b>	39	<i>fosamprenavir</i>	60	<b>MINIQUICK</b>	117
<b>FIASP FLEXTOUCH U-100</b>		<i>foscarnet</i>	63	<i>gentak</i>	105
<b>INSULIN</b>	43	<i>fosinopril</i>	74	<i>gentamicin</i>	13, 97, 105
<b>FIASP U-100 INSULIN</b>	43	<i>fosinopril-hydrochlorothiazide</i>	74	<i>gentamicin in nacl (iso-osm)</i>	13
<i>finasteride</i>	112	<i>fosphenytoin</i>	34	<i>gentamicin sulfate (ped) (pf)</i>	13
<b>FIRAZYR</b>	79	<b>FOSRENOL</b>	111	<i>gentamicin sulfate (pf)</i>	13
<i>flavoxate</i>	112	<b>FREAMINE HBC 6.9 %</b>	71	<b>GENVOYA</b>	60
<b>FLEBOGAMMA DIF</b>	121	<b>FREAMINE III 10 %</b>	71	<b>GEODON</b>	56
<i>flecainide</i>	75	<b>FULPHILA</b>	67	<i>gianvi (28)</i>	90
<b>FLECTOR</b>	96	<i>furosemide</i>	81	<i>gildagia</i>	90
<b>FLOVENT DISKUS</b>	140, 141	<b>FUZEON</b>	60	<b>GILENYA</b>	86
<b>FLOVENT HFA</b>	141	<i>fyavolv</i>	114	<b>GILOTrif</b>	25
<i>flouxuridine</i>	25	<b>FYCOMPRA</b>	34	<i>glatiramer</i>	86
<i>fluconazole</i>	47	<i> gabapentin</i>	34	<i>glatopa</i>	86
<i>fluconazole in nacl (iso-osm)</i>	47	<b>GALAFOLD</b>	102	<b>GLEOSTINE</b>	26
<i>flucytosine</i>	47	<i> galantamine</i>	37	<i>glimepiride</i>	46
<i>fludrocortisone</i>	116	<b>GAMASTAN S/D</b>	121	<i>glipizide</i>	46
<i>flumazenil</i>	86	<b>GAMMAGARD LIQUID</b>	121	<i>glipizide-metformin</i>	46
<i>flunisolide</i>	107	<b>GAMMAGARD S-D (IGA &lt;</b>		<b>GLUCAGEN HYPOKIT</b>	41
<i>fluocinolone</i>	99	1 MCG/ML)	121	<b>GLUCAGON</b>	
<i>fluocinolone acetonide oil</i>	107	<b>GAMMAPLEX</b>	122	<b>EMERGENCY KIT</b>	
<i>fluocinonide</i>	99	<b>GAMMAPLEX (WITH</b>		<b>(HUMAN)</b>	41
<i>fluocinonide-e</i>	99	SORBITOL)	122	<i>glyburide</i>	46
<i>fluoride (sodium)</i>	146	<b>GAMUNEX-C</b>	122	<i>glyburide micronized</i>	46
<i>fluorometholone</i>	107	<i> ganciclovir sodium</i>	65	<i>glyburide-metformin</i>	46
<i>fluorouracil</i>	25, 96	<b>GARDASIL (PF)</b>	126	<i>glycopyrrolate</i>	109
<i>fluoxetine</i>	39	<b>GARDASIL 9 (PF)</b>	126	<i>glydo</i>	9
<b>FLUOXETINE</b>	39	<i> gatifloxacin</i>	105	<b>GLYXAMBI</b>	41
<i>fluphenazine decanoate</i>	56	<b>GATTEX 30-VIAL</b>	109	<b>GOCOVRI</b>	54
<i>fluphenazine hcl</i>	56	<b>GAUZE PAD</b>	101	<b>GRALISE</b>	35
<i>flurazepam</i>	12	<i> gavilyte-c</i>	111	<b>GRALISE 30-DAY</b>	
<i>flurbiprofen</i>	8	<i> gavilyte-g</i>	111	<b>STARTER PACK</b>	35
<i>flurbiprofen sodium</i>	107	<i> gavilyte-n</i>	111	<i>granisetron (pf)</i>	51

<i>granisetron hcl</i> .....	51	HUMIRA PEDIATRIC	<i>ibandronate</i> .....	131
GRANIX.....	67	CROHN'S START .....	IBRANCE.....	26
<i>griseofulvin microsize</i> .....	47	HUMIRA PEN .....	<i>ibu</i> .....	8
<i>griseofulvin ultramicrosize</i> .....	47	HUMIRA PEN CROHN'S-	<i>ibuprofen</i> .....	8
<i>guanfacine</i> .....	73, 86	UC-HS START .....	ICLUSIG.....	26
<i>guanidine</i> .....	133	HUMIRA PEN PSORIASIS-	IDHIFA.....	26
HAEGARDA.....	67	UVEITIS.....	<i>ifosfamide</i> .....	26
<i>halobetasol propionate</i> .....	99	HUMULIN 70/30 U-100	<i>ifosfamide-mesna</i> .....	26
<i>haloperidol</i> .....	57	INSULIN .....	ILARIS (PF).....	123
<i>haloperidol decanoate</i> .....	56	HUMULIN 70/30 U-100	ILEVRO.....	107
<i>haloperidol lactate</i> .....	56	KWIKPEN .....	ILUMYA.....	123
HARVONI.....	64	HUMULIN N NPH	<i>imatinib</i> .....	26
HAVRIX (PF).....	126	INSULIN KWIKPEN .....	IMBRUVICA.....	26
<i>heather</i> .....	90	HUMULIN N NPH U-100	IMFINZI.....	26
<i>heparin (porcine)</i> .....	66	INSULIN .....	<i>imipenem-cilastatin</i> .....	18
<i>heparin (porcine) in 5 % dex</i> ....	66	HUMULIN R REGULAR	<i>imipramine hcl</i> .....	39
<i>heparin (porcine) in 0.45% nacl</i> .....	66	U-100 INSULN .....	<i>imipramine pamoate</i> .....	40
<i>heparin, porcine (pf)</i> .....	66	HUMULIN R U-500	<i>imiquimod</i> .....	96
HEPATAMINE 8%.....	71	(CONC) INSULIN .....	IMLYGIC.....	26
HERCEPTIN.....	26	HUMULIN R U-500	IMOGLAM RABIES-HT (PF)	
HETLIOZ.....	145	(CONC) KWIKPEN .....	.....	123
HEXALEN.....	26	hydralazine .....	IMOVA X RABIES	
HIBERIX (PF).....	127	hydrochlorothiazide .....	VACCINE (PF).....	127
HUMALOG JUNIOR		hydrocodone-acetaminophen .....	IMPAVIDO.....	53
KWIKPEN U-100.....	43	hydrocodone-ibuprofen .....	<i>incassia</i> .....	90
HUMALOG KWIKPEN		hydrocortisone .....	INCRELEX.....	117
INSULIN.....	43	hydrocortisone butyrate .....	INCRUSE ELLIPTA.....	142
HUMALOG MIX 50-50		hydrocortisone valerate .....	<i>indapamide</i> .....	81
INSULN U-100.....	44	hydrocortisone-acetic acid .....	<i>indomethacin</i> .....	8
HUMALOG MIX 50-50		hydromorphone .....	<i>indomethacin sodium</i> .....	8
KWIKPEN.....	44	hydromorphone (pf) .....	INFANRIX (DTAP) (PF)....	127
HUMALOG MIX 75-25		hydroxychloroquine .....	INFLECTRA.....	123
KWIKPEN.....	44	hydroxyprogesterone caproate	INGREZZA.....	86
HUMALOG MIX 75-25(U- 100)INSULN.....	44	hydroxyurea .....	INLYTA.....	26
HUMALOG U-100		hydroxyzine hcl .....	INSULIN SYRINGE- NEEDLE U-100.....	101
INSULIN.....	44	hydroxyzine pamoate .....	INTELENCE.....	60
HUMATROPE.....	117	HYPERRAB (PF).....	INTRALIPID.....	71
HUMIRA.....	122	HYPERRAB S/D (PF).....	INTRON A.....	64
		HYQVIA .....	<i>introvale</i> .....	90
		HYSINGLA ER .....		

INVANZ	18	JENTADUETO XR	42	KORLYM	42
INVEGA SUSTENNA	57	jinteli	115	KRYSTEXXA	102
INVEGA TRINZA	57	jolessa	90	kurvelo	91
INVIRASE	60	jolivette	90	KUVAN	102
INVOKAMET	41	juleber	90	KYNAMRO	82
INVOKAMET XR	41	JULUCA	61	KYPROLIS	27
INVOKANA	41	junel 1.5/30 (21)	90	<i>l norgestrel estradiol-e.estradiol</i>	91
IONOSOL-B IN D5W	137	junel 1/20 (21)	90	labetalol	76
IONOSOL-MB IN D5W	137	junel fe 1.5/30 (28)	90	LACRISERT	104
IPOL	127	junel fe 1/20 (28)	90	LACTATED RINGERS	130
<i>ipratropium bromide</i>	104, 142	junel fe 24	90	lactulose	109
IPRIVASK	66	JUXTAPID	82	lamivudine	61
irbesartan	73	JYNARQUE	81	lamivudine-zidovudine	61
irbesartan-hydrochlorothiazide	73	KABIVEN	72	lamotrigine	35
IRESSA	27	KALETRA	61	LANOXIN	79
irinotecan	27	KALYDECO	144	<i>lansoprazole</i>	108
ISENTRESS	60, 61	KANUMA	102	<i>lanthanum</i>	111
ISENTRESS HD	60	<i>kariva</i> (28)	90	LANTUS SOLOSTAR U-100	
isibloom	90	KAZANO	42	INSULIN	44
ISOLYTE-P IN 5 %		KEDRAB (PF)	123	LANTUS U-100 INSULIN	45
DEXTROSE	137	<i>kelnor</i> 1/35 (28)	90	<i>larin</i> 1.5/30 (21)	91
ISOLYTE-S	137	<i>kelnor</i> 1-50	90	<i>larin</i> 1/20 (21)	91
<i>isoniazid</i>	50	KENALOG	116	<i>larin</i> 24 fe	91
<i>isosorbide dinitrate</i>	84	<i>ketoconazole</i>	47	<i>larin</i> fe 1.5/30 (28)	91
<i>isosorbide mononitrate</i>	84	<i>ketoprofen</i>	8, 9	<i>larin</i> fe 1/20 (28)	91
<i>isradipine</i>	80	<i>ketorolac</i>	9, 107	<i>larissia</i>	91
<i>itraconazole</i>	47	KEVEYIS	134	LARTRUVO	27
<i>ivermectin</i>	53	KEVZARA	123	<i>latanoprost</i>	135
IXEMPRA	27	KEYTRUDA	27	LATUDA	57
IXIARO (PF)	127	<i>kimidess</i> (28)	91	LAZANDA	5
JADENU	113	KINERET	123	<i>leena</i> 28	91
JADENU SPRINKLE	113	KINRIX (PF)	127	<i>leflunomide</i>	123
JAKAFI	27	<i>kionex</i> (with sorbitol)	109	LEMTRADA	86
<i>jantoven</i>	66	KISQALI	27	LENVIMA	27
JANUMET	41	KISQALI FEMARA CO-		<i>lessina</i>	91
JANUMET XR	41, 42	PACK	27	LETAIRIS	145
JANUVIA	42	<i>klor-con m10</i>	137	<i>letrozole</i>	27
JARDIANCE	42	<i>klor-con m15</i>	137	<i>leucovorin calcium</i>	134
<i>jencycla</i>	90	<i>klor-con m20</i>	137	LEUKERAN	28
JENTADUETO	42	<i>klor-con sprinkle</i>	137	LEUKINE	67

leuprolide	28	loperamide	110	matzim la	78
levalbuterol tartrate	142	lopinavir-ritonavir	61	MAVYRET	64
levetiracetam	35	lopreeza	115	meclizine	51
levetiracetam in nacl (iso-os)	35	lorazepam	12	medroxyprogesterone	119, 120
levobunolol	135	lorcet (hydrocodone)	5	mefenamic acid	9
levocarnitine	134	lorcet hd	5	mefloquine	53
levocarnitine (with sugar)	134	lorcet plus	5	megestrol	28, 120
levocetirizine	49	loryna (28)	91	MEKINIST	28
levofloxacin	20, 105	losartan	73	MEKTOVI	28
levofloxacin in d5w	20	losartan-hydrochlorothiazide	73	meloxicam	9
LEVOLEUCOVORIN	134	LOTEMAX	107	melphalan hcl	28
levoleucovorin	134	lovastatin	83	memantine	37, 38
levonest (28)	91	low-ogestrel (28)	92	MENACTRA (PF)	127
levonorgestrel-ethinyl estrad	91	loxapine succinate	57	MENEST	115
levonorg-eth estrad triphasic	91	LUCEMYRA	10	MENHIBRIX (PF)	127
levora-28	91	LUMIGAN	136	MENOMUNE - A/C/Y/W-	
levothyroxine	120	LUPRON DEPOT	28	135	127
LEXIVA	61	LUPRON DEPOT (3		MENOMUNE - A/C/Y/W-	
LIALDA	130	MONTH)	28	135 (PF)	127
lidocaine	10	LUPRON DEPOT (4		MENVEO A-C-Y-W-135-DIP	
lidocaine (pf)	9, 10, 75	MONTH)	28	(PF)	127
lidocaine hcl	10	LUPRON DEPOT (6		mercaptopurine	28
lidocaine in 5 % dextrose (pf)	75	MONTH)	28	meropenem	18
lidocaine viscous	10	LUPRON DEPOT-PED	117	mesalamine	130
lidocaine-prilocaine	10	LUPRON DEPOT-PED (3		mesna	134
lillow	91	MONTH)	117	MESNEX	134
linezolid	14	lутера (28)	92	MESTINON	134
linezolid in dextrose 5%	14	LYNPARZA	28	metaproterenol	142
linezolid-0.9% sodium chloride	14	LYRICA	35	metformin	42
LINZESS	110	LYSODREN	28	methadone	5
liothyronine	120	lyza	92	methadose	5
lisinopril	74, 75	magnesium sulfate	137	methazolamide	136
lisinopril-hydrochlorothiazide	75	magnesium sulfate in d5w	137	methenamine hippurate	14
lithium carbonate	86	magnesium sulfate in water	137	methimazole	120
lithium citrate	86	malathion	100	methocarbamol	144
LIVALO	82	maprotiline	40	methotrexate sodium	29
lomedia 24 fe	91	marlissa	92	methotrexate sodium (pf)	28
LONHALA MAGNAIR		MARPLAN	40	methoxsalen	96
STARTER	142	MARQIBO	28	methscopolamine	110
LONSURF	28	MATULANE	28	methyclothiazide	81

<i>methylergonovine</i>	134	<i>moexipril-hydrochlorothiazide</i>	75	<b>NEBUPENT</b>	53
<i>methylphenidate hcl</i>	86, 87	<i>molindone</i>	57	<i>necon 0.5/35 (28)</i>	92
<i>methylprednisolone</i>	116	<i>mometasone</i>	100	<i>necon 1/50 (28)</i>	92
<i>methylprednisolone acetate</i>	116	<i>mondoxyne nl</i>	22	<i>necon 10/11 (28)</i>	92
<i>methylprednisolone sodium succ</i>	116	<i>mono-linyah</i>	92	<i>necon 7/7/7 (28)</i>	92
<i>metipranolol</i>	136	<i>montelukast</i>	141	<i>nefazodone</i>	40
<i>metoclopramide hcl</i>	110	<i>morphine</i>	5, 6	<i>neomycin</i>	13
<i>metolazone</i>	81	<b>MORPHINE</b>	6	<i>neomycin-bacitracin-poly-hc</i>	105
<i>metoprolol succinate</i>	76	<i>morphine concentrate</i>	5	<i>neomycin-bacitracin-polymyxin</i>	105
<i>metoprolol ta-hydrochlorothiaz</i>	77	<b>MOVANTIK</b>	110	<i>neomycin-polymyxin b gu</i>	97
<i>metoprolol tartrate</i>	77	<b>MOVIPREP</b>	111	<i>neomycin-polymyxin b-dexameth</i>	105
<i>metronidazole</i>	14, 49, 97	<b>MOXEZA</b>	105	<i>neomycin-polymyxin-gramicidin</i>	105
<i>metronidazole in nacl (iso-os)</i>	14	<i>moxifloxacin</i>	20, 105	<i>neomycin-polymyxin-hc</i>	106
<i>mexiletine</i>	75	<b>MOZOBIL</b>	67	<i>neo-polycin</i>	106
<b>MIACALCIN</b>	131	<b>MULPLETA</b>	67	<i>neo-polycin hc</i>	106
<i>miconazole-3</i>	47	<b>MULTAQ</b>	75	<b>NEPHRAMINE 5.4 %</b>	72
<i>microgestin 1.5/30 (21)</i>	92	<i>mupirocin</i>	97	<b>NERLYNX</b>	29
<i>microgestin 1/20 (21)</i>	92	<i>mupirocin calcium</i>	97	<b>NESINA</b>	42
<i>microgestin fe 1.5/30 (28)</i>	92	<i>mycophenolate mofetil</i>	123	<i>neuac</i>	97
<i>microgestin fe 1/20 (28)</i>	92	<i>mycophenolate mofetil hcl</i>	123	<b>NEULASTA</b>	67
<i>midazolam</i>	12	<i>mycophenolate sodium</i>	123	<b>NEUPOGEN</b>	67
<i>midodrine</i>	73	<b>MYLOTARG</b>	29	<b>NEUPRO</b>	54
<i>miglitol</i>	42	<b>MYOBLOC</b>	134	<i>nevirapine</i>	61
<i>miglustat</i>	102	<b>MYRBETRIQ</b>	112	<b>NEXAVAR</b>	29
<i>mili</i>	92	<i>myzilra</i>	92	<i>niacin</i>	83
<i>milrinone</i>	79	<i>nabumetone</i>	9	<i>niacor</i>	83
<i>milrinone in 5 % dextrose</i>	79	<i>nadolol</i>	77	<i>nicardipine</i>	80
<i>mimvey</i>	115	<i>nafcillin</i>	19	<b>NICOTROL</b>	11
<i>mimvey lo</i>	115	<b>NAGLAZYME</b>	102	<i>nifedipine</i>	80
<i>minitran</i>	84	<i>naloxone</i>	11	<i>nikki (28)</i>	92
<b>MINOCIN</b>	21	<i>naltrexone</i>	11	<i>nilutamide</i>	29
<i>minocycline</i>	21, 22	<b>NAMENDA XR</b>	38	<b>NINLARO</b>	29
<i>minoxidil</i>	84	<b>NAMZARIC</b>	38	<b>NITRO-BID</b>	84
<b>MIRCERA</b>	67	<i>naproxen</i>	9	<i>nitrofurantoin</i>	14
<i>mirtazapine</i>	40	<i>naratriptan</i>	50	<i>nitrofurantoin macrocrystal</i>	14
<i>misoprostol</i>	108	<b>NARCAN</b>	11	<i>nitrofurantoin monohydm-cryst</i>	14
<i>mitoxantrone</i>	29	<b>NATACYN</b>	105		
<b>M-M-R II (PF)</b>	127	<i>nateglinide</i>	42		
<i>moexipril</i>	75	<b>NATPARA</b>	131		

<i>nitroglycerin</i>	84	NOVOLOG PENFILL U-100		<i>omeprazole</i>	108, 109
<i>nitroglycerin in 5 % dextrose</i>	84	INSULIN	45	OMNITROPE	118
NIVESTYM	68	NOVOLOG U-100 INSULIN		ONCASPAR	29
<i>nizatidine</i>	108	ASPART	45	<i>ondansetron</i>	52
<i>nora-be</i>	92	NOXAFILE	47	<i>ondansetron hcl</i>	52
NORDITROPIN FLEXPRO	118	NPLATE	134	<i>ondansetron hcl (pf)</i>	51, 52
<i>norepinephrine bitartrate</i>	79	NUCALA	144	ONFI	12
<i>noreth-ethinyl estradiol-iron</i>	92	NUCYNTA	6	ONIVYDE	29
<i>norethindrone (contraceptive)</i>	92	NUCYNTA ER	6	OPDIVO	29
<i>norethindrone acetate</i>	120	NUEDEXTA	87	OPSUMIT	145
<i>norethindrone ac-eth estradiol</i>	92, 115	NULOJIX	123	<i>oralone</i>	95
<i>norethindrone-e.estradiol-iron..</i>	92	NUPLAZID	57, 58	ORENCIA	124
<i>norgestimate-ethinyl estradiol</i>	92, 93	NUTRESTORE	110	ORENCIA (WITH MALTOSE)	124
<i>norlyda</i>	93	NUTRILIPID	72	ORENCIA CLICKJECT	124
<i>norlyroc</i>	93	NUTROPIN AQ NUSPIN	118	ORENITRAM	145
NORMOSOL-M IN 5 % DEXTROSE	138	NUVARING	93	ORFADIN	102
NORMOSOL-R PH 7.4	138	<i>nyamyc</i>	48	ORLISSA	118
NORTHERA	73	<i>nyata</i>	48	ORKAMBI	144
<i>nortrel 0.5/35 (28)</i>	93	<i>nystatin</i>	48	<i>orsythia</i>	93
<i>nortrel 1/35 (21)</i>	93	<i>nystatin-triamcinolone</i>	48	<i>oseltamivir</i>	63
<i>nortrel 1/35 (28)</i>	93	<i>nystop</i>	48	OSENI	42
<i>nortrel 7/7/7 (28)</i>	93	OCALIVA	110	OSMOLEX ER	54
<i>nortriptyline</i>	40	OCREVUS	87	OTEZLA	124
NORVIR	61	OCTAGAM	124	OTEZLA STARTER	124
NOVOLIN 70/30 U-100		<i>octreotide acetate</i>	118	OTOVEL	104
INSULIN	45	ODEFSEY	61	OTREXUP (PF)	124
NOVOLIN N NPH U-100		ODOMZO	29	<i>oxacillin</i>	19
INSULIN	45	OFEV	144	<i>oxacillin in dextrose(iso-osm)</i>	19
NOVOLIN R REGULAR U- 100 INSULN	45	ofloxacin	21, 106	oxaliplatin	29
NOVOLOG FLEXPEN U- 100 INSULIN	45	ogestrel (28)	93	oxandrolone	114
NOVOLOG MIX 70-30 U- 100 INSULN	45	okebo	22	oxazepam	12
NOVOLOG MIX 70- 30FLEXPEN U-100	45	olanzapine	58	oxcarbazepine	35, 36
		olmesartan	73	OXTELLAR XR	36
		olmesartan-amlodipin-hcthiazid	73	<i>oxybutynin chloride</i>	112
		olmesartan-hydrochlorothiazide	74	oxycodone	6
		olopatadine	104	oxycodone-acetaminophen	6
		OLUMIANT	124	oxycodone-aspirin	6
		OLYSIO	64	OXYCONTIN	6, 7
		<i>omega-3 acid ethyl esters</i>	83	oxymorphone	7

OZEMPIC.....	42	<i>perphenazine-amitriptyline</i> .....	40	<i>potassium chlorid-d5-</i>
pacerone.....	75	<b>PERTZYE</b> .....	102	<i>0.45%nacl</i> ..... 138
paclitaxel.....	29	<i>pfizerpen-g</i> .....	20	<i>potassium chloride</i> ..... 138, 139
paliperidone.....	58	<i>phenadoz</i> .....	52	<i>potassium chloride in 0.9%nacl</i>
PALYNZIQ.....	102	<i>phenelzine</i> .....	40	..... 138
pamidronate.....	131	<i>phenobarbital</i> .....	36	<i>potassium chloride in 5 % dex.</i> 138
PANRETIN.....	96	<i>phenylephrine hcl</i> .....	73, 104	<i>potassium chloride in lr-d5</i> .... 138
pantoprazole.....	109	<i>phenytoin</i> .....	36	<i>potassium chloride in water</i> .... 138
paricalcitol.....	131, 132	<i>phenytoin sodium</i> .....	36	<i>potassium chloride-0.45 % nacl</i>
PARICALCITOL.....	132	<i>phenytoin sodium extended</i> .....	36	..... 139
paroex oral rinse.....	95	<i>philith</i> .....	93	<i>potassium chloride-d5-</i>
paromomycin.....	53	<b>PHOSLYRA</b> .....	111	<i>0.2%nacl</i> ..... 139
paroxetine hcl.....	40	<b>PHOSPHOLINE IODIDE</b> ...	136	<i>potassium chloride-d5-</i>
PASER.....	50	<b>PICATO</b> .....	96	<i>0.3%nacl</i> ..... 139
PAXIL.....	40	<b>PIFELTRO</b> .....	61	<i>potassium chloride-d5-</i>
PEDIARIX (PF).....	128	<i>pilocarpine hcl</i> .....	95, 136	<i>0.9%nacl</i> ..... 139
PEDVAX HIB (PF).....	128	<i>pimozide</i> .....	58	<i>potassium citrate</i> ..... 139
peg 3350-electrolytes.....	111	<i>pimtrea (28)</i> .....	93	<i>potassium citrate-citric acid</i> ... 139
PEGANONE.....	36	<i>pindolol</i> .....	77	<b>POTELIGEO</b> ..... 30
PEGASYS.....	64	<i>pioglitazone</i> .....	42	<b>POTIGA</b> ..... 36
PEGASYS PROCLICK.....	64	<i>pioglitazone-glimepiride</i> .....	43	<b>PRADAXA</b> ..... 66
peg-electrolyte soln.....	111	<i>pioglitazone-metformin</i> .....	43	<b>PRALUENT PEN</b> ..... 83
PEGINTRON.....	64	<i>piperacillin-tazobactam</i> .....	20	<i>pramipexole</i> ..... 54
PEN NEEDLE, DIABETIC.	101	<i>pirmella</i> .....	93	<i>prasugrel</i> ..... 69
penicillin g pot in dextrose .....	19	<i>piroxicam</i> .....	9	<i>pravastatin</i> ..... 83
penicillin g potassium.....	20	<b>PLASMA-LYTE 148</b> .....	138	<i>prazosin</i> ..... 73
penicillin g procaine.....	20	<b>PLASMA-LYTE A</b> .....	138	<i>prednicarbate</i> ..... 100
penicillin v potassium.....	20	<b>PLASMA-LYTE-56 IN 5 %</b>		<i>prednisolone</i> ..... 116
PENNSAID.....	96	<b>DEXTROSE</b> .....	138	<i>prednisolone acetate</i> ..... 107
PENTACEL (PF).....	128	<b>PLEGRIDY</b> .....	87	<i>prednisolone sodium phosphate</i>
PENTACEL DTAP-IPV		<b>PLENAMINE</b> .....	72	..... 107, 116
COMPNT (PF).....	128	<i>podoflox</i> .....	96	<i>prednisone</i> ..... 116
PENTAM.....	53	<i>polycin</i> .....	106	<b>PREMARIN</b> ..... 115
pentoxifylline.....	68	<i>polyethylene glycol 3350</i> .....	111	<b>PREMASOL 10 %</b> ..... 72
PERIKABIVEN.....	72	<i>polymyxin b sulfate</i> .....	14	<b>PREMASOL 6 %</b> ..... 72
perindopril erbumine .....	75	<i>polymyxin b sulf-trimethoprim</i> .....	106	<b>PREMPHASE</b> ..... 115
periogard.....	95	<b>POMALYST</b> .....	29	<b>PREMPRO</b> ..... 115
PERJETA.....	29	<i>portia</i> .....	93	<i>prenatal plus (calcium carb)</i> .. 146
permethrin.....	100	<b>PORTRAZZA</b> .....	29	<i>prenatal vitamin plus low iron</i> .146
perphenazine .....	58	<i>potassium acetate</i> .....	138	<b>PREPOPIK</b> ..... 111

<i>prevalite</i> .....	83	<i>propranolol-hydrochlorothiazid</i> 77	RELISTOR.....	110
<i>previfem</i> .....	93	<i>propylthiouracil</i> .....	REMICADE.....	124
PREVYMIS.....	63	PROQUAD (PF).....	REMODULIN.....	146
PREZCOBIX.....	61	PROSOL 20 %.....	RENAGEL.....	112
PREZISTA.....	61	<i>protamine</i> .....	RENFLEXIS.....	134
PRIFTIN.....	50	<i>protriptyline</i> .....	<i>repaglinide</i> .....	43
PRIMAQUINE.....	53	PULMOZYME.....	<i>repaglinide-metformin</i> .....	43
<i>primidone</i> .....	36	PURIXAN.....	REPATHA PUSHTRONEX	83
PRIVIGEN.....	124	<i>pyrazinamide</i> .....	REPATHA SURECLICK.....	83
PROAIR HFA.....	142	<i>pyridostigmine bromide</i> .....	REPATHA SYRINGE.....	83
PROAIR RESPCLICK.....	142	QBRELIS.....	<i>reprexain</i> .....	7
<i>probenecid</i> .....	48	QUADRACEL (PF).....	SCRIPTOR.....	61
<i>probenecid-colchicine</i> .....	48	<i>quasense</i> .....	RESTASIS.....	108
<i>procainamide</i> .....	76	<i>quetiapine</i> .....	RETACRIT.....	68
PROCALAMINE 3%.....	72	<i>quinapril</i> .....	RETROVIR.....	62
<i>prochlorperazine</i> .....	52	<i>quinapril-hydrochlorothiazide</i> ..75	REVLIMID.....	30
<i>prochlorperazine edisylate</i> .....	52	<i>quinidine gluconate</i> .....	<i>revonto</i> .....	144
<i>prochlorperazine maleate</i> .....	52	<i>quinidine sulfate</i> .....	REXULTI.....	58
PROCRIT.....	68	<i>quinine sulfate</i> .....	REYATAZ.....	62
<i>procto-med hc</i> .....	100	QVAR.....	RHOPRESSA.....	136
<i>procto-pak</i> .....	100	QVAR REDIHALER.....	<i>ribasphere</i> .....	65
<i>proctosol hc</i> .....	100	RABAVERT (PF).....	<i>ribasphere ribapak</i> .....	65
<i>protozone-hc</i> .....	100	<i>rabeprazole</i> .....	<i>ribavirin</i> .....	65
PROCYSB.....	103	RADICAVA.....	RIDAURA.....	124
<i>progesterone in oil</i> .....	120	<i>raloxifene</i> .....	<i>rifabutin</i> .....	50
<i>progesterone micronized</i> .....	120	<i>ramipril</i> .....	<i>rifampin</i> .....	50
PROGLYCEM.....	134	RANEXA.....	RIFATER.....	50
PROGRAF.....	124	<i>ranitidine hcl</i> .....	<i>riluzole</i> .....	88
PROLASTIN-C.....	144	RAPAMUNE.....	<i>rimantadine</i> .....	63
PROLENSA.....	107	<i>rasagiline</i> .....	<i>ringer's</i> .....	130, 139
PROLEUKIN.....	30	RASUVO (PF).....	<i>risedronate</i> .....	132
PROLIA.....	132	RAVICTI.....	RISPERDAL CONSTA.....	58
PROMACTA.....	68	RAYALDEE.....	<i>risperidone</i> .....	58
<i>promethazine</i> .....	49, 52	REBIF (WITH ALBUMIN) ..87	<i>ritonavir</i> .....	62
<i>promethazine vc</i> .....	49	REBIF REBIDOSE.....	RITUXAN.....	30
<i>promethegan</i> .....	52	REBIF TITRATION PACK ..88	RITUXAN HYCELA.....	30
<i>propafenone</i> .....	76	<i>reclipsen (28)</i> .....	<i>rivastigmine</i> .....	38
<i>propantheline</i> .....	33	RECOMBIVAX HB (PF)....128	<i>rivastigmine tartrate</i> .....	38
<i>proparacaine</i> .....	104	REGRANEX.....	<i>rizatriptan</i> .....	50
<i>propranolol</i> .....	77	RELENZA DISKHALER ....63	<i>ropinirole</i> .....	54

rosadan .....	97	sodium acetate .....	139	STIVARGA .....	30
rosuvastatin .....	83	sodium chloride .....	130, 139	STRENSIQ .....	103
ROTARIX .....	128	sodium chloride 0.45 %.....	139	streptomycin .....	13
ROTATEQ VACCINE.....	128	sodium chloride 0.9 %.....	139	STRIBILD .....	62
ROWEEPRA .....	36	sodium lactate .....	139	STRIVERDI RESPIMAT .....	143
RUBRACA .....	30	sodium phenylbutyrate .....	110	SUBLOCADE .....	7
RYDAPT .....	30	sodium phosphate .....	140	SUBOXONE .....	11
SABRIL .....	36	sodium polystyrene (sorb free)		subvenite .....	36
SAIZEN .....	118	.....	110	sucralfate .....	109
SAIZEN SAIZENPREP .....	118	sodium polystyrene sulfonate ..	110	sulfacetamide sodium .....	106
SANDOSTATIN LAR DEPOT .....	119	SOLIQUA 100/33 .....	45	sulfacetamide sodium (acne) .....	97
SANTYL .....	96	soloxide .....	22	sulfacetamide-prednisolone .....	106
SAPHRIS .....	59	SOLTAMOX .....	30	sulfadiazine .....	21
SAVAYSA .....	67	SOLU-CORTEF (PF) .....	117	sulfamethoxazole-trimethoprim .....	21
SAVELLA .....	88	SOMATULINE DEPOT .....	119	sulfasalazine .....	130
scopolamine base .....	52	SOMAVERT .....	119	sulfatrim .....	21
selegiline hcl .....	54, 55	sorbitol .....	130	sulindac .....	9
selenium sulfide .....	97	sorbitol-mannitol .....	130	sumatriptan .....	50
SELZENTRY .....	62	sorine .....	77	sumatriptan succinate .....	50
SENSIPAR .....	132	sotalol .....	77	SUPPRELIN LA .....	119
SEREVENT DISKUS .....	142	sotalol af .....	77	SUPRAX .....	16
SEROSTIM .....	119	SOVALDI .....	64	SUPREP BOWEL PREP KIT .....	111
sertraline .....	40	spinosad .....	100	SURMONTIL .....	40
setlakin .....	93	SPIRIVA RESPIMAT .....	142	SUTENT .....	30
sevelamer carbonate .....	112	SPIRIVA WITH HANDIHALER .....	143	syeda .....	93
sharobel .....	93	spironolactone .....	81	SYLATRON .....	64
SHINGRIX (PF) .....	128	spironolacton-hydrochlorothiaz ..	81	SYLVANT .....	30
SIGNIFOR .....	119	SPORANOX .....	48	SYMBICORT .....	141
sildenafil (antihypertensive) .....	146	sprintec (28) .....	93	SYMDEKO .....	144
SILENOR .....	145	SPRITAM .....	36	SYMFI .....	62
SILIQ .....	96	SPRYCEL .....	30	SYMFI LO .....	62
silver sulfadiazine .....	97	sps (with sorbitol) .....	110	SYMLINPEN 120 .....	43
SIMBRINZA .....	136	sronyx .....	93	SYMLINPEN 60 .....	43
SIMPONI .....	125	ssd .....	97	SYMTUZA .....	62
SIMPONI ARIA .....	124	stavudine .....	62	SYNAGIS .....	63
simvastatin .....	83	STELARA .....	125	SYNAREL .....	119
sirolimus .....	125	STERILE PADS .....	101	SYNDROS .....	52
SIRTURO .....	51	STIMATE .....	119	SYNERCID .....	14
smoflipid .....	72	STIOLTO RESPIMAT .....	143	SYNJARDY .....	43

SYNJARDY XR .....	43	terconazole .....	49	toposar .....	31
SYNRIBO .....	30	testosterone .....	114	topotecan .....	31
TABLOID .....	30	testosterone cypionate .....	114	TORISEL .....	31
<i>tacrolimus</i> .....	100, 125	testosterone enanthate .....	114	torsemide .....	81
<i>tadalafil (antihypertensive)</i> .....	146	TETANUS,DIPHTHERIA		TOTECT .....	135
TAFINLAR .....	30	TOX PED(PF) .....	129	TOUJEON MAX U-300	
TAGRISSO .....	30	TETANUS-DIPHTHERIA		SOLOSTAR .....	45
TAKHZYRO .....	135	TOXOIDS-TD .....	129	TOUJEON SOLOSTAR U-300	
TALTZ AUTOINJECTOR .....	96	<i>tetrabenazine</i> .....	88	INSULIN .....	45
TALTZ SYRINGE .....	96	<i>tetracycline</i> .....	22	TOVIAZ .....	112
<i>tamoxifen</i> .....	30	THALOMID .....	135	TPN ELECTROLYTES .....	140
<i>tamsulosin</i> .....	112	<i>theophylline</i> .....	143	TPN ELECTROLYTES II .....	140
TARCEVA .....	31	<i>theophylline in dextrose 5 %</i> .....	143	TRACLEER .....	146
TARGRETIN .....	31	THIOLA .....	135	TRADJENTA .....	43
<i>tarina fe 1/20 (28)</i> .....	93	<i>thioridazine</i> .....	59	<i>tramadol</i> .....	7
TASIGNA .....	31	<i>thiotepa</i> .....	31	<i>tramadol-acetaminophen</i> .....	7
TAVALISSE .....	68	<i>thiothixene</i> .....	59	<i>trandolapril</i> .....	75
<i>tazarotene</i> .....	100	<i>tiagabine</i> .....	36	<i>tranexamic acid</i> .....	68
<i>tazicef</i> .....	17	TIBSOVO .....	31	TRANSDERM-SCOP .....	52
TAZORAC .....	100	TICE BCG .....	129	<i>tranylcypromine</i> .....	40
<i>taztia xt</i> .....	78	<i>tigecycline</i> .....	22	TRAVASOL 10 % .....	72
TECENTRIQ .....	31	<i>tilia fe</i> .....	93	TRAVATAN Z .....	136
TECFIDERA .....	88	<i>timolol maleate</i> .....	77, 136	<i>trazodone</i> .....	40
TECHNIVIE .....	64	<i>tinidazole</i> .....	53	TREANDA .....	31
TEFLARO .....	17	TIVICAY .....	62	TRECATOR .....	51
TEKAMLO .....	84	<i>tizanidine</i> .....	144, 145	TRELEGY ELLIPTA .....	143
TEKTURNA .....	84	TOBI PODHALER .....	13	TRELSTAR .....	31
TEKTURNA HCT .....	84	TOBRADEX .....	106	TREMFYA .....	96
<i>telmisartan</i> .....	74	TOBRADEX ST .....	106	<i>tretinooin</i> .....	100
<i>telmisartanamlodipine</i> .....	74	<i>tobramycin</i> .....	106	<i>tretinooin (chemotherapy)</i> .....	32
<i>telmisartanhydrochlorothiazid</i> .....	74	<i>tobramycin in 0.225 % nacl</i> .....	13	TREXALL .....	32
<i>temazepam</i> .....	12	<i>tobramycin in 0.9 % nacl</i> .....	13	<i>trifemynor</i> .....	94
TEMODAR .....	31	<i>tobramycin sulfate</i> .....	13	<i>triamicinolone acetonide</i> .....	
<i>temsirolimus</i> .....	31	<i>tobramycin-dexamethasone</i> .....	106	..... 95, 100, 117	
<i>tencon</i> .....	7	TOLAK .....	96	<i>triamterenehydrochlorothiazid</i> .....	81
TENIVAC (PF) .....	128, 129	<i>tolazamide</i> .....	46	<i>triazolam</i> .....	12, 13
<i>tenofovir disoproxil fumarate</i> .....	62	<i>tolbutamide</i> .....	46	<i>tridesilon</i> .....	100
<i>terazosin</i> .....	113	<i>tolmetin</i> .....	9	<i>trientine</i> .....	113
<i>terbinafine hcl</i> .....	48	<i>tolterodine</i> .....	112	<i>tri-estarrylla</i> .....	94
<i>terbutaline</i> .....	143	<i>topiramate</i> .....	36, 37	<i>trifluoperazine</i> .....	59

<i>trifluridine</i>	106	<i>ursodiol</i>	110	VIDEX 4 GRAM
<i>trihexyphenidyl</i>	55	<i>valacyclovir</i>	65	PEDIATRIC
<i>tri-legest fe</i>	94	VALCHLOR	96	VIDEX EC
<i>tri-linyah</i>	94	<i>valganciclovir</i>	65	VIEKIRA PAK
<i>tri-lo-estarrylla</i>	94	<i>valproate sodium</i>	37	VIEKIRA XR
<i>tri-lo-marzia</i>	94	<i>valproic acid</i>	37	<i>vienna</i>
<i>tri-lo-sprintec</i>	94	<i>valproic acid (as sodium salt)</i>	37	<i>vigabatrin</i>
<i>trilyte with flavor packets</i>	111	<i>valsartan</i>	74	<i>vigadron</i>
<i>trimethoprim</i>	14	<i>valsartan-hydrochlorothiazide</i>	74	VIIBRYD
<i>tri-mili</i>	94	VALSTAR	32	VIMIZIM
<i>trimipramine</i>	40	<i>vancomycin</i>	15	VIMOVO
<i>trinessa (28)</i>	94	<i>vancomycin in dextrose 5 %</i>	14	VIMPAT
TRINTELLIX	40	VAQTA (PF)	129	<i>vinblastine</i>
<i>tri-previfem (28)</i>	94	VARIVAX (PF)	129	<i>vincasar pfs</i>
TRIPTODUR	119	VASCEPA	83	<i>vincristine</i>
<i>tri-sprintec (28)</i>	94	VECTIBIX	32	<i>vinorelbine</i>
TRIUMEQ	62	VELCADE	32	<i>viorele (28)</i>
<i>trivora (28)</i>	94	<i>velivet triphasic regimen (28)</i>	94	VIRACEPT
<i>tri-vylibra</i>	94	VELPHORO	112	VIRAMUNE
TROGARZO	62	VELTASSA	110	VIREAD
TROKENDI XR	37	VEMLIDY	62	VISTOGARD
TROPHAMINE 10 %	72	VENCLEXTA	32	VOLTAREN
TROPHAMINE 6%	72	VENCLEXTA STARTING PACK	32	<i>voriconazole</i>
<i>trospium</i>	112	<i>venlafaxine</i>	40, 41	VOSEVI
TRULICITY	43	VENTOLIN HFA	143	VOTRIENT
TRUMENBA	129	<i>verapamil</i>	78	VPRI
TRUVADA	62	VEREGEN	96	VRAYLAR
<i>tulana</i>	94	VERSACLOZ	59	<i>vyfemla (28)</i>
TWINRIX (PF)	129	VERZENIO	32	<i>vylibra</i>
TYBOST	135	VESICARE	112	VYXEOS
TYKERB	32	<i>vestura (28)</i>	94	<i>warfarin</i>
TYMLOS	132	VGO 40	101	<i>water for irrigation, sterile</i>
TYPHIM VI	129	VIBERZI	111	WELCHOL
TYSABRI	125	<i>vicodin</i>	7	<i>wera (28)</i>
TYVASO	146	<i>vicodin es</i>	7	<i>wymzya fe</i>
TYZINE	104	<i>vicodin hp</i>	7	XADAGO
UCERIS	130	VICTOZA	43	XALKORI
ULORIC	48	VIDEX 2 GRAM PEDIATRIC	62	XARELTO
UNITUXIN	32			XARTEMIS XR
UPTRAVI	146			XATMEP

XELJANZ	125	<i>zoledronic acid-mannitol-water</i>	
XELJANZ XR	125	.....	132
XERMELO	111	<i>zoledronic ac-mannitol-0.9nacl</i>	
XGEVA	132	.....	132
XIFAXAN	15	ZOLINZA	33
XXIIDRA	108	<i>zolmitriptan</i>	50
XOLAIR	144	<i>zolpidem</i>	145
XTAMPZA ER	7	ZOMACTON	119
XTANDI	33	ZOMETA	132
xulane	94	<i>zonisamide</i>	37
XULTOPHY 100/3.6	45	ZORBTIVE	119
XURIDEN	135	ZORTRESS	125
xylon 10	7	ZOSTAVAX (PF)	129
XYREM	145	<i>zovia 1/35e (28)</i>	95
YERVOY	33	<i>zovia 1/50e (28)</i>	95
YF-VAX (PF)	129	ZOVIRAX	97
YONDELIS	33	ZUBSOLV	11
YONSA	33	ZURAMPIC	48
yuvafem	115	ZYDELIG	33
zafirlukast	141	ZYKADIA	33
zaleplon	145	ZYLET	106
ZALTRAP	33	ZYPREXA RELPREVV	59
zarah	94	ZYTIGA	33
ZARXIO	68		
zebutal	7		
ZEJULA	33		
ZELBORAF	33		
zenatane	97		
zenchent (28)	95		
zenchent fe	95		
ZENPEP	103		
ZEPATIER	64		
ZERIT	63		
zidovudine	63		
ZIOPTAN (PF)	136		
ziprasidone hcl	59		
ZIRGAN	106		
ZOHYDRO ER	7		
ZOLADEX	33		
zoledronic acid	132		

## **Discrimination is Against the Law**

Stanford Health Care Advantage (HMO) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact Member Care Services.

If you believe that Stanford Health Care Advantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Member Care Services  
P.O. 72530, Oakland, CA 94612-8730  
1- 855-996-8422  
[Advantage@stanfordhealthcare.org](mailto:Advantage@stanfordhealthcare.org)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Care Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**English:** ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711).

**Spanish:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711).

**Chinese:** 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)

**Vietnamese:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-996-8422 (TTY: 711).

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-996-8422 (TTY: 711).

**Korean:** 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-996-8422 (TTY: 711) 번으로 전화해 주십시오.

**Armenian:** ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Զանգահարեք 1-855-996-8422 (TTY (հեռախոս): 711):

**Persian:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با تماس بگیرید. 1-855-996-8422 (TTY: 711)

**Russian:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-996-8422 (телефон: 711).

**Japanese:** 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-996-8422 (TTY:711) まで、お電話にてご連絡ください。

**Arabic:**

ملحوظة: إذا كنت تتحدث لغتك، فإن خدمات المساعدة اللغوية متاحة لك بالمجان. اتصل برقم 855-996-8422 (رقم هاتف 711). الصم والبكم:

**Punjabi:** ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-855-996-8422 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

**Mon-Khmer, Cambodian:** ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាឌំឡូយផ្លូវភាសា ខោយមិនគិតគុណូល គើងអាចមានសំវាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1-855-996-8422 (TTY: 711)។

**Hmong:** LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-855-996-8422 (TTY: 711).

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-855-996-8422 (TTY: 711) पर कॉल करें।

**Thai:** ເຢິນ: ຕ້າຄຸນພູດກາຈາໄທຢູ່ມາລາມາດໄສໃຫ້ບໍລິການຊ່ວຍເຫຼືອທາງກາຈາໄດ້ພົກປະໂວຣ ໂທ 1-855-996-8422 (TTY: 711).



P.O. Box 72530  
Oakland, CA 94612  
[StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org)

Stanford Health Care Advantage is an HMO with a Medicare Contract. Enrollment in Stanford Health Care Advantage depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

ATTENTION: If you speak Spanish, language assistance services, free of charge, are available to you. Call 1-855-996-8422 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 o, para los usuarios de 711, de 8:00 a.m. a 8:00 p.m., los 7 días de la semana (excepto el Día de Acción de Gracias y Navidad) desde el 1 de Octubre hasta el 14 de Febrero, y de lunes a viernes (excepto los días feriados) desde el 15 de Febrero hasta el 30 de Septiembre.

00018031, 1

*This formulary was updated on 11/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit StanfordHealthCareAdvantage.org.*