

Stanford Health Care Advantage  
2018 Formulary  
*List of Covered Drugs*



**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

00018031, 1

*This formulary was updated on 08/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit StanfordHealthCareAdvantage.org.*

## 2018 Comprehensive Formulary

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Stanford Health Care Advantage (HMO). When it refers to “plan” or “our plan,” it means Stanford Health Care Advantage Platinum or Stanford Health Care Advantage Gold.

This document includes a list of the drugs (formulary) for our plan which is current as of August 1, 2018. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

## Table of Contents

|  |             |
|--|-------------|
| <b>WHAT IS THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?</b> .....   | <b>III</b>  |
| <b>CAN THE FORMULARY (DRUG LIST) CHANGE?</b> .....   | <b>III</b>  |
| <b>HOW DO I USE THE FORMULARY? .....</b>   | <b>IV</b>   |
| Medical Condition.....   | iv          |
| Alphabetical Listing.....  | iv          |
| <b>WHAT ARE GENERIC DRUGS?.....</b>  | <b>IV</b>   |
| <b>ARE THERE ANY RESTRICTIONS ON MY COVERAGE? .....</b>  | <b>IV</b>   |
| <b>WHAT IF MY DRUG IS NOT ON THE FORMULARY? .....</b>  | <b>V</b>    |
| <b>HOW DO I REQUEST AN EXCEPTION TO THE STANFORD HEALTH CARE ADVANTAGE (HMO)<br/>FORMULARY? .....</b>            | <b>VI</b>   |
| <b>WHAT DO I DO BEFORE I CAN TALK TO MY DOCTOR ABOUT CHANGING MY DRUGS OR<br/>REQUESTING AN EXCEPTION? .....</b> | <b>VI</b>   |
| <b>FOR MORE INFORMATION .....</b>  | <b>VII</b>  |
| <b>STANFORD HEALTH CARE ADVANTAGE (HMO)'S FORMULARY.....</b>   | <b>VIII</b> |

## **What is the Stanford Health Care Advantage (HMO) Formulary?**

A formulary is a list of covered drugs selected by Stanford Health Care Advantage (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Stanford Health Care Advantage (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Stanford Health Care Advantage (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2018 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2018 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of 8/1/2018. To get updated information about the drugs covered by Stanford Health Care Advantage (HMO), please contact us. Our contact information appears on the front and back cover pages. In the event we make a non-maintenance change to the formulary, we will post an errata sheet to our website and mail a letter to members.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1 below. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Stanford Health Care Advantage (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Stanford Health Care Advantage (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that our plan will cover. For example, our plan provides 30 per prescription for SILENOR. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, Stanford Health Care Advantage (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Stanford Health Care Advantage (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Stanford Health Care Advantage (HMO) formulary?” on page vi for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Stanford Health Care Advantage (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Stanford Health Care Advantage (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Stanford Health Care Advantage (HMO).
- You can ask Stanford Health Care Advantage (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?**

You can ask Stanford Health Care Advantage (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Stanford Health Care Advantage limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Stanford Health Care Advantage (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

## 2018 Comprehensive Formulary

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with at least a 91-day transition supply and may be as much as a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

In circumstances where you are changing from one treatment setting to another, Stanford Health Care Advantage (HMO) will ensure a transition process for approving non-formulary Part D drugs. This process shall also apply to formulary Part D drugs that require prior authorization or step-therapy.

Examples of level of care changes include: you are discharged from a hospital to a home; you end your skilled nursing facility Medicare Part A stay and need to revert to your Part D plan formulary; you end a long-term care facility stay and return to the community; and, you are discharged from psychiatric hospitals with medication regimens that are highly individualized.

The pharmacy benefit manager for Stanford Health Care Advantage (HMO) will provide pharmacies with access to representatives of the plan who have the ability to override pharmacy claims processing issues. This access will allow pharmacies to obtain prescription claims overrides at the point-of-sale and ensure that members receive reliable access to medications.

## For more information

For more detailed information about your Stanford Health Care Advantage (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Stanford Health Care Advantage (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Stanford Health Care Advantage (HMO)'s Formulary**

The formulary that begins on page 1 provides coverage information about the drugs covered by Stanford Health Care Advantage (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *doxazosin*).

The information in the Requirements/Limits column tells you if Stanford Health Care Advantage (HMO) has any special requirements for coverage of your drug.

The second column of the chart lists the drug tier. Every drug on the plan's Drug List is in one of six cost-sharing tiers. The tables on the below provide an explanation of each tier.

### **Network Retail Pharmacy Drug Tier Copayment Levels**

| Tier                              | Copay for up to a<br><i>one-month supply</i> | Copay for up to a<br><i>three-month supply</i> |
|-----------------------------------|--|--|
| Tier 1 (Preferred Generic)        | \$5  | \$15   |
| Tier 2 (NON-Preferred Generic)    | \$15   | \$45   |
| Tier 3 (Preferred Brand)          | \$47   | \$141  |
| Tier 4 (NON-Preferred Brand Name) | \$100  | \$300  |
| Tier 5 (Specialty)                | 33% of cost (Platinum)<br>28% of cost (Gold) | Not available                                  |
| Tier 6 (Select Care)              | \$2  | \$6  |

### **Network Mail Order Drug Tier Copayment Levels**

| Tier                              | Copay for up to a<br><i>one-month supply</i> | Copay for up to a<br><i>three-month supply</i> |
|-----------------------------------|--|--|
| Tier 1 (Preferred Generic)        | \$5  | \$10   |
| Tier 2 (NON-Preferred Generic)    | \$15   | \$30   |
| Tier 3 (Preferred Brand)          | \$47   | \$94   |
| Tier 4 (NON-Preferred Brand Name) | \$100  | \$200  |
| Tier 5 (Specialty)                | 33% of cost (Platinum)<br>28% of cost (Gold) | Not available                                  |
| Tier 6 (Select Care)              | \$2  | \$4  |

**The following Utilization Management abbreviations may be found within the body of this document**

#### **COVERAGE NOTES ABBREVIATIONS**

| ABBREVIATION                               | DESCRIPTION  | EXPLANATION   |
|--|--|---|
| <b>Utilization Management Restrictions</b> |  |   |
| PA   | Prior Authorization Restriction                                    | You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.  |
| PA BvD                                     | Prior Authorization Restriction for Part B vs Part D Determination | This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.                  |
| PA-HRM                                     | Prior Authorization Restriction for High Risk Medications          | This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug. |
| PA NSO                                     | Prior Authorization Restriction for New Starts Only                | If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.   |
| QL   | Quantity Limit Restriction   | Stanford Health Care Advantage (HMO) limits the amount of this drug that is covered per prescription, or within a specific time frame.  |
| ST   | Step Therapy Restriction   | Before Stanford Health Care Advantage (HMO) will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.  |

**The following additional coverage note abbreviations may be found within the body of this document**

**OTHER SPECIAL REQUIREMENTS FOR COVERAGE**

| ABBREVIATION | DESCRIPTION          | EXPLANATION   |
|--------------|----------------------|---|
| EX           | Excluded Part D Drug | This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug |
| LA           | Limited Access Drug  | This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.                                |
| GC           | Gap Coverage         | We provide coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.   |
| NM           | Non-Mail Order Drug  | You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via your mail order benefit are noted with "NM" in the Requirements/Limits column of your formulary.   |
| HI           | Home Infusion Drug   | This prescription drug may be covered under our medical benefit. For more information, call Member Services 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.  |

## Table of Contents

|   |     |
|---|-----|
| Analgesics .....                                      | 3   |
| Anesthetics .....                                     | 9   |
| Anti-Addiction/Substance Abuse Treatment Agents.....  | 10  |
| Antianxiety Agents.....                               | 11  |
| Antibacterials.....                                   | 13  |
| Anticancer Agents.....                                | 22  |
| Anticholinergic Agents.....                           | 33  |
| Anticonvulsants.....                                  | 33  |
| Antidementia Agents.....                              | 37  |
| Antidepressants.....                                  | 38  |
| Antidiabetic Agents.....                              | 41  |
| Antifungals.....                                      | 46  |
| Antigout Agents.....                                  | 48  |
| Antihistamines.....                                   | 48  |
| Anti-Infectives (Skin And Mucous Membrane).....       | 49  |
| Antimigraine Agents.....                              | 49  |
| Antimycobacterials.....                               | 50  |
| Antinausea Agents.....                                | 50  |
| Antiparasite Agents.....                              | 52  |
| Antiparkinsonian Agents.....                          | 53  |
| Antipsychotic Agents.....                             | 54  |
| Antivirals (Systemic).....                            | 59  |
| Blood Products/Modifiers/Volume Expanders.....        | 65  |
| Caloric Agents.....                                   | 68  |
| Cardiovascular Agents.....                            | 71  |
| Central Nervous System Agents.....                    | 84  |
| Contraceptives.....                                   | 87  |
| Dental And Oral Agents.....                           | 94  |
| Dermatological Agents.....                            | 94  |
| Devices.....  | 100 |
| Enzyme Replacement/Modifiers.....                     | 100 |
| Eye, Ear, Nose, Throat Agents.....                    | 102 |
| Gastrointestinal Agents.....                          | 107 |
| Genitourinary Agents.....                             | 111 |
| Heavy Metal Antagonists.....                          | 112 |
| Hormonal Agents, Stimulant/Replacement/Modifying..... | 112 |

|  |     |
|--|-----|
| Immunological Agents.....              | 119 |
| Inflammatory Bowel Disease Agents..... | 129 |
| Irrigating Solutions.....              | 129 |
| Metabolic Bone Disease Agents.....     | 130 |
| Miscellaneous Therapeutic Agents.....  | 132 |
| Ophthalmic Agents.....                 | 134 |
| Replacement Preparations.....          | 135 |
| Respiratory Tract Agents.....          | 139 |
| Skeletal Muscle Relaxants.....         | 143 |
| Sleep Disorder Agents.....             | 144 |
| Vasodilating Agents.....               | 144 |
| Vitamins And Minerals.....             | 145 |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <b>Analgesics</b>   |                  |                            |
| <b>Analgesics, Miscellaneous</b>  |                  |                            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>   | 2                | QL (2700 per 30 days)      |
| <i>acetaminophen-codeine oral tablet 300-15 mg</i>  | 2                | QL (360 per 30 days)       |
| <i>acetaminophen-codeine oral tablet 300-30 (Tylenol-Codeine #3) mg</i>                                       | 2                | QL (360 per 30 days)       |
| <i>acetaminophen-codeine oral tablet 300-60 (Tylenol-Codeine #4) mg</i>                                       | 2                | QL (180 per 30 days)       |
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i>   | 2                | QL (180 per 30 days)       |
| <b>BELBUCA Buccal Film 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG</b>                       | 3                | QL (60 per 30 days)        |
| <i>buprenorphine hcl injection solution 0.3 mg/ml</i>   | 2                |                            |
| <i>buprenorphine hcl injection syringe 0.3 mg/ml</i>  | 2                |                            |
| <i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 2                | QL (4 per 28 days)         |
| <i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>   | 2                | QL (180 per 30 days)       |
| <i>butalbital-acetaminop-caff oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>                               | 2                | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>   | 2                | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>  | 2                | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>   | 2                | QL (180 per 30 days)       |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>  | 2                | QL (180 per 30 days)       |
| <i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>   | 2                | QL (180 per 30 days)       |
| <i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>   | 2                | QL (5 per 28 days)         |
| <b>BUTRANS TRANSDERMAL PATCH WEEKLY 7.5 MCG/HOUR</b>  | 3                | QL (4 per 28 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| <i>capacet oral capsule 50-325-40 mg</i>  | 2                | QL (180 per 30 days)              |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>  | 2                | QL (180 per 30 days)              |
| <b>EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG</b>     | 4                | QL (60 per 30 days)               |
| <i>endocet oral tablet 10-325 mg</i>  | 2                | QL (240 per 30 days)              |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>   | 2                | QL (360 per 30 days)              |
| <i>endocet oral tablet 7.5-325 mg</i>   | 2                | QL (300 per 30 days)              |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq) | 5                | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)        | 2                | QL (10 per 30 days)               |
| <i>hydrocodone-acetaminophen oral solution 2.5-167 mg/5 ml, 5-163 mg/7.5ml(7.5ml)</i>                               | 2                | QL (2700 per 30 days)             |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)   | 2                | QL (2700 per 30 days)             |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)   | 2                | QL (390 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)  | 2                | QL (360 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)   | 2                | QL (360 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)   | 2                | QL (390 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))  | 2                | QL (360 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)  | 2                | QL (390 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)   | 2                | QL (360 per 30 days)              |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)  | 2                | QL (150 per 30 days)              |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>   | 2                | QL (150 per 30 days)              |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml)</i>  | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| hydromorphone (pf) injection solution 10 mg/ml  | 2                |                                  |
| hydromorphone hcl 10 mg/ml vial pl/f, sdv 10 mg/ml  | 2                |                                  |
| hydromorphone injection solution 2 mg/ml, 4 mg/ml   | 2                |                                  |
| hydromorphone injection syringe 2 mg/ml, 4 mg/ml (Dilaudid)                                       | 2                |                                  |
| hydromorphone oral liquid 1 mg/ml (Dilaudid)  | 2                | QL (1200 per 30 days)            |
| hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)   | 2                | QL (180 per 30 days)             |
| HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 3                | QL (30 per 30 days)              |
| LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY                       | 5                | PA; NM; NDS; QL (30 per 30 days) |
| lorcet (hydrocodone) oral tablet 5-325 mg   | 2                | QL (360 per 30 days)             |
| lorcet hd oral tablet 10-325 mg   | 2                | QL (360 per 30 days)             |
| lorcet plus oral tablet 7.5-325 mg  | 2                | QL (360 per 30 days)             |
| methadone injection solution 10 mg/ml   | 2                |                                  |
| methadone oral solution 10 mg/5 ml, 5 mg/5 ml   | 2                | QL (1800 per 30 days)            |
| methadone oral tablet 10 mg (Dolophine)   | 2                | QL (360 per 30 days)             |
| methadone oral tablet 5 mg (Dolophine)  | 2                | QL (180 per 30 days)             |
| methadose oral tablet,soluble 40 mg   | 2                | QL (90 per 30 days)              |
| morphine 2 mg/ml syringe pl/f, suv 2 mg/ml  | 2                |                                  |
| morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)   | 2                | QL (180 per 30 days)             |
| morphine injection solution 10 mg/ml  | 2                |                                  |
| morphine intravenous cartridge 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml                                | 2                |                                  |
| morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml  | 2                |                                  |
| morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml                                  | 2                |                                  |
| morphine oral solution 10 mg/5 ml   | 2                | QL (700 per 30 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>  | 2                | QL (300 per 30 days)          |
| MORPHINE ORAL TABLET 15 MG  | 4                | QL (180 per 30 days)          |
| MORPHINE ORAL TABLET 30 MG  | 4                | QL (120 per 30 days)          |
| <i>morphine oral tablet extended release 100 (MS Contin) mg, 200 mg, 60 mg</i>                  | 2                | QL (60 per 30 days)           |
| <i>morphine oral tablet extended release 15 (MS Contin) mg, 30 mg</i>                           | 2                | QL (90 per 30 days)           |
| NUCYNTA ER ORAL TABLET<br>EXTENDED RELEASE 12 HR 100<br>MG, 150 MG, 200 MG, 250 MG, 50<br>MG    | 3                | QL (60 per 30 days)           |
| NUCYNTA ORAL TABLET 100 MG,<br>50 MG, 75 MG   | 3                | QL (181 per 30 days)          |
| <i>oxycodone oral capsule 5 mg</i>  | 2                | QL (180 per 30 days)          |
| <i>oxycodone oral concentrate 20 mg/ml</i>  | 2                | QL (120 per 30 days)          |
| <i>oxycodone oral solution 5 mg/5 ml</i>  | 2                | QL (1300 per 30 days)         |
| <i>oxycodone oral tablet 10 mg</i>  | 2                | QL (180 per 30 days)          |
| <i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>  | 2                | QL (120 per 30 days)          |
| <i>oxycodone oral tablet 20 mg</i>  | 2                | QL (120 per 30 days)          |
| <i>oxycodone oral tablet 5 mg (Roxicodone)</i>  | 2                | QL (180 per 30 days)          |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>   | 2                | QL (60 per 30 days)           |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 80 mg</i>                                      | 5                | NM; NDS; QL (120 per 30 days) |
| <i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>                                      | 2                | QL (1800 per 30 days)         |
| <i>oxycodone-acetaminophen oral tablet 10- 325 mg</i>   | 2                | QL (240 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>                                 | 2                | QL (360 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>   | 2                | QL (300 per 30 days)          |
| <i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>  | 2                | QL (360 per 30 days)          |
| OXYCONTIN ORAL<br>TABLET,ORAL ONLY,EXT.REL.12<br>HR 10 MG, 15 MG, 20 MG, 30 MG, 40<br>MG, 60 MG | 3                | QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|---|------------------|-----------------------------|
| OXYCONTIN ORAL<br>TABLET,ORAL ONLY,EXT.REL.12<br>HR 80 MG   | 3                | QL (120 per 30 days)        |
| <i>oxymorphone oral tablet 10 mg</i> (Opana)  | 2                | QL (120 per 30 days)        |
| <i>oxymorphone oral tablet 5 mg</i> (Opana)   | 2                | QL (180 per 30 days)        |
| <i>oxymorphone oral tablet extended release</i><br>12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40<br>mg, 5 mg, 7.5 mg | 2                | QL (60 per 30 days)         |
| <i>repxain oral tablet 10-200 mg, 2.5-200</i><br><i>mg, 5-200 mg</i>  | 2                | QL (150 per 30 days)        |
| SUBLOCADE SUBCUTANEOUS<br>SOLUTION, EXTENDED REL<br>SYRINGE 100 MG/0.5 ML, 300<br>MG/1.5 ML                 | 5                | NM; NDS                     |
| <i>tencon oral tablet 50-325 mg</i>   | 2                | QL (180 per 30 days)        |
| <i>tramadol oral tablet 50 mg</i> (Ultram)  | 1                | GC; QL (240 per 30<br>days) |
| <i>tramadol-acetaminophen oral tablet 37.5-</i> (Ultracet)<br>325 mg  | 2                | QL (240 per 30 days)        |
| <i>vicodin es oral tablet 7.5-300 mg</i>  | 2                | QL (390 per 30 days)        |
| <i>vicodin hp oral tablet 10-300 mg</i>   | 2                | QL (390 per 30 days)        |
| <i>vicodin oral tablet 5-300 mg</i>   | 2                | QL (390 per 30 days)        |
| XARTEMIS XR ORAL TAB,ORAL<br>ONLY,IR - ER, BIPHASE 7.5-325 MG   | 3                | QL (300 per 30 days)        |
| XTAMPZA ER ORAL<br>CAPSULE,SPRINKLE,ER 12HR<br>TMPRR 13.5 MG, 18 MG, 9 MG                                   | 3                | QL (60 per 30 days)         |
| XTAMPZA ER ORAL<br>CAPSULE,SPRINKLE,ER 12HR<br>TMPRR 27 MG  | 3                | QL (120 per 30 days)        |
| XTAMPZA ER ORAL<br>CAPSULE,SPRINKLE,ER 12HR<br>TMPRR 36 MG  | 3                | QL (240 per 30 days)        |
| <i>xylon 10 oral tablet 10-200 mg</i>   | 2                | QL (150 per 30 days)        |
| <i>zebutal oral capsule 50-325-40 mg</i>  | 2                | QL (180 per 30 days)        |
| ZOHYDRO ER ORAL CAPSULE,<br>ORAL ONLY, ER 12HR 10 MG, 15<br>MG, 20 MG, 30 MG, 40 MG, 50 MG                  | 4                | QL (60 per 30 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|--|------------------|-------------------------------------|
| <b>Nonsteroidal Anti-Inflammatory Agents</b>   |                  |                                     |
| CALDOLOR INTRAVENOUS<br>RECON SOLN 800 MG/8 ML (100<br>MG/ML)  | 4                |                                     |
| <i>celecoxib oral capsule 100 mg, 200 mg,<br/>400 mg, 50 mg</i> (Celebrex)                                 | 2                | QL (60 per 30 days)                 |
| <i>diclofenac potassium oral tablet 50 mg</i>  | 2                |                                     |
| <i>diclofenac sodium oral tablet extended<br/>release 24 hr 100 mg</i> (Voltaren-XR)                       | 2                |                                     |
| <i>diclofenac sodium oral tablet, delayed<br/>release (drlec) 25 mg, 50 mg, 75 mg</i>                      | 2                |                                     |
| <i>diclofenac-misoprostol oral<br/>tablet, ir, delayed rel, biphasic 50-200 mg-<br/>mcg</i> (Arthrotec 50) | 2                |                                     |
| <i>diclofenac-misoprostol oral<br/>tablet, ir, delayed rel, biphasic 75-200 mg-<br/>mcg</i> (Arthrotec 75) | 2                |                                     |
| <i>disflunisal oral tablet 500 mg</i>  | 2                |                                     |
| DUEXIS ORAL TABLET 800-26.6<br>MG  | 5                | PA; NM; NDS; QL (90<br>per 30 days) |
| <i>etodolac oral capsule 200 mg, 300 mg</i>  | 2                |                                     |
| <i>etodolac oral tablet 400 mg</i> (Lodine)  | 2                |                                     |
| <i>etodolac oral tablet 500 mg</i>   | 2                |                                     |
| <i>etodolac oral tablet extended release 24<br/>hr 400 mg, 500 mg, 600 mg</i>                              | 2                |                                     |
| <i>fenoprofen oral tablet 600 mg</i> (ProFeno)   | 2                |                                     |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i>  | 2                |                                     |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>  | 1                | GC                                  |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)   | 2                |                                     |
| <i>ibuprofen oral tablet 400 mg, 600 mg,<br/>800 mg</i> (IBU)  | 1                | GC                                  |
| <i>indomethacin oral capsule 25 mg</i>   | 1                | GC; QL (240 per 30<br>days)         |
| <i>indomethacin oral capsule 50 mg</i>   | 1                | GC; QL (120 per 30<br>days)         |
| <i>indomethacin oral capsule, extended<br/>release 75 mg</i>   | 2                | QL (60 per 30 days)                 |
| <i>indomethacin sodium intravenous recon<br/>soln 1 mg</i>   | 2                |                                     |
| <i>ketoprofen oral capsule 50 mg, 75 mg</i>  | 2                |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>  | 2                |                                  |
| <i>ketorolac injection cartridge 15 mg/ml</i>  | 2                | QL (40 per 30 days)              |
| <i>ketorolac injection cartridge 30 mg/ml</i>  | 2                | QL (20 per 30 days)              |
| <i>ketorolac injection solution 15 mg/ml</i>   | 2                | QL (40 per 30 days)              |
| <i>ketorolac injection solution 30 mg/ml (1 ml)</i>  | 2                | QL (20 per 30 days)              |
| <i>ketorolac injection syringe 15 mg/ml</i>  | 2                | QL (40 per 30 days)              |
| <i>ketorolac injection syringe 30 mg/ml</i>  | 2                | QL (20 per 30 days)              |
| <i>ketorolac intramuscular cartridge 60 mg/2 ml</i>  | 2                | QL (20 per 30 days)              |
| <i>ketorolac intramuscular solution 60 mg/2 ml</i>   | 2                | QL (20 per 30 days)              |
| <i>ketorolac intramuscular syringe 60 mg/2 ml</i>  | 2                | QL (20 per 30 days)              |
| <i>ketorolac oral tablet 10 mg</i>   | 2                | QL (20 per 30 days)              |
| <i>mefenamic acid oral capsule 250 mg</i>  | 2                |                                  |
| <i>meloxicam oral suspension 7.5 mg/5 ml</i>   | 2                |                                  |
| <i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>   | 1                | GC                               |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>   | 2                |                                  |
| <i>naproxen oral suspension 125 mg/5 ml (Naprosyn)</i>   | 2                |                                  |
| <i>naproxen oral tablet 250 mg, 375 mg</i>   | 1                | GC                               |
| <i>naproxen oral tablet 500 mg (Naprosyn)</i>  | 1                | GC                               |
| <i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>  | 2                |                                  |
| <i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>   | 2                |                                  |
| <i>sulindac oral tablet 150 mg, 200 mg</i>   | 2                |                                  |
| <i>tolmetin oral capsule 400 mg</i>  | 2                |                                  |
| <i>tolmetin oral tablet 200 mg, 600 mg</i>   | 2                |                                  |
| <b>VIMOVO ORAL<br/>TABLET,IR,DELAYED<br/>REL,BIPHASIC 375-20 MG, 500-20<br/>MG</b>   | 5                | PA; NM; NDS; QL (60 per 30 days) |
| <b>Anesthetics</b>   |                  |                                  |
| <b>Local Anesthetics</b>   |                  |                                  |
| <i>glydo mucous membrane jelly in applicator 2 %</i>   | 2                |                                  |
| <i>lidocaine (pf) injection solution 10 mg/ml (Xylocaine-MPF) (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>lidocaine (pf) injection solution 40 mg/ml (4%)</i>                            | 2                |                            |
| <i>lidocaine hcl injection solution 10 mg/ml (Xylocaine) (1%)</i>                 | 2                |                            |
| <i>lidocaine hcl injection solution 20 mg/ml (Xylocaine) (2%), 5 mg/ml (0.5%)</i> | 2                |                            |
| <i>lidocaine hcl mucous membrane jelly 2 %</i>                                    | 2                |                            |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>                      | 2                |                            |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)                 | 2                | PA; QL (90 per 30 days)    |
| <i>lidocaine topical ointment 5 %</i>   | 2                | PA; QL (90 per 30 days)    |
| <i>lidocaine viscous mucous membrane solution 2 %</i>                             | 2                |                            |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>                               | 2                | PA BvD                     |

### **Anti-Addiction/Substance Abuse**

#### **Treatment Agents**

| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>                        | 2                |                            |
| <i>BUNAVAIL BUCCAL FILM 2.1-0.3 MG</i>   | 3                | QL (30 per 30 days)        |
| <i>BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG</i>                                       | 3                | QL (60 per 30 days)        |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                                  | 2                | QL (90 per 30 days)        |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                       | 2                | QL (90 per 30 days)        |
| <i>bupropion hcl (smoking deter) oral tablet (Zyban) extended release 12 hr 150 mg</i> | 2                |                            |
| <i>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</i>                                   | 3                | QL (168 per 84 days)       |
| <i>CHANTIX ORAL TABLET 0.5 MG, 1 MG</i>  | 3                | QL (168 per 84 days)       |
| <i>CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)</i>       | 3                | QL (53 per 28 days)        |
| <i>disulfiram oral tablet 250 mg, 500 mg (Antabuse)</i>                                | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| LUCEMYRA ORAL TABLET 0.18 MG   | 5                | NM; NDS; QL (224 per 14 days) |
| <i>naloxone injection solution 0.4 mg/ml</i>   | 2                |                               |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>                                     | 2                |                               |
| <i>naltrexone oral tablet 50 mg</i>  | 2                |                               |
| NARCAN NASAL SPRAY, NON-AEROSOL 2 MG/ACTUATION, 4 MG/ACTUATION                           | 3                | QL (4 per 30 days)            |
| NICOTROL INHALATION CARTRIDGE 10 MG  | 4                | QL (1008 per 90 days)         |
| SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG   | 3                | QL (60 per 30 days)           |
| SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG  | 3                | QL (30 per 30 days)           |
| ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG | 3                | QL (30 per 30 days)           |
| ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG   | 3                | QL (60 per 30 days)           |
| <b>Antianxiety Agents</b>  |                  |                               |
| <b>Benzodiazepines</b>   |                  |                               |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i>                              | 1                | GC; QL (120 per 30 days)      |
| <i>alprazolam oral tablet 2 mg (Xanax)</i>   | 1                | GC; QL (150 per 30 days)      |
| <i>alprazolam oral tablet extended release (Xanax XR) 24 hr 0.5 mg, 1 mg, 2 mg</i>       | 2                | QL (120 per 30 days)          |
| <i>alprazolam oral tablet extended release (Xanax XR) 24 hr 3 mg</i>                     | 2                | QL (90 per 30 days)           |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                           | 2                |                               |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                              | 1                | GC; QL (120 per 30 days)      |
| <i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>                                    | 1                | GC; QL (90 per 30 days)       |
| <i>clonazepam oral tablet 2 mg (Klonopin)</i>  | 1                | GC; QL (300 per 30 days)      |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>             | 2                | QL (90 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|--|------------------|---------------------------------------|
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                           | 2                | QL (300 per 30 days)                  |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>                    | 2                | QL (180 per 30 days)                  |
| <i>clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)</i>           | 2                | QL (180 per 30 days)                  |
| <b>DIASTAT ACUDIAL RECTAL KIT<br/>12.5-15-17.5-20 MG, 5-7.5-10 MG</b>        | 4                |                                       |
| <b>DIASTAT RECTAL KIT 2.5 MG</b>   | 4                |                                       |
| <i>diazepam injection solution 5 mg/ml</i>                                   | 2                | QL (10 per 28 days)                   |
| <i>diazepam injection syringe 5 mg/ml</i>                                    | 2                | QL (10 per 28 days)                   |
| <i>diazepam intensol oral concentrate 5 mg/ml</i>                            | 2                | QL (1200 per 30 days)                 |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                            | 2                | QL (1200 per 30 days)                 |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>                       | 1                | GC; QL (120 per 30 days)              |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg (Diastat AcuDial)</i> | 2                |                                       |
| <i>diazepam rectal kit 2.5 mg (Diastat)</i>                                  | 2                |                                       |
| <i>estazolam oral tablet 1 mg</i>  | 2                | QL (60 per 30 days)                   |
| <i>estazolam oral tablet 2 mg</i>  | 2                | QL (30 per 30 days)                   |
| <i>flurazepam oral capsule 15 mg</i>   | 2                | QL (60 per 30 days)                   |
| <i>flurazepam oral capsule 30 mg</i>   | 2                | QL (30 per 30 days)                   |
| <i>lorazepam injection solution 2 mg/ml, 4 mg/ml (Ativan)</i>                | 2                | QL (2 per 30 days)                    |
| <i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>                          | 2                | QL (2 per 30 days)                    |
| <i>lorazepam oral concentrate 2 mg/ml (Lorazepam Intensol)</i>               | 2                | QL (150 per 30 days)                  |
| <i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>                           | 1                | GC; QL (90 per 30 days)               |
| <i>lorazepam oral tablet 2 mg (Ativan)</i>                                   | 1                | GC; QL (150 per 30 days)              |
| <i>midazolam oral syrup 2 mg/ml</i>  | 2                | QL (10 per 30 days)                   |
| <b>ONFI ORAL SUSPENSION 2.5 MG/ML</b>  | 5                | PA NSO; NM; NDS; QL (480 per 30 days) |
| <b>ONFI ORAL TABLET 10 MG, 20 MG</b>   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                             | 2                | QL (120 per 30 days)                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |               | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|---------------|------------------|----------------------------------|
| <i>temazepam oral capsule 15 mg, 30 mg</i>  | (Restoril)    | 2                | QL (30 per 30 days)              |
| <i>triazolam oral tablet 0.125 mg</i>   |               | 2                | QL (120 per 30 days)             |
| <i>triazolam oral tablet 0.25 mg</i>  | (Halcion)     | 2                | QL (60 per 30 days)              |
| <b>Antibacterials</b>   |               |                  |                                  |
| <b>Aminoglycosides</b>  |               |                  |                                  |
| BETHKIS INHALATION<br>SOLUTION FOR NEBULIZATION<br>300 MG/4 ML  |               | 5                | PA BvD; NM; NDS                  |
| <i>gentamicin in nacl (iso-osm) intravenous<br/>piggyback 100 mg/100 ml, 100 mg/50 ml,<br/>120 mg/100 ml, 60 mg/50 ml, 70 mg/50<br/>ml, 80 mg/100 ml, 80 mg/50 ml, 90<br/>mg/100 ml</i> |               | 2                |                                  |
| <i>gentamicin injection solution 20 mg/2 ml,<br/>40 mg/ml</i>   |               | 2                |                                  |
| <i>gentamicin sulfate (ped) (pf) injection<br/>solution 20 mg/2 ml</i>  |               | 2                |                                  |
| <i>gentamicin sulfate (pf) intravenous<br/>solution 100 mg/10 ml, 60 mg/6 ml, 80<br/>mg/8 ml</i>  |               | 2                |                                  |
| <i>neomycin oral tablet 500 mg</i>  |               | 1                | GC                               |
| <i>streptomycin intramuscular recon soln 1<br/>gram</i>   |               | 2                |                                  |
| TOBI PODHALER INHALATION<br>CAPSULE, W/INHALATION<br>DEVICE 28 MG   |               | 5                | NM; NDS; QL (224 per<br>28 days) |
| <i>tobramycin in 0.225 % nacl inhalation<br/>solution for nebulization 300 mg/5 ml</i>  | (Tobi)        | 5                | PA BvD; NM; NDS                  |
| <i>tobramycin in 0.9 % nacl intravenous<br/>piggyback 60 mg/50 ml</i>   |               | 2                |                                  |
| <i>tobramycin sulfate injection solution 10<br/>mg/ml, 40 mg/ml</i>   |               | 2                |                                  |
| <b>Antibacterials, Miscellaneous</b>  |               |                  |                                  |
| <i>bacium intramuscular recon soln 50,000<br/>unit</i>  |               | 2                |                                  |
| <i>bacitracin intramuscular recon soln<br/>50,000 unit</i>  | (BACiiM)      | 2                |                                  |
| <i>chloramphenicol sod succinate<br/>intravenous recon soln 1 gram</i>  |               | 2                |                                  |
| <i>clindamycin hcl oral capsule 150 mg, 300<br/>mg, 75 mg</i>   | (Cleocin HCl) | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|---------------------------|------------------|----------------------------|
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>   | (Cleocin in 5 % dextrose) | 2                |                            |
| <i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i>   | (Cleocin Pediatric)       | 2                |                            |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>                                  |                           | 2                |                            |
| <i>clindamycin phosphate injection solution 150 mg/ml</i>   | (Cleocin)                 | 2                |                            |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>                                       | (Cleocin)                 | 2                |                            |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i>                                     | (Coly-Mycin M Parenteral) | 2                |                            |
| <i>daptomycin intravenous recon soln 500 mg</i>   | (Cubicin)                 | 5                | NM; NDS                    |
| <i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>  |                           | 5                | NM; NDS                    |
| <i>linezolid in dextrose 5% intravenous parenteral solution 600 mg/300 ml</i>                       | (Zyvox)                   | 5                | NM; NDS                    |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>                                     | (Zyvox)                   | 5                | NM; NDS                    |
| <i>linezolid oral tablet 600 mg</i>   | (Zyvox)                   | 5                | NM; NDS                    |
| <i>methenamine hippurate oral tablet 1 gram</i>   | (Hiprex)                  | 2                |                            |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>                           | (Metro I.V.)              | 2                |                            |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>   | (Flagyl)                  | 2                |                            |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>                                | (Macrodantin)             | 2                | QL (120 per 30 days)       |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>   | (Macrobid)                | 2                | QL (60 per 30 days)        |
| <i>nitrofurantoin oral suspension 25 mg/5 ml</i>  | (Furadantin)              | 2                | QL (2400 per 30 days)      |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i>  |                           | 2                |                            |
| <b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>   |                           | 5                | NM; NDS                    |
| <i>trimethoprim oral tablet 100 mg</i>  |                           | 1                | GC                         |
| <i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i> |                           | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>       | 2                |                                 |
| <i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>                                 | 5                | NM; NDS                         |
| <b>XIFAXAN ORAL TABLET 200 MG</b>  | 5                | PA; NM; NDS; QL (9 per 30 days) |
| <b>XIFAXAN ORAL TABLET 550 MG</b>  | 5                | PA; NM; NDS                     |
| <b>Cephalosporins</b>  |                  |                                 |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>  | 2                |                                 |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2                |                                 |
| <i>cefaclor oral tablet extended release 12 hr 500 mg</i>                                | 2                |                                 |
| <i>cefadroxil oral capsule 500 mg</i>  | 2                |                                 |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>            | 2                |                                 |
| <i>cefadroxil oral tablet 1 gram</i>   | 2                |                                 |
| <i>cefazolin in 0.9% sod chloride intravenous solution 2 gram/100 ml</i>                 | 2                |                                 |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/100 ml</i>                | 2                |                                 |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>                            | 2                |                                 |
| <i>cefdinir oral capsule 300 mg</i>  | 2                |                                 |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>              | 2                |                                 |
| <i>cefditoren pivoxil oral tablet 200 mg</i>   | 2                |                                 |
| <i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>                                | 2                |                                 |
| <b>CEFEPIME 1 GM INJECTION 1 GRAM/50 ML</b>  | 4                |                                 |
| <b>CEFEPIME INJECTION RECON SOLN 1 GRAM, 2 GRAM</b>                                      | 4                |                                 |
| <b>CEFEPIME-DEXTROSE 2 GM/50 ML 2 GRAM/50 ML</b>   | 4                |                                 |
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>              | 2                |                                 |
| <i>cefotaxime injection recon soln 1 gram, 500 mg</i>                                    | 2                |                                 |
| <i>cefotaxime injection recon soln 10 gram, 2 gram (Claforan)</i>                        | 2                |                                 |
| <i>cefoxitin 2 gm piggyback bag 2 gram/50 ml</i>   | 2                |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>cefoxitin intravenous recon soln 1 gram,<br/>10 gram</i>                                   | 2                |                            |
| <i>cefoxitin intravenous recon soln 2 gram</i>  | 2                |                            |
| <i>cefpodoxime oral suspension for<br/>reconstitution 100 mg/5 ml, 50 mg/5 ml</i>             | 2                |                            |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>   | 2                |                            |
| <i>cefprozil oral suspension for<br/>reconstitution 125 mg/5 ml, 250 mg/5 ml</i>              | 2                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>   | 2                |                            |
| <i>ceftazidime injection recon soln 2 gram, 6 gram</i>  | 2                |                            |
| <i>ceftibuten oral capsule 400 mg</i>   | 2                |                            |
| <i>ceftibuten oral suspension for<br/>reconstitution 180 mg/5 ml</i>                          | 2                |                            |
| <i>ceftriaxone 1 gm piggyback llf, single use<br/>1 gram/50 ml</i>                            | 2                |                            |
| <i>ceftriaxone 2 gm piggyback llf, single use<br/>2 gram/50 ml</i>                            | 2                |                            |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram</i>  | 2                |                            |
| <i>ceftriaxone injection recon soln 10 gram,<br/>250 mg, 500 mg</i>                           | 2                |                            |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>   | 2                |                            |
| <i>cefuroxime sodium injection recon soln<br/>750 mg</i>                                      | 2                |                            |
| <i>cefuroxime sodium intravenous recon soln<br/>1.5 gram, 7.5 gram</i>                        | 2                |                            |
| <i>cefuroxime-dextrose (iso-osm)<br/>intravenous piggyback 1.5 gram/50 ml</i>                 | 2                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg (Keflex)</i>  | 1                | GC                         |
| <i>cephalexin oral capsule 750 mg (Keflex)</i>  | 2                |                            |
| <i>cephalexin oral suspension for<br/>reconstitution 125 mg/5 ml, 250 mg/5 ml</i>             | 2                |                            |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>  | 2                |                            |
| <b>MEFOXIN IN DEXTROSE (ISO-OSM) INTRAVENOUS<br/>PIGGYBACK 1 GRAM/50 ML, 2<br/>GRAM/50 ML</b> | 4                |                            |
| <b>SUPRAX ORAL CAPSULE 400 MG</b>   | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML                             | 4                |                                  |
| SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG  | 4                |                                  |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>                        | 2                |                                  |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG                                     | 4                |                                  |
| <b>Macrolides</b>   |                  |                                  |
| <i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>                     | 2                |                                  |
| <i>azithromycin oral packet 1 gram (Zithromax)</i>                                | 2                |                                  |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>   | 2                |                                  |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>                  | 2                |                                  |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg (Zithromax)</i>                | 2                |                                  |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2                |                                  |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                  | 2                |                                  |
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i>                   | 2                |                                  |
| DIFICID ORAL TABLET 200 MG  | 5                | ST; NM; NDS; QL (20 per 10 days) |
| <i>e.e.s. 400 oral tablet 400 mg</i>  | 4                |                                  |
| E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML                    | 4                |                                  |
| ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML                         | 4                |                                  |
| ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION 400 MG/5 ML                         | 4                |                                  |
| <i>ery-tab oral tablet,delayed release (dr/lec) 250 mg, 500 mg</i>                | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| ERY-TAB ORAL<br>TABLET,DELAYED RELEASE<br>(DR/EC) 333 MG   | 4                |                            |
| <i>erythrocin (as stearate) oral tablet 250 mg</i>   | 2                |                            |
| ERYTHROCIN INTRAVENOUS<br>RECON SOLN 1,000 MG, 500 MG  | 4                |                            |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>                        | 2                |                            |
| <i>erythromycin ethylsuccinate oral tablet (E.E.S. 400) 400 mg</i>                                       | 2                |                            |
| <i>erythromycin oral capsule,delayed release(dr/ec) 250 mg</i>   | 2                |                            |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>   | 2                |                            |
| <b>Miscellaneous B-Lactam Antibiotics</b>  |                  |                            |
| <i>aztreonam injection recon soln 1 gram, 2 gram (Azactam)</i>   | 2                |                            |
| CAYSTON INHALATION<br>SOLUTION FOR NEBULIZATION<br>75 MG/ML  | 5                | NM; LA; NDS                |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>   | 2                |                            |
| <i>imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)</i>                                   | 2                |                            |
| INVANZ INJECTION RECON SOLN<br>1 GRAM  | 4                |                            |
| <i>meropenem intravenous recon soln 1 gram, 500 mg (Merrem)</i>  | 2                |                            |
| <b>Penicillins</b>   |                  |                            |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>   | 1                | GC                         |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1                | GC                         |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>  | 1                | GC                         |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>  | 1                | GC                         |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|--------------------|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>                     | (Augmentin)        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>                     | (Augmentin ES-600) | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>  |                    | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>                                      | (Augmentin)        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>                        | (Augmentin XR)     | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>                            |                    | 2                |                            |
| <i>ampicillin oral capsule 250 mg, 500 mg</i>  |                    | 1                | GC                         |
| <i>ampicillin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                              |                    | 1                | GC                         |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>              |                    | 2                |                            |
| <i>ampicillin sodium intravenous recon soln 2 gram</i>   |                    | 2                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>                                 | (Unasyn)           | 2                |                            |
| <b>BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)</b> |                    | 4                |                            |
| <b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>        |                    | 4                |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>   |                    | 2                |                            |
| <i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>  |                    | 2                |                            |
| <i>nafcillin injection recon soln 1 gram</i>   |                    | 2                |                            |
| <i>nafcillin injection recon soln 10 gram</i>  |                    | 5                | NM; NDS                    |
| <i>nafcillin intravenous recon soln 2 gram</i>   |                    | 5                | NM; NDS                    |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>                     |                    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>oxacillin injection recon soln 10 gram, 2 gram</i>  | 2                |                                  |
| <i>oxacillin intravenous recon soln 1 gram</i>   | 2                |                                  |
| <i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i> | 2                |                                  |
| <i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>   | 2                |                                  |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>                                  | 2                |                                  |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>   | 2                |                                  |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>   | 2                |                                  |
| <i>pfiZerpen-g injection recon soln 20 million unit</i>  | 2                |                                  |
| <i>piperacillin-tazobactam intravenous (Zosyn) recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>                   | 2                |                                  |
| <b>Quinolones</b>  |                  |                                  |
| <i>BAXDELA ORAL TABLET 450 MG</i>  | 5                | PA; NM; NDS; QL (28 per 14 days) |
| <i>ciprofloxacin (mixture) oral tablet, er (Cipro XR) multiphase 24 hr 1,000 mg, 500 mg</i>                                | 2                |                                  |
| <i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>  | 1                | GC                               |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>  | 1                | GC                               |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>   | 2                |                                  |
| <i>ciprofloxacin in 5 % dextrose intravenous (Cipro in D5W) piggyback 400 mg/200 ml</i>                                    | 2                |                                  |
| <i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>   | 2                |                                  |
| <i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>                                   | 2                |                                  |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>                                | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |    |
|---|------------------|----------------------------|----|
| <i>levofloxacin intravenous solution 25 mg/ml</i>                             | 2                |                            |    |
| <i>levofloxacin oral solution 250 mg/10 ml</i>                                | 2                |                            |    |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                        | 2                |                            |    |
| <i>moxifloxacin oral tablet 400 mg</i>  | (Avelox)         | 2                          |    |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i>                                   |                  | 2                          |    |
| <b>Sulfonamides</b>   |                  |                            |    |
| <i>sulfadiazine oral tablet 500 mg</i>  | 2                |                            |    |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>      | 2                |                            |    |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>           | (Sulfatrim)      | 2                          |    |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>                    | (Bactrim)        | 1                          | GC |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>                   | (Bactrim DS)     | 1                          | GC |
| <i>sulfatrim oral suspension 200-40 mg/5 ml</i>                               |                  | 2                          |    |
| <b>Tetracyclines</b>  |                  |                            |    |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                              | 2                |                            |    |
| <i>doxy-100 intravenous recon soln 100 mg</i>                                 | 2                |                            |    |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i>                      | (Doxy-100)       | 2                          |    |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>                         | (Morgidox)       | 2                          |    |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                          |                  | 2                          |    |
| <i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 75 mg</i> |                  | 2                          |    |
| <i>doxycycline hyclate oral tablet, delayed release (drlec) 150 mg</i>        | (Soloxide)       | 2                          |    |
| <i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg, 50 mg</i> | (Doryx)          | 2                          |    |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i>              | (Modoxyne NL)    | 2                          |    |
| <i>doxycycline monohydrate oral capsule 150 mg</i>                            |                  | 2                          |    |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>  | (Vibramycin)     | 2                          |    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| <i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>                           | 2                |                                       |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>                       | 2                |                                       |
| <b>MINOCIN INTRAVENOUS RECON SOLN 100 MG</b>  | 3                |                                       |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg (Minocin)</i>                        | 2                |                                       |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>                                   | 2                |                                       |
| <i>minocycline oral tablet extended release 24 hr 135 mg, 45 mg, 90 mg (CoreMino)</i> | 2                |                                       |
| <i>monodoxine nl oral capsule 100 mg, 50 mg, 75 mg</i>                                | 2                |                                       |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                                       | 2                |                                       |
| <i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>                             | 5                | NM; NDS                               |
| <b>Anticancer Agents</b>  |                  |                                       |
| <b>Anticancer Agents</b>  |                  |                                       |
| <b>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</b>                      | 5                | NM; NDS                               |
| <i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>  | 2                | PA BvD                                |
| <i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>                      | 2                | PA BvD                                |
| <b>AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG</b>                   | 5                | PA NSO; NM; NDS; QL (112 per 28 days) |
| <b>AFINITOR ORAL TABLET 10 MG</b>   | 5                | PA NSO; NM; NDS; QL (56 per 28 days)  |
| <b>AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG</b>                                      | 5                | PA NSO; NM; NDS; QL (28 per 28 days)  |
| <b>ALECENSA ORAL CAPSULE 150 MG</b>   | 5                | PA NSO; NM; NDS; QL (240 per 30 days) |
| <b>ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG</b>                                   | 5                | NM; NDS                               |
| <b>ALIQOPA INTRAVENOUS RECON SOLN 60 MG</b>   | 5                | PA NSO; NM; NDS; QL (3 per 28 days)   |
| <b>ALUNBRIG ORAL TABLET 180 MG, 90 MG</b>   | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|---|------------------|--|
| ALUNBRIG ORAL TABLET 30 MG  | 5                | PA NSO; NM; NDS;<br>QL (180 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE<br>PACK 90 MG (7)- 180 MG (23)         | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1                | GC                                       |
| AVASTIN INTRAVENOUS<br>SOLUTION 25 MG/ML, 25 MG/ML<br>(16 ML)     | 5                | PA NSO; NM; NDS                          |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)           | 5                | NM; NDS                                  |
| BAVENCIO INTRAVENOUS<br>SOLUTION 20 MG/ML                         | 5                | PA NSO; NM; NDS                          |
| BELEODAQ INTRAVENOUS<br>RECON SOLN 500 MG                         | 5                | PA NSO; NM; NDS                          |
| BENDEKA INTRAVENOUS<br>SOLUTION 25 MG/ML                          | 5                | PA NSO; NM; NDS                          |
| BESPONSA INTRAVENOUS<br>RECON SOLN 0.9 MG (0.25 MG/ML<br>INITIAL) | 5                | PA NSO; NM; NDS                          |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                  | 5                | PA NSO; NM; NDS;<br>QL (420 per 30 days) |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                   | 2                |  |
| <i>bleomycin injection recon soln 15 unit, 30<br/>unit</i>        | 2                | PA BvD                                   |
| BLINCYTO INTRAVENOUS KIT 35<br>MCG                                | 5                | PA NSO; NM; NDS                          |
| BORTEZOMIB INTRAVENOUS<br>RECON SOLN 3.5 MG                       | 5                | PA NSO; NM; NDS                          |
| BOSULIF ORAL TABLET 100 MG  | 5                | PA NSO; NM; NDS;<br>QL (120 per 30 days) |
| BOSULIF ORAL TABLET 400 MG,<br>500 MG                             | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| CABOMETYX ORAL TABLET 20<br>MG, 60 MG                             | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| CABOMETYX ORAL TABLET 40<br>MG                                    | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| CALQUENCE ORAL CAPSULE 100<br>MG                                  | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 100 MG                                       | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 300 MG                                       | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--|------------------|--|
| <i>carboplatin intravenous solution 10 mg/ml</i>   | 2                |  |
| <i>cladribine intravenous solution 10 mg/10 ml</i>   | 2                | PA BvD                                   |
| <i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>   | 5                | NM; NDS                                  |
| <b>COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)</b>                           | 5                | PA NSO; NM; NDS; QL (112 per 28 days)    |
| <b>COTELLIC ORAL TABLET 20 MG</b>  | 5                | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>  | 5                | PA BvD; NM; NDS                          |
| <b>CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG</b>  | 4                | PA BvD; ST                               |
| <b>CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (50 ML)</b>   | 5                | PA NSO; NM; NDS                          |
| <b>DARZALEX INTRAVENOUS SOLUTION 20 MG/ML</b>  | 5                | PA NSO; NM; LA; NDS                      |
| <i>decitabine intravenous recon soln 50 mg (Dacogen)</i>   | 5                | NM; NDS                                  |
| <i>docetaxel intravenous solution 140 mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml</i> | 5                | NM; NDS                                  |
| <i>docetaxel intravenous solution 20 mg/ml (Taxotere) (1 ml), 80 mg/4 ml (20 mg/ml)</i>  | 5                | NM; NDS                                  |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>  | 2                | PA BvD                                   |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>   | 5                | PA BvD; NM; NDS                          |
| <b>DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG</b>  | 3                |  |
| <b>ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG</b>  | 4                |  |
| <b>ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG</b>  | 4                |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--|------------------|--|
| ELIGARD (6 MONTH)<br>SUBCUTANEOUS SYRINGE 45 MG  | 4                |  |
| ELIGARD SUBCUTANEOUS<br>SYRINGE 7.5 MG (1 MONTH)   | 4                |  |
| EMCYT ORAL CAPSULE 140 MG  | 5                | NM; NDS                                  |
| EMPLICITI INTRAVENOUS<br>RECON SOLN 300 MG, 400 MG   | 5                | PA NSO; NM; NDS                          |
| ERIVEDGE ORAL CAPSULE 150<br>MG  | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG  | 5                | PA NSO; NM; NDS;<br>QL (120 per 30 days) |
| ETOPOPHOS INTRAVENOUS<br>RECON SOLN 100 MG   | 4                |  |
| <i>etoposide intravenous solution 20 mg/ml</i> (Toposar)   | 2                |  |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)   | 2                |  |
| FARESTON ORAL TABLET 60 MG   | 5                | NM; NDS                                  |
| FARYDAK ORAL CAPSULE 10<br>MG, 15 MG, 20 MG  | 5                | PA NSO; NM; NDS                          |
| FASLODEX INTRAMUSCULAR<br>SYRINGE 250 MG/5 ML  | 5                | NM; NDS                                  |
| <i>floxuridine injection recon soln 0.5 gram</i>   | 2                | PA BvD                                   |
| <i>fluorouracil intravenous solution 1<br/>gram/20 ml</i>  | 2                | PA BvD                                   |
| <i>fluorouracil intravenous solution 5<br/>gram/100 ml, 500 mg/10 ml</i>   | 2                | PA BvD                                   |
| <i>flutamide oral capsule 125 mg</i>   | 2                |  |
| GAZYVA INTRAVENOUS<br>SOLUTION 1,000 MG/40 ML  | 5                | PA NSO; NM; NDS                          |
| <i>gemcitabine intravenous recon soln 1<br/>gram, 200 mg</i>   | 5                | NM; NDS                                  |
| <i>gemcitabine intravenous recon soln 2<br/>gram</i>   | 5                | NM; NDS                                  |
| <i>gemcitabine intravenous solution 1<br/>gram/26.3 ml (38 mg/ml), 100 mg/ml, 2<br/>gram/52.6 ml (38 mg/ml), 200 mg/5.26<br/>ml (38 mg/ml)</i> | 5                | NM; NDS                                  |
| GILOTRIF ORAL TABLET 20 MG,<br>30 MG, 40 MG  | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| GLEOSTINE ORAL CAPSULE 10<br>MG, 100 MG, 40 MG, 5 MG   | 4                |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|---|------------------|--|
| HERCEPTIN INTRAVENOUS<br>RECON SOLN 150 MG, 440 MG                    | 5                | PA NSO; NM; NDS                          |
| HEXALEN ORAL CAPSULE 50 MG  | 5                | NM; NDS                                  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                       | 2                |  |
| IBRANCE ORAL CAPSULE 100 MG,<br>125 MG, 75 MG                         | 5                | PA NSO; NM; NDS;<br>QL (21 per 28 days)  |
| ICLUSIG ORAL TABLET 15 MG   | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| ICLUSIG ORAL TABLET 45 MG   | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50<br>MG                                   | 5                | PA NSO; NM; NDS;<br>QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram, (Ifex)<br/>3 gram</i>    | 2                | PA BvD                                   |
| <i>ifosfamide intravenous solution 1 gram/20<br/>ml, 3 gram/60 ml</i> | 2                | PA BvD                                   |
| <i>ifosfamide-mesna intravenous kit 1-1<br/>gram, 3,000-1,000 mg</i>  | 5                | PA BvD; NM; NDS                          |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                          | 5                | PA NSO; NM; NDS;<br>QL (90 per 30 days)  |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                          | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| IMBRUVICA ORAL CAPSULE 140<br>MG, 70 MG                               | 5                | PA NSO; NM; NDS                          |
| IMBRUVICA ORAL TABLET 140<br>MG, 280 MG, 420 MG, 560 MG               | 5                | PA NSO; NM; NDS                          |
| IMFINZI INTRAVENOUS<br>SOLUTION 50 MG/ML, 50 MG/ML<br>(10 ML)         | 5                | PA NSO; NM; NDS                          |
| IMLYGIC INJECTION<br>SUSPENSION 10EXP6 (1 MILLION)<br>PFU/ML          | 5                | PA NSO; NM; NDS;<br>QL (4 per 365 days)  |
| IMLYGIC INJECTION<br>SUSPENSION 10EXP8 (100<br>MILLION) PFU/ML        | 5                | PA NSO; NM; NDS;<br>QL (8 per 28 days)   |
| INLYTA ORAL TABLET 1 MG   | 5                | PA NSO; NM; NDS;<br>QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG   | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| IRESSA ORAL TABLET 250 MG   | 5                | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| <i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)  | 2                |                                      |
| <i>irinotecan intravenous solution 500 mg/25 ml</i>   | 2                |                                      |
| IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG   | 5                | NM; NDS                              |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG   | 5                | PA NSO; NM; NDS; QL (60 per 30 days) |
| KEYTRUDA INTRAVENOUS RECON SOLN 50 MG   | 5                | PA NSO; NM; NDS; QL (4 per 21 days)  |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML  | 5                | PA NSO; NM; NDS; QL (8 per 21 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG  | 5                | PA NSO; NM; NDS; QL (49 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG  | 5                | PA NSO; NM; NDS; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG  | 5                | PA NSO; NM; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)   | 5                | PA NSO; NM; NDS; QL (63 per 28 days) |
| KYPROLIS INTRAVENOUS RECON SOLN 30 MG, 60 MG  | 5                | PA NSO; NM; NDS                      |
| LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (19 ML)  | 5                | PA NSO; NM; LA; NDS                  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 8 MG/DAY (4 MG X 2) | 5                | PA NSO; NM; NDS                      |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)  | 2                |                                      |
| LEUKERAN ORAL TABLET 2 MG   | 4                |                                      |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>  | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| LONSURF ORAL TABLET 15-6.14 MG  | 5                | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG  | 5                | PA NSO; NM; NDS; QL (80 per 28 days)  |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG            | 5                | NM; NDS                               |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                        | 5                | NM; NDS                               |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                        | 5                | NM; NDS                               |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG                        | 5                | NM; NDS                               |
| LYNPARZA ORAL CAPSULE 50 MG   | 5                | PA NSO; NM; NDS; QL (448 per 28 days) |
| LYNPARZA ORAL TABLET 100 MG, 150 MG   | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG   | 5                | NM; NDS                               |
| MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL                          | 5                | PA NSO; NM; NDS; QL (4 per 28 days)   |
| MATULANE ORAL CAPSULE 50 MG   | 5                | NM; NDS                               |
| <i>megestrol oral tablet 20 mg, 40 mg</i>                                     | 2                |                                       |
| MEKINIST ORAL TABLET 0.5 MG   | 5                | PA NSO; NM; NDS; QL (90 per 30 days)  |
| MEKINIST ORAL TABLET 2 MG   | 5                | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>melphalan hcl intravenous recon soln 50 mg (Alkeran)</i>                   | 5                | NM; NDS                               |
| <i>mercaptopurine oral tablet 50 mg</i>                                       | 2                |                                       |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i>                   | 2                | PA BvD                                |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml, 25 mg/ml (10 ml)</i> | 2                | PA BvD                                |
| <i>methotrexate sodium injection solution 25 mg/ml</i>                        | 2                | PA BvD                                |
| <i>methotrexate sodium injection solution 25 mg/ml</i>                        | 2                | PA BvD                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| <i>methotrexate sodium oral tablet 2.5 mg</i>                               | 2                | PA BvD; ST                            |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>                         | 2                |                                       |
| MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)               | 5                | PA NSO; NM; NDS                       |
| NERLYNX ORAL TABLET 40 MG   | 5                | PA NSO; NM; NDS; QL (180 per 30 days) |
| NEXAVAR ORAL TABLET 200 MG  | 5                | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron)                            | 5                | NM; NDS                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                     | 5                | PA NSO; NM; NDS; QL (3 per 28 days)   |
| ODOMZO ORAL CAPSULE 200 MG  | 5                | PA NSO; NM; LA; NDS                   |
| ONCASPAR INJECTION SOLUTION 750 UNIT/ML                                     | 5                | PA NSO; NM; NDS                       |
| ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML                                    | 5                | PA BvD; NM; NDS                       |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML          | 5                | PA NSO; NM; NDS                       |
| <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>                     | 2                |                                       |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i> | 2                |                                       |
| <i>paclitaxel intravenous concentrate 6 mg/ml</i>                           | 2                |                                       |
| PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)                        | 5                | PA NSO; NM; NDS                       |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                                | 5                | PA NSO; NM; NDS; QL (21 per 28 days)  |
| PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)                      | 5                | PA NSO; NM; NDS; QL (100 per 21 days) |
| PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT                            | 5                | NM; NDS                               |
| PURIXAN ORAL SUSPENSION 20 MG/ML  | 5                | NM; NDS                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|---|------------------|--|
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG                                | 5                | PA NSO; NM; LA; NDS                      |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5                | PA NSO; NM; NDS                          |
| RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML, 10 MG/ML (10 ML)                                    | 5                | PA NSO; NM; NDS                          |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG  | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| RYDAPT ORAL CAPSULE 25 MG   | 5                | PA NSO; NM; NDS; QL (224 per 28 days)    |
| SOLTAMOX ORAL SOLUTION 10 MG/5 ML   | 4                |  |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG                                       | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| SPRYCEL ORAL TABLET 20 MG   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| STIVARGA ORAL TABLET 40 MG  | 5                | PA NSO; NM; NDS; QL (84 per 28 days)     |
| SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG  | 5                | PA NSO; NM; NDS; QL (30 per 30 days)     |
| SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG   | 5                | PA NSO; NM; NDS                          |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG  | 5                | PA NSO; NM; NDS; QL (28 per 28 days)     |
| TABLOID ORAL TABLET 40 MG   | 4                |  |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG  | 5                | PA NSO; NM; NDS; QL (120 per 30 days)    |
| TAGRISSO ORAL TABLET 40 MG, 80 MG   | 5                | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>   | 2                |  |
| TARCEVA ORAL TABLET 100 MG, 25 MG   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)     |
| TARCEVA ORAL TABLET 150 MG  | 5                | PA NSO; NM; NDS; QL (90 per 30 days)     |
| TARGETIN TOPICAL GEL 1 %  | 5                | PA NSO; NM; NDS; QL (60 per 28 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>               |
|--|------------------|--|
| TASIGNA ORAL CAPSULE 150 MG,<br>200 MG                             | 5                | PA NSO; NM; NDS;<br>QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG   | 5                | PA NSO; NM; NDS;<br>QL (120 per 30 days) |
| TECENTRIQ INTRAVENOUS<br>SOLUTION 1,200 MG/20 ML (60<br>MG/ML)     | 5                | PA NSO; NM; NDS;<br>QL (20 per 21 days)  |
| TEMODAR INTRAVENOUS<br>RECON SOLN 100 MG                           | 5                | PA NSO; NM; NDS                          |
| <i>thiotepa injection recon soln 15 mg</i> (Tepadina)              | 5                | NM; NDS                                  |
| <i>toposar intravenous solution 20 mg/ml</i>                       | 2                |  |
| <i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)            | 5                | NM; NDS                                  |
| <i>topotecan intravenous solution 4 mg/4 ml</i><br>(1 mg/ml)       | 5                | NM; NDS                                  |
| TORISEL INTRAVENOUS RECON<br>SOLN 30 MG/3 ML (10 MG/ML)<br>(FIRST) | 5                | PA BvD; NM; NDS;<br>QL (4 per 28 days)   |
| TREANDA INTRAVENOUS<br>RECON SOLN 100 MG, 25 MG                    | 5                | NM; NDS                                  |
| TRELSTAR 11.25 MG VIAL INNER,<br>SDV 11.25 MG                      | 5                | NM; NDS; QL (1 per<br>84 days)           |
| TRELSTAR 22.5 MG VIAL<br>INNER,SDV 22.5 MG                         | 5                | NM; NDS; QL (1 per<br>168 days)          |
| TRELSTAR 3.75 MG VIAL INNER,<br>SDV 3.75 MG                        | 5                | NM; NDS                                  |
| TRELSTAR INTRAMUSCULAR<br>SYRINGE 11.25 MG/2 ML                    | 5                | NM; NDS; QL (1 per<br>84 days)           |
| TRELSTAR INTRAMUSCULAR<br>SYRINGE 22.5 MG/2 ML                     | 5                | NM; NDS; QL (1 per<br>168 days)          |
| TRELSTAR INTRAMUSCULAR<br>SYRINGE 3.75 MG/2 ML                     | 5                | NM; NDS                                  |
| <i>tretinoin (chemotherapy) oral capsule 10</i><br>mg              | 5                | NM; NDS                                  |
| TREXALL ORAL TABLET 10 MG,<br>15 MG, 5 MG, 7.5 MG                  | 4                | PA BvD; ST                               |
| TYKERB ORAL TABLET 250 MG  | 5                | NM; NDS                                  |
| UNITUXIN INTRAVENOUS<br>SOLUTION 3.5 MG/ML                         | 5                | PA NSO; NM; NDS                          |
| VALSTAR INTRAVESICAL<br>SOLUTION 40 MG/ML                          | 5                | NM; NDS                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                |
|---|------------------|---|
| VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) | 5                | PA NSO; NM; NDS                           |
| VELCADE INJECTION RECON SOLN 3.5 MG   | 5                | PA NSO; NM; NDS                           |
| VENCLEXTA ORAL TABLET 10 MG   | 3                | PA NSO; LA; QL (60 per 30 days)           |
| VENCLEXTA ORAL TABLET 100 MG  | 5                | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG   | 3                | PA NSO; LA; QL (30 per 30 days)           |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG            | 5                | PA NSO; NM; LA; NDS; QL (42 per 28 days)  |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                            | 5                | PA NSO; NM; NDS; QL (56 per 28 days)      |
| <i>vinblastine intravenous recon soln 10 mg</i>                               | 2                | PA BvD                                    |
| <i>vinblastine intravenous solution 1 mg/ml</i>                               | 2                | PA BvD                                    |
| <i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>                   | 2                | PA BvD                                    |
| <i>vincristine intravenous solution 1 mg/ml, (Vincasar PFS) 2 mg/2 ml</i>     | 2                | PA BvD                                    |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml (Navelbine)</i>      | 2                |   |
| VOTRIENT ORAL TABLET 200 MG   | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| VYXEOS INTRAVENOUS RECON SOLN 44-100 MG                                       | 5                | PA BvD; NM; NDS                           |
| XALKORI ORAL CAPSULE 200 MG, 250 MG   | 5                | PA NSO; NM; NDS; QL (60 per 30 days)      |
| XATMEP ORAL SOLUTION 2.5 MG/ML  | 4                | PA BvD; ST                                |
| XTANDI ORAL CAPSULE 40 MG   | 5                | PA NSO; NM; NDS; QL (120 per 30 days)     |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)     | 5                | PA NSO; NM; NDS                           |
| YONDELIS INTRAVENOUS RECON SOLN 1 MG  | 5                | PA NSO; NM; NDS                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name   | Drug Tier | Requirements/Limits                      |
|---|-----------|--|
| YONSA ORAL TABLET 125 MG  | 5         | PA NSO; NM; NDS;<br>QL (120 per 30 days) |
| ZALTRAP INTRAVENOUS<br>SOLUTION 100 MG/4 ML (25<br>MG/ML), 200 MG/8 ML (25 MG/ML) | 5         | PA NSO; NM; NDS                          |
| ZEJULA ORAL CAPSULE 100 MG  | 5         | PA NSO; NM; NDS;<br>QL (90 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG   | 5         | PA NSO; NM; NDS;<br>QL (240 per 30 days) |
| ZOLADEX SUBCUTANEOUS<br>IMPLANT 10.8 MG   | 4         | QL (1 per 84 days)                       |
| ZOLADEX SUBCUTANEOUS<br>IMPLANT 3.6 MG  | 4         | QL (1 per 28 days)                       |
| ZOLINZA ORAL CAPSULE 100 MG   | 5         | NM; NDS                                  |
| ZYDELIG ORAL TABLET 100 MG,<br>150 MG   | 5         | PA NSO; NM; NDS;<br>QL (60 per 30 days)  |
| ZYKADIA ORAL CAPSULE 150 MG   | 5         | PA NSO; NM; NDS;<br>QL (140 per 28 days) |
| ZYTIGA ORAL TABLET 250 MG,<br>500 MG  | 5         | PA NSO; NM; NDS;<br>QL (120 per 30 days) |
| <b>Anticholinergic Agents</b>   |           |  |
| <b>Antimuscarinics/Antispasmodics</b>   |           |  |
| <i>atropine injection syringe 0.05 mg/ml, 0.1<br/>mg/ml</i>                       | 2         |  |
| <i>propantheline oral tablet 15 mg</i>  | 2         |  |
| <b>Anticonvulsants</b>  |           |  |
| <b>Anticonvulsants</b>  |           |  |
| APTIOM ORAL TABLET 200 MG,<br>400 MG, 600 MG, 800 MG                              | 5         | NM; NDS                                  |
| BANZEL ORAL SUSPENSION 40<br>MG/ML  | 5         | NM; NDS                                  |
| BANZEL ORAL TABLET 200 MG,<br>400 MG  | 5         | NM; NDS                                  |
| BRIVIACT INTRAVENOUS<br>SOLUTION 50 MG/5 ML                                       | 4         | QL (80 per 30 days)                      |
| BRIVIACT ORAL SOLUTION 10<br>MG/ML  | 4         | QL (600 per 30 days)                     |
| BRIVIACT ORAL TABLET 10 MG,<br>100 MG, 25 MG, 50 MG, 75 MG                        | 5         | NM; NDS; QL (60 per<br>30 days)          |
| <i>carbamazepine oral capsule, er<br/>multiphase 12 hr 100 mg, 200 mg, 300 mg</i> | 2         |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)   | 2                |                            |
| <i>carbamazepine oral tablet 200 mg</i> (Epitol)  | 2                |                            |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)          | 2                |                            |
| <i>carbamazepine oral tablet, chewable 100 mg</i>   | 2                |                            |
| <b>CELONTIN ORAL CAPSULE 300 MG</b>   | 3                |                            |
| <b>DILANTIN ORAL CAPSULE 30 MG</b>  | 2                |                            |
| <i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)                  | 2                |                            |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)                     | 2                |                            |
| <i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i> (Depakote)             | 2                |                            |
| <i>epitol oral tablet 200 mg</i>  | 2                |                            |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)  | 2                |                            |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)  | 2                |                            |
| <i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)   | 2                |                            |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)  | 2                |                            |
| <i>fosphenytoin injection solution 100 mg per/2 ml, 500 mg per/10 ml</i> (Cerebyx)                    | 2                |                            |
| <b>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</b>  | 4                |                            |
| <b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG</b>                                       | 4                |                            |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)                                     | 2                |                            |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)   | 2                |                            |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)  | 2                |                            |
| <b>GRALISE 30-DAY STARTER PACK<br/>ORAL TABLET EXTENDED<br/>RELEASE 24 HR 300 MG (9)- 600 MG (69)</b> | 4                | ST; QL (78 per 30 days)    |
| <b>GRALISE ORAL TABLET<br/>EXTENDED RELEASE 24 HR 300 MG, 600 MG</b>                                  | 4                | ST; QL (90 per 30 days)    |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)                               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|---------------------------------|------------------|----------------------------|
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i>                                | (Lamictal ODT Starter (Blue))   | 2                |                            |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i>                      | (Lamictal ODT Starter (Orange)) | 2                |                            |
| <i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i>                              | (Lamictal ODT Starter (Green))  | 2                |                            |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>           | (Lamictal XR)                   | 2                |                            |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>  | (Lamictal)                      | 2                |                            |
| <i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>                                  | (Lamictal ODT)                  | 2                |                            |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i> |                                 | 2                |                            |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i>   | (Keppra)                        | 2                |                            |
| <i>levetiracetam oral solution 100 mg/ml</i>  | (Keppra)                        | 2                |                            |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>   | (Keppra)                        | 2                |                            |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>                                      | (Keppra XR)                     | 2                |                            |
| <i>LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG</i>                      |                                 | 3                | QL (90 per 30 days)        |
| <i>LYRICA ORAL SOLUTION 20 MG/ML</i>  |                                 | 3                | QL (900 per 30 days)       |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>   | (Trileptal)                     | 2                |                            |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>   | (Trileptal)                     | 2                |                            |
| <i>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG</i>                                |                                 | 4                |                            |
| <i>PEGANONE ORAL TABLET 250 MG</i>  |                                 | 3                |                            |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>   |                                 | 2                |                            |
| <i>phenobarbital oral tablet 100 mg</i>   |                                 | 1                | GC                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| <i>phenobarbital oral tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>           | 2                |                               |
| <i>phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>  | 2                |                               |
| <i>phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>                                   | 2                |                               |
| <i>phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)</i>                           | 2                |                               |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)</i>                            | 2                |                               |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>  | 2                |                               |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>   | 2                |                               |
| POTIGA ORAL TABLET 200 MG, 300 MG, 400 MG  | 5                | NM; NDS; QL (90 per 30 days)  |
| POTIGA ORAL TABLET 50 MG   | 5                | NM; NDS; QL (270 per 30 days) |
| <i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>  | 2                |                               |
| ROWEPPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG  | 2                |                               |
| SABRIL ORAL TABLET 500 MG  | 5                | NM; NDS                       |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG  | 4                | ST; QL (60 per 30 days)       |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG  | 4                | ST; QL (120 per 30 days)      |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>   | 1                | GC                            |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)</i>                                   | 2                |                               |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>                                    | 2                |                               |
| <i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)</i> | 2                |                               |
| <i>topiramate oral tablet 100 mg, 200 mg, 50 mg (Topamax)</i>                                      | 2                |                               |
| <i>topiramate oral tablet 25 mg (Topamax)</i>  | 1                | GC                            |
| TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG                               | 4                | QL (30 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| TROKENDI XR ORAL<br>CAPSULE, EXTENDED RELEASE<br>24HR 200 MG                               | 5                | NM; NDS; QL (60 per 30 days) |
| <i>valproate sodium intravenous solution</i> (Depacon)<br>500 mg/5 ml (100 mg/ml)          | 2                |                              |
| <i>valproic acid (as sodium salt) oral solution</i> 500 mg/10 ml (10 ml)                   | 2                |                              |
| <i>valproic acid 250 mg/5 ml soln</i> 250 mg/5 ml (Depakene)                               | 2                |                              |
| <i>valproic acid oral capsule</i> 250 mg (Depakene)  | 2                |                              |
| <i>vigabatrin oral powder in packet</i> 500 mg (Sabril)                                    | 5                | NM; NDS                      |
| VIMPAT INTRAVENOUS<br>SOLUTION 200 MG/20 ML  | 3                | QL (200 per 5 days)          |
| VIMPAT ORAL SOLUTION 10<br>MG/ML   | 3                | QL (1200 per 30 days)        |
| VIMPAT ORAL TABLET 100 MG,<br>150 MG, 200 MG, 50 MG  | 3                | QL (60 per 30 days)          |
| <i>zonisamide oral capsule</i> 100 mg, 25 mg (Zonegran)                                    | 2                |                              |
| <i>zonisamide oral capsule</i> 50 mg   | 2                |                              |
| <b>Antidementia Agents</b>   |                  |                              |
| <b>Antidementia Agents</b>   |                  |                              |
| <i>donepezil oral tablet</i> 10 mg, 23 mg, 5 mg (Aricept)                                  | 2                | QL (30 per 30 days)          |
| <i>donepezil oral tablet,disintegrating</i> 10 mg, 5 mg                                    | 2                | QL (30 per 30 days)          |
| <i>galantamine oral capsule,ext rel. pellets</i> (Razadyne ER)<br>24 hr 16 mg, 24 mg, 8 mg | 2                | QL (30 per 30 days)          |
| <i>galantamine oral solution</i> 4 mg/ml   | 2                | QL (200 per 30 days)         |
| <i>galantamine oral tablet</i> 12 mg, 4 mg, 8 mg (Razadyne)                                | 2                | QL (60 per 30 days)          |
| <i>memantine oral capsule,sprinkle,er</i> 24hr (Namenda XR)<br>14 mg, 21 mg, 28 mg, 7 mg   | 2                | QL (30 per 30 days)          |
| <i>memantine oral solution</i> 2 mg/ml   | 2                | QL (360 per 30 days)         |
| <i>memantine oral tablet</i> 10 mg, 5 mg (Namenda)   | 2                | QL (60 per 30 days)          |
| <i>memantine oral tablets,dose pack</i> 5-10 mg (Namenda Titration Pak)                    | 2                | QL (49 per 28 days)          |
| NAMENDA XR ORAL<br>CAP,SPRINKLE,ER 24HR DOSE<br>PACK 7-14-21-28 MG                         | 3                | QL (28 per 28 days)          |
| NAMZARIC ORAL<br>CAP,SPRINKLE,ER 24HR DOSE<br>PACK 7/14/21/28 MG-10 MG                     | 3                | QL (56 per 365 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| NAMZARIC ORAL<br>CAPSULE,SPRINKLE,ER 24HR 14-<br>10 MG, 21-10 MG, 28-10 MG, 7-10<br>MG                     | 3                | QL (30 per 30 days)        |
| <i>rivastigmine tartrate oral capsule 1.5 mg,<br/>3 mg, 4.5 mg, 6 mg</i>                                   | 2                | QL (60 per 30 days)        |
| <i>rivastigmine transdermal patch 24 hour (Exelon)<br/>13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24<br/>hr</i> | 2                | QL (30 per 30 days)        |
| <b>Antidepressants</b>   |                  |                            |
| <b>Antidepressants</b>   |                  |                            |
| <i>amitriptyline oral tablet 10 mg, 100 mg,<br/>150 mg, 25 mg, 50 mg, 75 mg</i>                            | 2                |                            |
| <i>amitriptyline-chlordiazepoxide oral tablet<br/>12.5-5 mg, 25-10 mg</i>                                  | 2                |                            |
| <i>amoxapine oral tablet 100 mg, 150 mg,<br/>25 mg, 50 mg</i>  | 2                |                            |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>   | 2                |                            |
| <i>bupropion hcl oral tablet extended release (Wellbutrin SR)<br/>12 hr 100 mg, 150 mg, 200 mg</i>         | 2                |                            |
| <i>bupropion hcl oral tablet extended release (Wellbutrin XL)<br/>24 hr 150 mg, 300 mg</i>                 | 2                |                            |
| <i>citalopram oral solution 10 mg/5 ml</i>   | 2                | QL (600 per 30 days)       |
| <i>citalopram oral tablet 10 mg, 20 mg, 40 mg (Celexa)</i>   | 1                | GC; QL (30 per 30 days)    |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)</i>   | 2                |                            |
| <i>desipramine oral tablet 10 mg, 25 mg (Norpramin)</i>  | 2                |                            |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>  | 2                |                            |
| <i>desvenlafaxine succinate oral tablet (Pristiq)<br/>extended release 24 hr 100 mg, 25 mg, 50 mg</i>      | 2                | QL (30 per 30 days)        |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                     | 2                |                            |
| <i>doxepin oral concentrate 10 mg/ml</i>   | 2                |                            |
| <i>duloxetine oral capsule,delayed release(dr/lec) 20 mg, 60 mg</i>  | 2                | QL (60 per 30 days)        |
| <i>duloxetine oral capsule,delayed release(dr/lec) 30 mg</i>   | 2                | QL (30 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| <i>duloxetine oral capsule, delayed release (dr/ec) 40 mg</i>                          | 2                | QL (30 per 30 days)          |
| <b>EMSAM TRANSDERMAL PATCH<br/>24 HOUR 12 MG/24 HR, 6 MG/24<br/>HR, 9 MG/24 HR</b>     | 5                | NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                    | 2                |                              |
| <i>escitalopram oxalate oral tablet 10 mg, (Lexapro)<br/>20 mg, 5 mg</i>               | 1                | GC                           |
| <b>FETZIMA ORAL CAPSULE,EXT<br/>REL 24HR DOSE PACK 20 MG (2)-<br/>40 MG (26)</b>       | 4                | ST; QL (56 per 365 days)     |
| <b>FETZIMA ORAL<br/>CAPSULE,EXTENDED RELEASE 24<br/>HR 120 MG, 20 MG, 40 MG, 80 MG</b> | 4                | ST; QL (30 per 30 days)      |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 (Prozac)<br/>mg</i>                        | 1                | GC                           |
| <i>fluoxetine oral capsule,delayed<br/>release (dr/ec) 90 mg</i>                       | 2                | QL (4 per 28 days)           |
| <i>fluoxetine oral solution 20 mg/5 ml (4<br/>mg/ml)</i>                               | 2                |                              |
| <i>fluoxetine oral tablet 10 mg, 20 mg (Sarafem)</i>                                   | 2                |                              |
| <b>FLUOXETINE ORAL TABLET 60<br/>MG</b>  | 4                |                              |
| <i>fluvoxamine oral capsule,extended<br/>release 24hr 100 mg, 150 mg</i>               | 2                |                              |
| <i>fluvoxamine oral tablet 100 mg, 25 mg,<br/>50 mg</i>                                | 2                |                              |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, (Tofranil)<br/>50 mg</i>                   | 2                |                              |
| <i>imipramine pamoate oral capsule 100 mg,<br/>125 mg, 150 mg, 75 mg</i>               | 2                |                              |
| <i>maprotiline oral tablet 25 mg, 50 mg, 75<br/>mg</i>                                 | 2                |                              |
| <b>MARPLAN ORAL TABLET 10 MG</b>   | 4                |                              |
| <i>mirtazapine oral tablet 15 mg (Remeron)</i>   | 1                | GC                           |
| <i>mirtazapine oral tablet 30 mg (Remeron)</i>   | 2                |                              |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>   | 2                |                              |
| <i>mirtazapine oral tablet,disintegrating 15 (Remeron SolTab)<br/>mg, 30 mg, 45 mg</i> | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                         | 2                |                            |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>                      | 1                | GC                         |
| <i>nortriptyline oral solution 10 mg/5 ml</i>   | 2                |                            |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>                        | 1                | GC                         |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i> | 2                |                            |
| <b>PAXIL ORAL SUSPENSION 10 MG/5 ML</b>   | 4                |                            |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>   | 2                |                            |
| <i>phenelzine oral tablet 15 mg (Nardil)</i>  | 2                |                            |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>  | 2                |                            |
| <i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>  | 2                |                            |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>                                 | 1                | GC                         |
| <b>SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG</b>  | 4                |                            |
| <i>tranylcypromine oral tablet 10 mg (Parnate)</i>  | 2                |                            |
| <i>trazodone oral tablet 100 mg, 50 mg</i>  | 1                | GC                         |
| <i>trazodone oral tablet 150 mg, 300 mg</i>   | 2                |                            |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg (Surmontil)</i>                           | 2                |                            |
| <b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>  | 3                | ST; QL (30 per 30 days)    |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg (Effexor XR)</i>                  | 2                | QL (30 per 30 days)        |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg (Effexor XR)</i>          | 2                | QL (90 per 30 days)        |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                         | 2                |                            |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i>                 | 2                |                            |
| <i>venlafaxine oral tablet extended release 24hr 225 mg</i>                                 | 4                |                            |
| <b>VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>  | 3                | ST; QL (30 per 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| VIIBRYD ORAL TABLETS,DOSE<br>PACK 10 MG (7)- 20 MG (23)   | 3                | ST; QL (30 per 180 days)   |
| <b>Antidiabetic Agents</b>  |                  |                            |
| <b>Antidiabetic Agents, Miscellaneous</b>   |                  |                            |
| acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)   | 2                | QL (90 per 30 days)        |
| CYCLOSET ORAL TABLET 0.8 MG   | 4                | QL (180 per 30 days)       |
| GLUCAGEN HYPOKIT INJECTION<br>RECON SOLN 1 MG   | 3                |                            |
| GLUCAGON EMERGENCY KIT<br>(HUMAN) INJECTION KIT 1 MG  | 4                |                            |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG   | 3                | ST; QL (30 per 30 days)    |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG                                       | 3                | ST; QL (60 per 30 days)    |
| INVOKAMET ORAL TABLET 50-500 MG   | 3                | ST; QL (120 per 30 days)   |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG | 3                | ST; QL (60 per 30 days)    |
| INVOKANA ORAL TABLET 100 MG   | 3                | ST; QL (60 per 30 days)    |
| INVOKANA ORAL TABLET 300 MG   | 3                | ST; QL (30 per 30 days)    |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG  | 3                | QL (60 per 30 days)        |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG  | 3                | QL (30 per 30 days)        |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                                | 3                | QL (60 per 30 days)        |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG  | 3                | QL (30 per 30 days)        |
| JARDIANCE ORAL TABLET 10 MG, 25 MG  | 3                | ST; QL (30 per 30 days)    |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG                                       | 3                | QL (60 per 30 days)        |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                                    | 3                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| JENTADUETO XR ORAL TABLET,<br>IR - ER, BIPHASIC 24HR 5-1,000 MG                    | 3                | QL (30 per 30 days)                  |
| KAZANO ORAL TABLET 12.5-1,000<br>MG, 12.5-500 MG                                   | 4                | QL (60 per 30 days)                  |
| KORLYM ORAL TABLET 300 MG  | 5                | PA; NM; NDS; QL<br>(112 per 28 days) |
| <i>metformin oral tablet 1,000 mg</i> (Glucophage)                                 | 6                | GC; QL (75 per 30 days)              |
| <i>metformin oral tablet 500 mg</i> (Glucophage)                                   | 6                | GC; QL (150 per 30 days)             |
| <i>metformin oral tablet 850 mg</i> (Glucophage)                                   | 6                | GC; QL (90 per 30 days)              |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)         | 6                | GC; QL (120 per 30 days)             |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)         | 6                | GC; QL (90 per 30 days)              |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)                          | 2                | QL (90 per 30 days)                  |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)                             | 2                | QL (90 per 30 days)                  |
| NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG   | 4                | QL (30 per 30 days)                  |
| OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG | 4                | QL (30 per 30 days)                  |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                        | 2                | QL (30 per 30 days)                  |
| <i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)             | 2                | QL (30 per 30 days)                  |
| <i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)      | 2                | QL (90 per 30 days)                  |
| <i>repaglinide oral tablet 0.5 mg</i>  | 2                | QL (240 per 30 days)                 |
| <i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)                                | 2                | QL (240 per 30 days)                 |
| <i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>                        | 2                | QL (150 per 30 days)                 |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML                           | 5                | PA; NM; NDS; QL (10.8 per 28 days)   |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML                            | 5                | PA; NM; NDS; QL (10.8 per 28 days)   |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG              | 3                | ST; QL (60 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG         | 3                | ST; QL (30 per 30 days)    |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG        | 3                | ST; QL (60 per 30 days)    |
| TRADJENTA ORAL TABLET 5 MG   | 3                | QL (30 per 30 days)        |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML                | 3                | QL (2 per 28 days)         |
| VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)                     | 3                | QL (9 per 30 days)         |
| <b>Insulins</b>  |                  |                            |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)        | 3                | QL (30 per 28 days)        |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                            | 3                | QL (40 per 28 days)        |
| HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML     | 4                | ST; QL (30 per 28 days)    |
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML) | 4                | ST; QL (30 per 28 days)    |
| HUMALOG MIX 50-50 INSULIN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)      | 4                | ST; QL (40 per 28 days)    |
| HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)           | 4                | ST; QL (30 per 28 days)    |
| HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)           | 4                | ST; QL (30 per 28 days)    |
| HUMALOG MIX 75-25(U-100)INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)      | 4                | ST; QL (40 per 28 days)    |
| HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML                         | 4                | ST; QL (30 per 28 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| HUMALOG U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                    | 4                | ST; QL (40 per 28 days)    |
| HUMULIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION 100<br>UNIT/ML (70-30)    | 4                | ST; QL (40 per 28 days)    |
| HUMULIN 70/30 U-100 KWIKPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (70-30)   | 4                | ST; QL (30 per 28 days)    |
| HUMULIN N NPH INSULIN<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3 ML)  | 4                | ST; QL (30 per 28 days)    |
| HUMULIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION 100<br>UNIT/ML            | 4                | ST; QL (40 per 28 days)    |
| HUMULIN R REGULAR U-100<br>INSULN INJECTION SOLUTION<br>100 UNIT/ML              | 4                | ST; QL (40 per 28 days)    |
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML           | 3                | QL (40 per 28 days)        |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3 ML) | 3                | QL (24 per 28 days)        |
| LANTUS SOLOSTAR U-100<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3 ML)  | 3                | QL (30 per 28 days)        |
| LANTUS U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                     | 3                | QL (40 per 28 days)        |
| NOVOLIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION 100<br>UNIT/ML (70-30)    | 3                | QL (40 per 28 days)        |
| NOVOLIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION 100<br>UNIT/ML            | 3                | QL (40 per 28 days)        |
| NOVOLIN R REGULAR U-100<br>INSULN INJECTION SOLUTION<br>100 UNIT/ML              | 3                | QL (40 per 28 days)        |
| NOVOLOG FLEXPEN U-100<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML         | 3                | QL (30 per 28 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| NOVOLOG MIX 70-30 U-100<br>INSULN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML (70-30)       | 3                | QL (40 per 28 days)         |
| NOVOLOG MIX 70-30FLEXPEN U-<br>100 SUBCUTANEOUS INSULIN<br>PEN 100 UNIT/ML (70-30)   | 3                | QL (30 per 28 days)         |
| NOVOLOG PENFILL U-100<br>INSULIN SUBCUTANEOUS<br>CARTRIDGE 100 UNIT/ML               | 3                | QL (30 per 28 days)         |
| NOVOLOG U-100 INSULIN<br>ASPART SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                 | 3                | QL (40 per 28 days)         |
| SOLIQUA 100/33 SUBCUTANEOUS<br>INSULIN PEN 100 UNIT-33<br>MCG/ML                     | 3                | ST; QL (30 per 30 days)     |
| TOUJEO MAX SOLOSTAR<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (3 ML)                | 3                | QL (18 per 28 days)         |
| TOUJEO SOLOSTAR U-300<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 300 UNIT/ML (1.5<br>ML) | 3                | QL (13.5 per 28 days)       |
| XULTOPHY 100/3.6<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-3.6 MG /ML (3 ML)           | 3                | ST; QL (15 per 28 days)     |
| <b>Sulfonylureas</b>   |                  |                             |
| glimepiride oral tablet 1 mg, 2 mg<br>(Amaryl)                                       | 6                | GC; QL (30 per 30<br>days)  |
| glimepiride oral tablet 4 mg<br>(Amaryl)   | 6                | GC; QL (60 per 30<br>days)  |
| glipizide oral tablet 10 mg<br>(Glucotrol)   | 6                | GC; QL (120 per 30<br>days) |
| glipizide oral tablet 5 mg<br>(Glucotrol)  | 6                | GC; QL (60 per 30<br>days)  |
| glipizide oral tablet extended release 24hr<br>10 mg<br>(Glucotrol XL)               | 6                | GC; QL (60 per 30<br>days)  |
| glipizide oral tablet extended release 24hr<br>2.5 mg, 5 mg<br>(Glucotrol XL)        | 6                | GC; QL (30 per 30<br>days)  |
| glipizide-metformin oral tablet 2.5-250<br>mg  | 2                | QL (240 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>              | 2                | QL (120 per 30 days)       |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>               | 2                |                            |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                       | 2                |                            |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i>                       | 2                |                            |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg (Glucovance)</i> | 2                |                            |
| <i>tolazamide oral tablet 250 mg</i>                                     | 2                | QL (120 per 30 days)       |
| <i>tolazamide oral tablet 500 mg</i>                                     | 2                | QL (60 per 30 days)        |
| <i>tolbutamide oral tablet 500 mg</i>                                    | 2                | QL (180 per 30 days)       |
| <b>Antifungals</b>   |                  |                            |
| <b>Antifungals</b>   |                  |                            |
| <i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>                            | 5                | PA BvD; NM; NDS            |
| <i>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</i>          | 5                | PA BvD; NM; NDS            |
| <i>amphotericin b injection recon soln 50 mg</i>                         | 2                | PA BvD                     |
| <i>caspofungin intravenous recon soln 50 mg, 70 mg (Cancidas)</i>        | 5                | NM; NDS                    |
| <i>ciclopirox topical cream 0.77% (Ciclodan)</i>                         | 2                |                            |
| <i>ciclopirox topical gel 0.77%</i>                                      | 2                |                            |
| <i>ciclopirox topical shampoo 1% (Loprox)</i>                            | 2                |                            |
| <i>ciclopirox topical solution 8% (Ciclodan)</i>                         | 2                |                            |
| <i>ciclopirox topical suspension 0.77% (Loprox (as olamine))</i>         | 2                |                            |
| <i>clotrimazole mucous membrane troche 10 mg</i>                         | 2                |                            |
| <i>clotrimazole topical cream 1% (Antifungal (clotrimazole))</i>         | 2                |                            |
| <i>clotrimazole topical solution 1%</i>                                  | 2                |                            |
| <i>clotrimazole-betamethasone topical cream 1-0.05%</i>                  | 2                |                            |
| <i>clotrimazole-betamethasone topical lotion 1-0.05%</i>                 | 2                |                            |
| <i>econazole topical cream 1%</i>  | 2                |                            |
| <b>EXELDERM TOPICAL CREAM 1 %</b>  | <b>4</b>         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |         |
|--|------------------|----------------------------|---------|
| EXELDERM TOPICAL SOLUTION<br>1 %   | 4                |                            |         |
| fluconazole in nacl (iso-osm) intravenous<br>piggyback 100 mg/50 ml, 400 mg/200 ml | 2                |                            |         |
| fluconazole in nacl (iso-osm) intravenous<br>piggyback 200 mg/100 ml               | 2                |                            |         |
| fluconazole oral suspension for<br>reconstitution 10 mg/ml, 40 mg/ml               | (Diflucan)       | 2                          |         |
| fluconazole oral tablet 100 mg, 150 mg,<br>200 mg, 50 mg                           | (Diflucan)       | 2                          |         |
| fluconazole-dext 200 mg/100 ml inner,<br>suv 200 mg/100 ml                         | 2                |                            |         |
| flucytosine oral capsule 250 mg, 500 mg  | (Ancobon)        | 5                          | NM; NDS |
| griseofulvin microsize oral suspension 125<br>mg/5 ml                              | 2                |                            |         |
| griseofulvin microsize oral tablet 500 mg  | 2                |                            |         |
| griseofulvin ultramicrosize oral tablet 125<br>mg, 250 mg                          | 2                |                            |         |
| itraconazole oral capsule 100 mg   | (Sporanox)       | 2                          |         |
| ketoconazole oral tablet 200 mg  | 2                |                            |         |
| ketoconazole topical cream 2 %   | 2                |                            |         |
| ketoconazole topical shampoo 2 %   | (Nizoral)        | 2                          |         |
| miconazole-3 vaginal suppository 200 mg  | 2                |                            |         |
| NOXAFIL INTRAVENOUS<br>SOLUTION 300 MG/16.7 ML                                     | 5                | NM; NDS                    |         |
| NOXAFIL ORAL SUSPENSION 200<br>MG/5 ML (40 MG/ML)                                  | 5                | NM; NDS                    |         |
| NOXAFIL ORAL<br>TABLET,DELAYED RELEASE<br>(DR/EC) 100 MG                           | 5                | NM; NDS                    |         |
| nyamyc topical powder 100,000<br>unit/gram   | 2                |                            |         |
| nyata topical powder 100,000 unit/gram   | 2                |                            |         |
| nystatin oral suspension 100,000 unit/ml   | 2                |                            |         |
| nystatin oral tablet 500,000 unit  | 2                |                            |         |
| nystatin topical cream 100,000 unit/gram   | 2                |                            |         |
| nystatin topical ointment 100,000<br>unit/gram                                     | 2                |                            |         |
| nystatin topical powder 100,000<br>unit/gram                                       | (Nyamyc)         | 2                          |         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>nystatin-triamcinolone topical cream<br/>100,000-0.1 unit/g-%</i>                 | 2                |                            |
| <i>nystatin-triamcinolone topical ointment<br/>100,000-0.1 unit/gram-%</i>           | 2                |                            |
| <i>nystop topical powder 100,000 unit/gram</i>                                       | 2                |                            |
| <b>SPORANOX ORAL SOLUTION 10 MG/ML</b>   | 5                | NM; NDS                    |
| <i>terbinafine hcl oral tablet 250 mg</i>  | 1                | GC                         |
| <i>voriconazole intravenous solution 200 mg (Vfend IV)</i>                           | 5                | NM; NDS                    |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>        | 5                | NM; NDS                    |
| <i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>                                | 5                | NM; NDS                    |
| <b>Antigout Agents</b>   |                  |                            |
| <b>Antigout Agents, Other</b>  |                  |                            |
| <i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>                             | 1                | GC                         |
| <b>COLCRYS ORAL TABLET 0.6 MG</b>  | 2                |                            |
| <i>probencid oral tablet 500 mg</i>  | 2                |                            |
| <i>probencid-colchicine oral tablet 500-0.5 mg</i>                                   | 2                |                            |
| <b>ULORIC ORAL TABLET 40 MG, 80 MG</b>   | 3                | QL (30 per 30 days)        |
| <b>ZURAMPIC ORAL TABLET 200 MG</b>   | 3                | ST; QL (30 per 30 days)    |
| <b>Antihistamines</b>  |                  |                            |
| <b>Antihistamines</b>  |                  |                            |
| <i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>                                   | 2                |                            |
| <i>carbinoxamine maleate oral tablet 4 mg</i>  | 2                |                            |
| <i>clemastine oral tablet 2.68 mg</i>  | 2                |                            |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i>   | 2                |                            |
| <i>cyproheptadine oral tablet 4 mg</i>   | 2                |                            |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i>                               | 2                |                            |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i>                                | 2                |                            |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Children's Allergy (diphenhyd))</i> | 1                | GC                         |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml</i>                               | 2                |                            |
| <i>hydroxyzine hcl intramuscular solution 50 mg/ml</i>                               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>  | 2                |                              |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>   | 2                |                              |
| <i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>  | 2                |                              |
| <i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>   | 1                | GC                           |
| <i>promethazine oral syrup 6.25 mg/5 ml</i>  | 2                |                              |
| <i>promethazine vc oral syrup 6.25-5 mg/5 ml</i>   | 2                |                              |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>  |                  |                              |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>  |                  |                              |
| AVC VAGINAL VAGINAL CREAM<br>15 %  | 3                |                              |
| <i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>   | 2                |                              |
| <i>metronidazole vaginal gel 0.75 % (Metrogel Vaginal)</i>   | 2                |                              |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>  | 2                |                              |
| <i>terconazole vaginal suppository 80 mg</i>   | 2                |                              |
| <b>Antimigraine Agents</b>   |                  |                              |
| <b>Antimigraine Agents</b>   |                  |                              |
| <i>dihydroergotamine injection solution 1 mg/ml (D.H.E.45)</i>   | 5                | NM; NDS; QL (30 per 28 days) |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)</i>                    | 5                | NM; NDS; QL (8 per 28 days)  |
| ERGOMAR SUBLINGUAL TABLET<br>2 MG  | 3                | QL (40 per 28 days)          |
| <i>naratriptan oral tablet 1 mg, 2.5 mg (Amerge)</i>   | 2                | QL (18 per 28 days)          |
| <i>rizatriptan oral tablet 10 mg (Maxalt)</i>  | 2                | QL (18 per 28 days)          |
| <i>rizatriptan oral tablet 5 mg</i>  | 2                | QL (18 per 28 days)          |
| <i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg (Maxalt-MLT)</i>                                    | 2                | QL (18 per 28 days)          |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation (Imitrex)</i>                      | 2                | QL (12 per 28 days)          |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg (Imitrex)</i>                                    | 2                | QL (18 per 28 days)          |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Kit Refill)</i> | 2                | QL (4 per 28 days)           |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Pen)</i>     | 2                | QL (4 per 28 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |             | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--|-------------|------------------|------------------------------------|
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> | (Imitrex)   | 2                | QL (4 per 28 days)                 |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>  |             | 2                | QL (4 per 28 days)                 |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>                   | (Zomig)     | 2                | QL (12 per 28 days)                |
| <i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>    | (Zomig ZMT) | 2                | QL (12 per 28 days)                |
| <b>Antimycobacterials</b>                                      |             |                  |                                    |
| <b>Antimycobacterials</b>                                      |             |                  |                                    |
| CAPASTAT INJECTION RECON SOLN 1 GRAM                           |             | 4                |                                    |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                       |             | 2                |                                    |
| <i>ethambutol oral tablet 100 mg</i>                           |             | 2                |                                    |
| <i>ethambutol oral tablet 400 mg</i>                           | (Myambutol) | 2                |                                    |
| <i>isoniazid oral solution 50 mg/5 ml</i>                      |             | 2                |                                    |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                    |             | 1                | GC                                 |
| PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM               |             | 4                |                                    |
| PRIFTIN ORAL TABLET 150 MG                                     |             | 4                |                                    |
| <i>pyrazinamide oral tablet 500 mg</i>                         |             | 2                |                                    |
| <i>rifabutin oral capsule 150 mg</i>                           | (Mycobutin) | 2                |                                    |
| <i>rifampin intravenous recon soln 600 mg</i>                  | (Rifadin)   | 2                |                                    |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                    | (Rifadin)   | 2                |                                    |
| RIFATER ORAL TABLET 50-120-300 MG                              |             | 4                |                                    |
| SIRTURO ORAL TABLET 100 MG                                     |             | 5                | PA; NM; NDS; QL (188 per 168 days) |
| TRECATOR ORAL TABLET 250 MG                                    |             | 4                |                                    |
| <b>Antinausea Agents</b>                                       |             |                  |                                    |
| <b>Antinausea Agents</b>                                       |             |                  |                                    |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG     |             | 3                |                                    |
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG                   |             | 3                | PA BvD                             |
| <i>aprepitant oral capsule 125 mg</i>                          | (Emend)     | 2                | PA BvD; QL (2 per 28 days)         |
| <i>aprepitant oral capsule 40 mg</i>                           | (Emend)     | 2                | PA BvD; QL (1 per 28 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|---------------------------|------------------|----------------------------|
| <i>aprepitant oral capsule 80 mg</i>                                      | (Emend)                   | 2                | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg</i>                          | (Emend)<br>(1)- 80 mg (2) | 2                | PA BvD; QL (6 per 28 days) |
| CINVANTI INTRAVENOUS<br>EMULSION 7.2 MG/ML                                |                           | 4                | QL (36 per 28 days)        |
| <i>compro rectal suppository 25 mg</i>                                    |                           | 2                |                            |
| <i>dimenhydrinate injection solution 50 mg/ml</i>                         |                           | 2                |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>                        | (Marinol)                 | 2                | PA                         |
| EMEND (FOSAPREPITANT)<br>INTRAVENOUS RECON SOLN 150 MG                    |                           | 4                | QL (2 per 28 days)         |
| EMEND ORAL SUSPENSION FOR<br>RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.) |                           | 4                | PA BvD; QL (6 per 28 days) |
| <i>granisetron (pf) intravenous solution 100 mcg/ml</i>                   |                           | 2                |                            |
| <i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>       |                           | 2                |                            |
| <i>granisetron hcl oral tablet 1 mg</i>                                   |                           | 2                | PA BvD                     |
| <i>meclizine oral tablet 12.5 mg</i>                                      |                           | 2                |                            |
| <i>meclizine oral tablet 25 mg</i>  | (Dramamine Less Drowsy)   | 2                |                            |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>                  |                           | 2                |                            |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>                   |                           | 2                |                            |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i>                            | (Zofran)                  | 2                | PA BvD                     |
| <i>ondansetron hcl oral tablet 24 mg</i>                                  |                           | 2                | PA BvD                     |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                             | (Zofran)                  | 2                | PA BvD                     |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                 | (Zofran ODT)              | 2                | PA BvD                     |
| <i>phenadoz rectal suppository 12.5 mg, 25 mg</i>                         |                           | 2                |                            |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> |                           | 2                |                            |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                   | (Compazine)               | 1                | GC                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| <i>prochlorperazine rectal suppository 25 mg</i> (Compazine)                      | 2                |                                  |
| <i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)             | 2                |                                  |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>                             | 2                |                                  |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)                  | 2                |                                  |
| <i>promethazine rectal suppository 50 mg</i> (Phenergan)                          | 2                |                                  |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>                       | 2                |                                  |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 2                | QL (10 per 30 days)              |
| <b>SYNDROS ORAL SOLUTION 5 MG/ML</b>  | 4                | PA                               |
| <b>Antiparasite Agents</b>  |                  |                                  |
| <b>Antiparasite Agents</b>  |                  |                                  |
| <i>ALBENZA ORAL TABLET 200 MG</i>   | 5                | NM; NDS                          |
| <i>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</i>                      | 4                |                                  |
| <i>ALINIA ORAL TABLET 500 MG</i>  | 4                |                                  |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                            | 5                | NM; NDS                          |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)                     | 2                |                                  |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)           | 2                |                                  |
| <i>benznidazole oral tablet 100 mg, 12.5 mg</i>                                   | 4                |                                  |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                           | 2                |                                  |
| <b>COARTEM ORAL TABLET 20-120 MG</b>  | 4                |                                  |
| <b>DARAPRIM ORAL TABLET 25 MG</b>   | 5                | PA; NM; NDS                      |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)                          | 2                |                                  |
| <b>IMPAVIDO ORAL CAPSULE 50 MG</b>  | 5                | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)                                   | 2                |                                  |
| <i>mefloquine oral tablet 250 mg</i>  | 2                |                                  |
| <b>NEBUPENT INHALATION RECON SOLN 300 MG</b>                                      | 4                | PA BvD                           |
| <i>paromomycin oral capsule 250 mg</i>  | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|---|------------------|------------------------------|
| PENTAM INJECTION RECON<br>SOLN 300 MG  |   | 4                |                              |
| PRIMAQUINE ORAL TABLET 26.3<br>MG  |   | 4                |                              |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)                                   | 2 |                  | PA; QL (42 per 7 days)       |
| <i>tinidazole oral tablet 250 mg</i>   | 2 |                  |                              |
| <i>tinidazole oral tablet 500 mg</i> (Tindamax)  | 2 |                  |                              |
| <b>Antiparkinsonian Agents</b>   |   |                  |                              |
| <b>Antiparkinsonian Agents</b>   |   |                  |                              |
| <i>amantadine hcl oral capsule 100 mg</i>  | 2 |                  |                              |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>   | 2 |                  |                              |
| <i>amantadine hcl oral tablet 100 mg</i>   | 2 |                  |                              |
| APOKYN SUBCUTANEOUS<br>CARTRIDGE 10 MG/ML  |   | 5                | NM; NDS; QL (60 per 30 days) |
| <i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)                               | 2 |                  |                              |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>  | 2 |                  |                              |
| <i>bromocriptine oral capsule 5 mg</i> (Parlodel)  | 2 |                  |                              |
| <i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)                                       | 2 |                  |                              |
| <i>cabergoline oral tablet 0.5 mg</i>  | 2 |                  |                              |
| <i>carbidopa oral tablet 25 mg</i> (Lodosyn)   | 5 |                  | NM; NDS                      |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)          | 2 |                  |                              |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR) | 2 |                  |                              |
| <i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>     | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)             | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)            | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)             | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)          | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)           | 2 |                  |                              |
| <i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)             | 2 |                  |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>entacapone oral tablet 200 mg</i> (Comtan)  | 2                |                                  |
| <b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG</b>   | 5                | PA; NM; NDS; QL (60 per 30 days) |
| <b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG</b>  | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <b>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR</b> | 3                | QL (30 per 30 days)              |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)  | 2                |                                  |
| <i>pramipexole oral tablet 0.5 mg</i> (Mirapex)  | 1                | GC                               |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)   | 2                |                                  |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)                                       | 2                |                                  |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)                             | 2                |                                  |
| <i>selegiline hcl oral capsule 5 mg</i>  | 2                |                                  |
| <i>selegiline hcl oral tablet 5 mg</i>   | 2                |                                  |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i>   | 2                |                                  |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>  | 2                |                                  |
| <b>XADAGO ORAL TABLET 100 MG, 50 MG</b>  | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <b>Antipsychotic Agents</b>  |                  |                                  |
| <b>Antipsychotic Agents</b>  |                  |                                  |
| <b>ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG</b>   | 5                | NM; NDS; QL (1 per 28 days)      |
| <b>ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG</b>  | 5                | NM; NDS; QL (1 per 28 days)      |
| <i>aripiprazole oral solution 1 mg/ml</i>  | 2                | QL (900 per 30 days)             |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)   | 2                | QL (30 per 30 days)              |
| <i>aripiprazole oral tablet 2 mg</i> (Abilify)   | 2                | QL (60 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                         | 2                | QL (90 per 30 days)              |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                         | 2                | QL (60 per 30 days)              |
| <b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML</b> | 5                | NM; NDS; QL (3.9 per 56 days)    |
| <b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML</b>   | 5                | NM; NDS; QL (1.6 per 28 days)    |
| <b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML</b>   | 5                | NM; NDS; QL (2.4 per 28 days)    |
| <b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML</b>   | 5                | NM; NDS; QL (3.2 per 28 days)    |
| <i>chlorpromazine injection solution 25 mg/ml</i>                            | 2                |                                  |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>        | 2                |                                  |
| <i>clozapine oral tablet 100 mg</i> (Clozaril)                               | 2                | QL (270 per 30 days)             |
| <i>clozapine oral tablet 200 mg</i>  | 2                | QL (135 per 30 days)             |
| <i>clozapine oral tablet 25 mg</i> (Clozaril)                                | 2                | QL (90 per 30 days)              |
| <i>clozapine oral tablet 50 mg</i>   | 2                | QL (90 per 30 days)              |
| <i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo) | 2                | ST; QL (90 per 30 days)          |
| <i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)                 | 2                | ST; QL (180 per 30 days)         |
| <i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)                 | 2                | ST; QL (120 per 30 days)         |
| <b>FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG</b>                                   | 4                | ST; QL (60 per 30 days)          |
| <b>FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG</b>                           | 5                | ST; NM; NDS; QL (60 per 30 days) |
| <b>FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)</b>           | 4                | ST; QL (8 per 28 days)           |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>                    | 2                |                                  |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>                         | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---|------------------|---------------------------------|
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                        | 2                |                                 |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>                         | 2                |                                 |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>           | 2                |                                 |
| GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)                  | 4                | QL (6 per 28 days)              |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>    | 2                |                                 |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> | 2                |                                 |
| <i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)          | 2                |                                 |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i>                | 2                |                                 |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                     | 2                |                                 |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>   | 2                |                                 |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                    | 5                | NM; NDS; QL (0.75 per 28 days)  |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML                         | 5                | NM; NDS; QL (1 per 28 days)     |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                     | 5                | NM; NDS; QL (1.5 per 28 days)   |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                     | 4                | QL (0.25 per 28 days)           |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                      | 5                | NM; NDS; QL (0.5 per 28 days)   |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML                     | 5                | NM; NDS; QL (0.875 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML                     | 5                | NM; NDS; QL (1.315 per 84 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML                                 | 5                | NM; NDS; QL (1.75 per 84 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.625 ML                                | 5                | NM; NDS; QL (2.625 per 84 days)      |
| LATUDA ORAL TABLET 120 MG,<br>20 MG, 40 MG, 60 MG, 80 MG                                 | 3                | QL (30 per 30 days)                  |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                         | 2                |                                      |
| <i>molindone oral tablet 10 mg</i>   | 2                | QL (240 per 30 days)                 |
| <i>molindone oral tablet 25 mg</i>   | 2                | QL (270 per 30 days)                 |
| <i>molindone oral tablet 5 mg</i>  | 2                | QL (120 per 30 days)                 |
| NUPLAZID ORAL TABLET 17 MG   | 5                | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)                               | 2                | QL (30 per 30 days)                  |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)        | 2                | QL (30 per 30 days)                  |
| <i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)   | 2                | QL (30 per 30 days)                  |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)        | 5                | NM; NDS; QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)                      | 5                | NM; NDS; QL (60 per 30 days)         |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                  | 2                |                                      |
| <i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)  | 2                |                                      |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)    | 2                | QL (90 per 30 days)                  |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR) | 2                | QL (30 per 30 days)                  |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)        | 2                | QL (60 per 30 days)                  |
| REXULTI ORAL TABLET 0.25 MG  | 5                | ST; NM; NDS; QL (120 per 30 days)    |
| REXULTI ORAL TABLET 0.5 MG   | 5                | ST; NM; NDS; QL (60 per 30 days)     |
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG   | 5                | ST; NM; NDS; QL (30 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| RISPERDAL CONSTA<br>INTRAMUSCULAR SYRINGE 12.5<br>MG/2 ML, 25 MG/2 ML              | 4                | QL (4 per 28 days)                |
| RISPERDAL CONSTA<br>INTRAMUSCULAR SYRINGE 37.5<br>MG/2 ML, 50 MG/2 ML              | 5                | NM; NDS; QL (4 per 28 days)       |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                               | 2                | QL (480 per 30 days)              |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal) | 2                | QL (60 per 30 days)               |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>          | 2                | QL (60 per 30 days)               |
| <i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>                           | 2                | QL (120 per 30 days)              |
| SAPHRIS (BLACK CHERRY)<br>SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG                    | 5                | ST; NM; NDS; QL (60 per 30 days)  |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                        | 2                |                                   |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                            | 2                |                                   |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                         | 2                |                                   |
| VERSACLOZ ORAL SUSPENSION<br>50 MG/ML  | 5                | ST; NM; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG                                    | 5                | ST; NM; NDS; QL (30 per 30 days)  |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)                                | 4                | ST; QL (7 per 30 days)            |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)            | 2                | QL (60 per 30 days)               |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG             | 4                | QL (2 per 28 days)                |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG             | 5                | NM; NDS; QL (2 per 28 days)       |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG             | 5                | NM; NDS; QL (1 per 28 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>Antivirals (Systemic)</b>   |           |                     |
| <b>Antiretrovirals</b>   |           |                     |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen)  | 2         |                     |
| <i>abacavir oral tablet 300 mg</i> (Ziagen)  | 2         |                     |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)                                      | 5         | NM; NDS             |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)                      | 5         | NM; NDS             |
| <b>APTIVUS ORAL CAPSULE 250 MG</b>   | 5         | NM; NDS             |
| <b>APTIVUS ORAL SOLUTION 100 MG/ML</b>   | 4         |                     |
| <i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)                                  | 5         | NM; NDS             |
| <b>ATRIPLA ORAL TABLET 600-200-300 MG</b>  | 5         | NM; NDS             |
| <b>BIKTARVY ORAL TABLET 50-200-25 MG</b>   | 5         | NM; NDS             |
| <b>CIMDUO ORAL TABLET 300-300 MG</b>   | 5         | NM; NDS             |
| <b>COMPLERA ORAL TABLET 200-25-300 MG</b>  | 5         | NM; NDS             |
| <b>CRIXIVAN ORAL CAPSULE 200 MG, 400 MG</b>  | 4         |                     |
| <b>DESCOVY ORAL TABLET 200-25 MG</b>   | 5         | NM; NDS             |
| <i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC) | 2         |                     |
| <b>EDURANT ORAL TABLET 25 MG</b>   | 5         | NM; NDS             |
| <i>efavirenz oral capsule 200 mg</i> (Sustiva)   | 5         | NM; NDS             |
| <i>efavirenz oral capsule 50 mg</i> (Sustiva)  | 2         |                     |
| <i>efavirenz oral tablet 600 mg</i> (Sustiva)  | 5         | NM; NDS             |
| <b>EMTRIVA ORAL CAPSULE 200 MG</b>   | 3         |                     |
| <b>EMTRIVA ORAL SOLUTION 10 MG/ML</b>  | 3         |                     |
| <b>EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)</b>   | 4         |                     |
| <b>EVOTAZ ORAL TABLET 300-150 MG</b>   | 5         | NM; NDS             |
| <i>fosamprenavir oral tablet 700 mg</i> (Lexiva)   | 5         | NM; NDS             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| FUZEON SUBCUTANEOUS<br>RECON SOLN 90 MG   | 5                | NM; NDS                    |
| GENVOYA ORAL TABLET 150-150-<br>200-10 MG   | 5                | NM; NDS                    |
| INTELENCE ORAL TABLET 100<br>MG, 200 MG   | 5                | NM; NDS                    |
| INTELENCE ORAL TABLET 25 MG   | 3                |                            |
| INVIRASE ORAL CAPSULE 200 MG  | 5                | NM; NDS                    |
| INVIRASE ORAL TABLET 500 MG   | 5                | NM; NDS                    |
| ISENTRESS HD ORAL TABLET 600<br>MG  | 5                | NM; NDS                    |
| ISENTRESS ORAL POWDER IN<br>PACKET 100 MG   | 3                |                            |
| ISENTRESS ORAL TABLET 400 MG  | 5                | NM; NDS                    |
| ISENTRESS ORAL<br>TABLET,CHEWABLE 100 MG, 25<br>MG                                    | 3                |                            |
| JULUCA ORAL TABLET 50-25 MG   | 5                | NM; NDS                    |
| KALETRA ORAL TABLET 100-25<br>MG  | 3                |                            |
| KALETRA ORAL TABLET 200-50<br>MG  | 5                | NM; NDS                    |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                                     | 2                |                            |
| <i>lamivudine oral tablet 100 mg</i> (Epivir HBV)                                     | 2                |                            |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)                                 | 2                |                            |
| <i>lamivudine-zidovudine oral tablet 150-<br/>300 mg</i> (Combivir)                   | 2                |                            |
| LEXIVA ORAL SUSPENSION 50<br>MG/ML  | 3                |                            |
| <i>lopinavir-ritonavir oral solution 400-100<br/>mg/5 ml</i> (Kaletra)                | 2                |                            |
| <i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)                               | 2                |                            |
| <i>nevirapine oral tablet 200 mg</i> (Viramune)                                       | 2                |                            |
| <i>nevirapine oral tablet extended release 24 hr<br/>100 mg, 400 mg</i> (Viramune XR) | 2                |                            |
| NORVIR ORAL CAPSULE 100 MG  | 3                |                            |
| NORVIR ORAL POWDER IN<br>PACKET 100 MG  | 3                |                            |
| NORVIR ORAL SOLUTION 80<br>MG/ML  | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| ODEFSEY ORAL TABLET 200-25-25 MG                                 | 5                | NM; NDS                    |
| PREZCOBIX ORAL TABLET 800-150 MG-MG                              | 5                | NM; NDS                    |
| PREZISTA ORAL SUSPENSION 100 MG/ML                               | 4                |                            |
| PREZISTA ORAL TABLET 150 MG, 75 MG                               | 3                |                            |
| PREZISTA ORAL TABLET 600 MG, 800 MG                              | 5                | NM; NDS                    |
| RESCRIPTOR ORAL TABLET 200 MG                                    | 4                |                            |
| RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG                       | 4                |                            |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                           | 3                |                            |
| REYATAZ ORAL POWDER IN PACKET 50 MG                              | 5                | NM; NDS                    |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                     | 2                |                            |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                 | 4                |                            |
| SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG                      | 5                | NM; NDS                    |
| SELZENTRY ORAL TABLET 25 MG                                      | 4                |                            |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit) | 2                |                            |
| <i>stavudine oral recon soln 1 mg/ml</i> (Zerit)                 | 2                |                            |
| STRIBILD ORAL TABLET 150-150-200-300 MG                          | 5                | NM; NDS                    |
| SYMFY LO ORAL TABLET 400-300-300 MG                              | 5                | NM; NDS                    |
| SYMFY ORAL TABLET 600-300-300 MG                                 | 5                | NM; NDS                    |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 5                | NM; NDS                    |
| TIVICAY ORAL TABLET 10 MG  | 4                |                            |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                 | 5                | NM; NDS                    |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5                | NM; NDS                           |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG      | 5                | NM; NDS                           |
| VEMLIDY ORAL TABLET 25 MG   | 5                | NM; NDS; QL (30 per 30 days)      |
| VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)                              | 3                |                                   |
| VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)                 | 3                |                                   |
| VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG                     | 4                |                                   |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 4                |                                   |
| VIRAMUNE ORAL SUSPENSION 50 MG/5 ML                                     | 4                |                                   |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5                | NM; NDS                           |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5                | NM; NDS                           |
| ZERIT ORAL RECON SOLN 1 MG/ML   | 3                |                                   |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2                |                                   |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2                |                                   |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2                |                                   |
| <b>Antivirals, Miscellaneous</b>  |                  |                                   |
| <i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)               | 2                | PA BvD                            |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu)                         | 2                | QL (84 per 180 days)              |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu)                         | 2                | QL (48 per 180 days)              |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2                | QL (42 per 180 days)              |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2                | QL (540 per 180 days)             |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML                              | 5                | PA; NM; NDS; QL (336 per 28 days) |
| PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML                              | 5                | PA; NM; NDS; QL (672 per 28 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                                     | 5                | PA; NM; NDS; QL (28 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION   | 4                |                                      |
| rimantadine oral tablet 100 mg<br>(Flumadine)   | 2                |                                      |
| SYNAGIS INTRAMUSCULAR<br>SOLUTION 100 MG/ML, 50 MG/0.5<br>ML  | 5                | PA; NM; NDS                          |
| <b>Hcv Antivirals</b>   |                  |                                      |
| DAKLINZA ORAL TABLET 30 MG,<br>60 MG, 90 MG   | 5                | PA; NM; NDS; QL (28<br>per 28 days)  |
| EPCLUSIA ORAL TABLET 400-100<br>MG  | 5                | PA; NM; NDS; QL (28<br>per 28 days)  |
| HARVONI ORAL TABLET 90-400<br>MG  | 5                | PA; NM; NDS; QL (30<br>per 30 days)  |
| MAVYRET ORAL TABLET 100-40<br>MG  | 5                | PA; NM; NDS; QL (84<br>per 28 days)  |
| OLYSIO ORAL CAPSULE 150 MG  | 5                | PA; NM; NDS; QL (28<br>per 28 days)  |
| SOVALDI ORAL TABLET 400 MG  | 5                | PA; NM; NDS; QL (28<br>per 28 days)  |
| TECHNIVIE ORAL TABLET 12.5-75-<br>50 MG   | 5                | PA; NM; NDS; QL (56<br>per 28 days)  |
| VIEKIRA PAK ORAL<br>TABLETS,DOSE PACK 12.5 MG-75<br>MG -50 MG/250 MG  | 5                | PA; NM; NDS; QL<br>(112 per 28 days) |
| VIEKIRA XR ORAL TABLET, IR -<br>ER, BIPHASIC 24HR 8.33 MG-50<br>MG- 33.33 MG-200 MG                           | 5                | PA; NM; NDS; QL (84<br>per 28 days)  |
| VOSEVI ORAL TABLET 400-100-100<br>MG  | 5                | PA; NM; NDS; QL (28<br>per 28 days)  |
| ZEPATIER ORAL TABLET 50-100<br>MG   | 5                | PA; NM; NDS; QL (30<br>per 30 days)  |
| <b>Interferons</b>  |                  |                                      |
| INTRON A INJECTION RECON<br>SOLN 10 MILLION UNIT (1 ML), 18<br>MILLION UNIT (1 ML), 50<br>MILLION UNIT (1 ML) | 5                | PA NSO; NM; NDS                      |
| INTRON A INJECTION SOLUTION<br>10 MILLION UNIT/ML, 6 MILLION<br>UNIT/ML                                       | 5                | PA NSO; NM; NDS                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>             |
|--|------------------|--|
| PEGASYS CONVENIENCE PACK<br>SUBCUTANEOUS KIT 180 MCG/0.5<br>ML   | 5                | NM; NDS                                |
| PEGASYS PROCLICK<br>SUBCUTANEOUS PEN INJECTOR<br>135 MCG/0.5 ML, 180 MCG/0.5 ML  | 5                | NM; NDS                                |
| PEGASYS SUBCUTANEOUS<br>SOLUTION 180 MCG/ML  | 5                | NM; NDS                                |
| PEGASYS SUBCUTANEOUS<br>SYRINGE 180 MCG/0.5 ML   | 5                | NM; NDS                                |
| PEGINTRON SUBCUTANEOUS<br>KIT 50 MCG/0.5 ML  | 5                | NM; NDS                                |
| SYLATRON SUBCUTANEOUS KIT<br>200 MCG, 300 MCG, 600 MCG   | 5                | PA NSO; NM; NDS;<br>QL (4 per 28 days) |
| <b>Nucleosides And Nucleotides</b>   |                  |  |
| acyclovir 1,000 mg/20 ml vial 10's, latex-free, sdv 50 mg/ml   | 5                | PA BvD; NM; NDS                        |
| acyclovir oral capsule 200 mg (Zovirax)  | 2                |  |
| acyclovir oral suspension 200 mg/5 ml (Zovirax)  | 2                |  |
| acyclovir oral tablet 400 mg, 800 mg (Zovirax)   | 2                |  |
| acyclovir sodium intravenous recon soln 500 mg   | 5                | PA BvD; NM; NDS                        |
| acyclovir sodium intravenous solution 50 mg/ml   | 2                | PA BvD                                 |
| adefovir oral tablet 10 mg (Hepsera)   | 5                | NM; NDS                                |
| cidofovir intravenous solution 75 mg/ml  | 5                | NM; NDS                                |
| entecavir oral tablet 0.5 mg, 1 mg (Baraclude)   | 5                | NM; NDS                                |
| famciclovir oral tablet 125 mg, 250 mg, 500 mg   | 2                |  |
| ganciclovir sodium intravenous recon soln 500 mg (Cytovene)  | 2                | PA BvD                                 |
| ganciclovir sodium intravenous solution 50 mg/ml   | 2                | PA BvD                                 |
| ribasphere oral capsule 200 mg   | 2                |  |
| ribasphere oral tablet 200 mg, 400 mg, 600 mg  | 2                |  |
| ribasphere ribapak oral tablets, dose pack<br>200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28) | 5                | NM; NDS                                |
| ribavirin inhalation recon soln 6 gram (Virazole)  | 5                | PA BvD; NM; NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|--------------|------------------|----------------------------|
| <i>ribavirin oral capsule 200 mg</i>   | (Ribasphere) | 2                |                            |
| <i>ribavirin oral tablet 200 mg</i>  | (Moderiba)   | 2                |                            |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i>   | (Valtrex)    | 2                |                            |
| <i>valganciclovir oral recon soln 50 mg/ml</i>   | (Valcyte)    | 2                |                            |
| <i>valganciclovir oral tablet 450 mg</i>   | (Valcyte)    | 5                | NM; NDS                    |
| <b>Blood Products/Modifiers/Volume</b>   |              |                  |                            |
| <b>Expanders</b>   |              |                  |                            |
| <b>Anticoagulants</b>  |              |                  |                            |
| BEVYXXA ORAL CAPSULE 40 MG,<br>80 MG   |              | 4                | QL (43 per 42 days)        |
| CEPROTIN (BLUE BAR)<br>INTRAVENOUS RECON SOLN 500<br>UNIT  |              | 5                | NM; NDS                    |
| ELIQUIS ORAL TABLET 2.5 MG, 5<br>MG  |              | 3                |                            |
| ELIQUIS ORAL TABLETS,DOSE<br>PACK 5 MG (74 TABS)   |              | 3                |                            |
| <i>enoxaparin subcutaneous solution 300<br/>mg/3 ml</i>  | (Lovenox)    | 2                |                            |
| <i>enoxaparin subcutaneous syringe 100<br/>mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30<br/>mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml,<br/>80 mg/0.8 ml</i> | (Lovenox)    | 2                |                            |
| <i>fondaparinux subcutaneous syringe 10<br/>mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>  | (Arixtra)    | 5                | NM; NDS                    |
| <i>fondaparinux subcutaneous syringe 2.5<br/>mg/0.5 ml</i>   | (Arixtra)    | 2                |                            |
| <i>heparin (porcine) in 5 % dex intravenous<br/>parenteral solution 20,000 unit/500 ml<br/>(40 unit/ml)</i>                                    |              | 2                |                            |
| <i>heparin (porcine) in 5 % dex intravenous<br/>parenteral solution 25,000 unit/250<br/>ml(100 unit/ml)</i>                                    |              | 2                |                            |
| <i>heparin (porcine) injection cartridge<br/>5,000 unit/ml (1 ml)</i>  |              | 2                |                            |
| <i>heparin (porcine) injection solution 1,000<br/>unit/ml, 10,000 unit/ml, 20,000 unit/ml,<br/>5,000 unit/ml</i>                               |              | 2                |                            |
| <i>heparin (porcine) injection syringe 5,000<br/>unit/ml</i>   |              | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| heparin 25,000 unit/250 ml (100 unit/ml)-0.45% nacl bag lf,inner,single-use 25,000 unit/250 ml                          | 2                |                                  |
| heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml   | 2                |                                  |
| heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml   | 2                |                                  |
| IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG  | 5                | PA; NM; NDS; QL (24 per 28 days) |
| jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg  | 1                | GC                               |
| PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG  | 4                | ST; QL (60 per 30 days)          |
| SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG   | 4                |                                  |
| warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Coumadin)                               | 1                | GC                               |
| XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG   | 3                |                                  |
| XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)  | 3                |                                  |
| <b>Blood Formation Modifiers</b>  |                  |                                  |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)  | 5                | PA; NM; NDS                      |
| DOPTELET ORAL TABLET 20 MG  | 5                | PA; NM; NDS                      |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3                | PA; QL (12 per 28 days)          |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML  | 5                | NM; NDS                          |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT   | 5                | PA; NM; NDS                      |
| LEUKINE INJECTION RECON SOLN 250 MCG  | 5                | NM; NDS                          |
| MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML                                  | 4                | PA; QL (0.6 per 28 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|--|------------------|-------------------------------------|
| MOZOBIL SUBCUTANEOUS<br>SOLUTION 24 MG/1.2 ML (20<br>MG/ML)  | 5                | NM; NDS                             |
| NEULASTA SUBCUTANEOUS<br>SYRINGE 6 MG/0.6ML  | 5                | NM; NDS                             |
| NEUPOGEN INJECTION<br>SOLUTION 300 MCG/ML, 480<br>MCG/1.6 ML   | 5                | NM; NDS                             |
| NEUPOGEN INJECTION SYRINGE<br>300 MCG/0.5 ML, 480 MCG/0.8 ML   | 5                | NM; NDS                             |
| PROCIT INJECTION SOLUTION<br>10,000 UNIT/ML, 2,000 UNIT/ML,<br>20,000 UNIT/2 ML, 3,000 UNIT/ML,<br>4,000 UNIT/ML | 3                | PA; QL (12 per 28<br>days)          |
| PROCIT INJECTION SOLUTION<br>20,000 UNIT/ML  | 5                | PA; NM; NDS; QL (12<br>per 28 days) |
| PROCIT INJECTION SOLUTION<br>40,000 UNIT/ML  | 5                | PA; NM; NDS; QL (6<br>per 28 days)  |
| PROMACTA ORAL TABLET 12.5<br>MG, 25 MG, 50 MG, 75 MG   | 5                | PA; NM; NDS; QL (30<br>per 30 days) |
| ZARXIO INJECTION SYRINGE 300<br>MCG/0.5 ML, 480 MCG/0.8 ML   | 5                | ST; NM; NDS                         |
| <b>Hematologic Agents, Miscellaneous</b>   |                  |                                     |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)  | 2                |                                     |
| <i>anagrelide oral capsule 1 mg</i>  | 2                |                                     |
| <i>protamine intravenous solution 10 mg/ml</i>   | 2                |                                     |
| TAVALISSE ORAL TABLET 100<br>MG, 150 MG  | 5                | PA; NM; NDS; QL (60<br>per 30 days) |
| <i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)                             | 2                |                                     |
| <i>tranexamic acid oral tablet 650 mg</i> (Lysteda)  | 2                | QL (30 per 30 days)                 |
| <b>Platelet-Aggregation Inhibitors</b>   |                  |                                     |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)                               | 2                |                                     |
| BRILINTA ORAL TABLET 60 MG,<br>90 MG   | 3                |                                     |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>  | 2                |                                     |
| <i>clopidogrel oral tablet 300 mg</i> (Plavix)   | 2                |                                     |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)  | 1                | GC                                  |
| <i>dipyridamole oral tablet 25 mg, 50 mg,<br/>75 mg</i>  | 2                |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>pentoxifylline oral tablet extended release 400 mg</i>             | 2                |                            |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)                    | 2                | QL (30 per 30 days)        |
| <b>Caloric Agents</b>   |                  |                            |
| <b>Caloric Agents</b>   |                  |                            |
| AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                    | 4                | PA BvD                     |
| AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %    | 4                | PA BvD                     |
| AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %                  | 4                | PA BvD                     |
| AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %     | 4                | PA BvD                     |
| AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                 | 4                | PA BvD                     |
| AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %                 | 4                | PA BvD                     |
| AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %                   | 4                | PA BvD                     |
| AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %               | 4                | PA BvD                     |
| AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 % | 4                | PA BvD                     |
| AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %                | 4                | PA BvD                     |
| AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %                   | 4                | PA BvD                     |
| AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                 | 4                | PA BvD                     |
| AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %    | 4                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| AMINOSYN-RF 5.2 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5.2 %               | 4                | PA BvD                     |
| CLINIMIX 5%/D15W SULFITE<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %     | 4                | PA BvD                     |
| CLINIMIX 5%/D25W SULFITE-<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %    | 4                | PA BvD                     |
| CLINIMIX 2.75%/D5W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 2.75 % | 4                | PA BvD                     |
| CLINIMIX 4.25%/D10W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 %  | 4                | PA BvD                     |
| CLINIMIX 4.25%/D5W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 % | 4                | PA BvD                     |
| CLINIMIX 4.25%-D20W SULF-FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 %  | 4                | PA BvD                     |
| CLINIMIX 4.25%-D25W SULF-FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 %  | 4                | PA BvD                     |
| CLINIMIX 5%-D20W(SULFITE-<br>FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 5 %   | 4                | PA BvD                     |
| CLINIMIX E 2.75%/D10W SUL<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 2.75 % | 4                | PA BvD                     |
| CLINIMIX E 2.75%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 2.75 % | 4                | PA BvD                     |
| CLINIMIX E 4.25%/D10W SUL<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 % | 4                | PA BvD                     |
| CLINIMIX E 4.25%/D25W SUL<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 % | 4                | PA BvD                     |
| CLINIMIX E 4.25%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 % | 4                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| CLINIMIX E 5%/D15W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %            | 4                | PA BvD                     |
| CLINIMIX E 5%/D20W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %            | 4                | PA BvD                     |
| CLINIMIX E 5%/D25W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %            | 4                | PA BvD                     |
| CLINISOL SF 15 % INTRAVENOUS<br>PARENTERAL SOLUTION 15 %                            | 4                | PA BvD                     |
| <i>dextrose 10 % in water (d10w)</i><br><i>intravenous parenteral solution 10 %</i> | 2                | PA BvD                     |
| <i>dextrose 20 % in water (d20w)</i><br><i>intravenous parenteral solution 20 %</i> | 2                | PA BvD                     |
| <i>dextrose 25 % in water (d25w)</i><br><i>intravenous syringe</i>                  | 2                | PA BvD                     |
| <i>dextrose 40 % in water (d40w)</i><br><i>intravenous parenteral solution 40 %</i> | 2                | PA BvD                     |
| <i>dextrose 5 % in ringer's intravenous</i><br><i>parenteral solution 5 %</i>       | 2                |                            |
| <i>dextrose 5 % in water (d5w) intravenous</i><br><i>parenteral solution</i>        | 2                |                            |
| <i>dextrose 5 % in water (d5w) intravenous</i><br><i>piggyback 5 %</i>              | 2                |                            |
| <i>dextrose 50 % in water (d50w)</i><br><i>intravenous parenteral solution</i>      | 2                | PA BvD                     |
| <i>dextrose 50 % in water (d50w)</i><br><i>intravenous syringe</i>                  | 2                | PA BvD                     |
| <i>dextrose 70 % in water (d70w)</i><br><i>intravenous parenteral solution</i>      | 2                | PA BvD                     |
| FREAMINE HBC 6.9 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 6.9 %                      | 4                | PA BvD                     |
| FREAMINE III 10 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 10 %                        | 4                | PA BvD                     |
| HEPATAMINE 8% INTRAVENOUS<br>PARENTERAL SOLUTION 8 %                                | 4                | PA BvD                     |
| INTRALIPID INTRAVENOUS<br>EMULSION 20 %, 30 %                                       | 4                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |                    |
|--|------------------|----------------------------|--------------------|
| KABIVEN INTRAVENOUS<br>EMULSION 3.31-9.8-3.9 %               | 4                | PA BvD                     |                    |
| NEPHRAMINE 5.4 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5.4 % | 4                | PA BvD                     |                    |
| NUTRILIPID INTRAVENOUS<br>EMULSION 20 %                      | 4                | PA BvD                     |                    |
| PERIKABIVEN INTRAVENOUS<br>EMULSION 2.36-6.8-3.5 %           | 4                | PA BvD                     |                    |
| PLENAMINE INTRAVENOUS<br>PARENTERAL SOLUTION 15 %            | 4                | PA BvD                     |                    |
| PREMASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %        | 4                | PA BvD                     |                    |
| PREMASOL 6 % INTRAVENOUS<br>PARENTERAL SOLUTION 6 %          | 4                | PA BvD                     |                    |
| PROCALAMINE 3%<br>INTRAVENOUS PARENTERAL<br>SOLUTION 3 %     | 4                | PA BvD                     |                    |
| PROSOL 20 % INTRAVENOUS<br>PARENTERAL SOLUTION               | 4                | PA BvD                     |                    |
| <i>smoflipid intravenous emulsion 20 %</i>                   | 4                | PA BvD                     |                    |
| TRAVASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %        | 4                | PA BvD                     |                    |
| TROPHAMINE 10 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 10 %   | 4                | PA BvD                     |                    |
| TROPHAMINE 6% INTRAVENOUS<br>PARENTERAL SOLUTION 6 %         | 4                | PA BvD                     |                    |
| <b>Cardiovascular Agents</b>                                 |                  |                            |                    |
| <b>Alpha-Adrenergic Agents</b>                               |                  |                            |                    |
| clonidine hcl oral tablet 0.1 mg, 0.2 mg,<br>0.3 mg          | (Catapres)       | 1                          | GC                 |
| clonidine transdermal patch weekly 0.1<br>mg/24 hr           | (Catapres-TTS-1) | 2                          | QL (4 per 28 days) |
| clonidine transdermal patch weekly 0.2<br>mg/24 hr           | (Catapres-TTS-2) | 2                          | QL (4 per 28 days) |
| clonidine transdermal patch weekly 0.3<br>mg/24 hr           | (Catapres-TTS-3) | 2                          | QL (8 per 28 days) |
| clorpres oral tablet 0.1-15 mg, 0.2-15 mg,<br>0.3-15 mg      |                  | 2                          |                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)   | 2                |                                   |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>  | 2                |                                   |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 2                |                                   |
| <b>NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG</b>   | 5                | PA; NM; NDS; QL (180 per 30 days) |
| <i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)   | 2                |                                   |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)   | 2                |                                   |
| <b>Angiotensin II Receptor Antagonists</b>  |                  |                                   |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)   | 2                |                                   |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)                                | 2                |                                   |
| <b>EDARBI ORAL TABLET 40 MG, 80 MG</b>  | 3                |                                   |
| <b>EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG</b>  | 3                |                                   |
| <b>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</b>   | 3                | QL (60 per 30 days)               |
| <i>eprosartan oral tablet 600 mg</i>  | 2                |                                   |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)  | 6                | GC                                |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)  | 2                |                                   |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)   | 6                | GC                                |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)                                     | 6                | GC                                |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)  | 2                |                                   |
| <i>olmesartanamlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 2                |                                   |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                | 2                |                                   |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)   | 2                |                                   |
| <i>telmisartanamlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)   | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|----------------|------------------|----------------------------|
| <i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>                         | (Micardis HCT) | 2                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>   | (Diovan)       | 2                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | (Diovan HCT)   | 2                |                            |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>   |                |                  |                            |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>   | (Lotensin)     | 6                | GC                         |
| <i>benazepril oral tablet 5 mg</i>  |                | 6                | GC                         |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                          | (Lotensin HCT) | 2                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>   |                | 2                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>  |                | 2                |                            |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>                     |                | 2                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>   | (Vasotec)      | 2                |                            |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i>  |                | 2                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>   | (Vaseretic)    | 2                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>  |                | 2                |                            |
| <b>EPANED ORAL SOLUTION 1 MG/ML</b>   |                | 4                | ST                         |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>   |                | 6                | GC                         |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                                    |                | 2                |                            |
| <i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i>  | (Prinivil)     | 6                | GC                         |
| <i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i>  | (Zestril)      | 6                | GC                         |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                          | (Zestoretic)   | 6                | GC                         |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>  |                | 2                |                            |
| <i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>                          |                | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                      | 2                |                            |
| <b>QBRELIS ORAL SOLUTION 1 MG/ML</b>  | 4                | ST                         |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)</i>                             | 6                | GC                         |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)</i> | 2                |                            |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)</i>                            | 6                | GC                         |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>  | 2                |                            |
| <b>Antiarrhythmic Agents</b>  |                  |                            |
| <i>amiodarone intravenous solution 50 mg/ml</i>   | 2                |                            |
| <i>amiodarone intravenous syringe 150 mg/3 ml</i>   | 2                |                            |
| <i>amiodarone oral tablet 100 mg, 400 mg (Pacerone)</i>                                       | 2                |                            |
| <i>amiodarone oral tablet 200 mg (Pacerone)</i>   | 1                | GC                         |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)</i>                           | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>                            | 2                |                            |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>   | 2                |                            |
| <i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>                 | 2                |                            |
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>         | 2                |                            |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>   | 2                |                            |
| <b>MULTAQ ORAL TABLET 400 MG</b>  | 3                |                            |
| <i>pacerone oral tablet 100 mg, 400 mg</i>  | 2                |                            |
| <i>pacerone oral tablet 200 mg</i>  | 1                | GC                         |
| <i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>                                   | 2                |                            |
| <i>procainamide intravenous syringe 100 mg/ml</i>   | 2                |                            |
| <i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg (Rythmol SR)</i>    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>   | 2                |                            |
| <i>quinidine gluconate oral tablet extended release 324 mg</i>  | 2                |                            |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>   | 2                |                            |
| <b>Beta-Adrenergic Blocking Agents</b>  |                  |                            |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>   | 2                |                            |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>   | 1                | GC                         |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>                                    | 2                |                            |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>                                      | 2                |                            |
| <i>betaxolol oral tablet 10 mg, 20 mg</i>   | 2                |                            |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>  | 2                |                            |
| <i>bisoprolol-hydrochlorothiazide oral tablet (Ziac) 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>             | 1                | GC                         |
| <b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>  | 3                |                            |
| <b>BYVALSON ORAL TABLET 5-80 MG</b>   | 3                |                            |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>                                 | 1                | GC                         |
| <i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml) (Brevibloc)</i>                                 | 5                | PA BvD; NM; NDS            |
| <i>labetalol intravenous solution 5 mg/ml</i>   | 2                |                            |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>   | 2                |                            |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>   | 2                |                            |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i> | 2                |                            |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>                                  | 2                |                            |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>  | 2                |                            |
| <i>metoprolol tartrate intravenous solution 5 mg/5 ml (Lopressor)</i>                                   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>   | 2                |                            |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>                                     | 1                | GC                         |
| <i>metoprolol tartrate oral tablet 25 mg</i>   | 1                | GC                         |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg (Corgard)</i>   | 2                |                            |
| <i>pindolol oral tablet 10 mg, 5 mg</i>  | 2                |                            |
| <i>propranolol intravenous solution 1 mg/ml</i>  | 2                |                            |
| <i>propranolol oral capsule,extended release (Inderal LA) 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>     | 2                |                            |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>                          | 2                |                            |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                     | 2                |                            |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>                                 | 2                |                            |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>  | 2                |                            |
| <i>sotalol 120 mg tablet 120 mg (Betapace)</i>   | 2                |                            |
| <i>sotalol af oral tablet 120 mg</i>   | 2                |                            |
| <i>sotalol oral tablet 160 mg, 240 mg, 80 mg (Betapace)</i>  | 2                |                            |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>  | 2                |                            |
| <b>Calcium-Channel Blocking Agents</b>   |                  |                            |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>                   | 2                |                            |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i>  | 2                |                            |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                        | 2                |                            |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg (Taztia XT)</i>                          | 2                |                            |
| <i>diltiazem hcl oral capsule,extended release 24 hr 420 mg (Tiazac)</i>                             | 2                |                            |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cardizem CD)</i> | 2                |                            |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>                                     | 1                | GC                         |
| <i>diltiazem hcl oral tablet 90 mg</i>   | 1                | GC                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| diltiazem hcl oral tablet extended release (Cardizem LA)<br>24 hr 180 mg, 240 mg, 300 mg, 360 mg,<br>420 mg                                      | 2                |                            |
| dilt-xr oral capsule,ext.rel 24h<br>degradable 120 mg, 180 mg, 240 mg  | 2                |                            |
| matzim la oral tablet extended release 24<br>hr 180 mg, 240 mg, 300 mg, 360 mg, 420<br>mg  | 2                |                            |
| taztia xt oral capsule,extended release 24<br>hr 120 mg, 180 mg, 240 mg, 300 mg, 360<br>mg   | 2                |                            |
| verapamil intravenous syringe 2.5 mg/ml  | 2                |                            |
| verapamil oral capsule, 24 hr er pellet ct (Verelan PM)<br>100 mg, 200 mg, 300 mg  | 2                |                            |
| verapamil oral capsule,ext rel. pellets 24 (Verelan)<br>hr 120 mg, 180 mg, 240 mg, 360 mg  | 2                |                            |
| verapamil oral tablet 120 mg, 80 mg (Calan)  | 1                | GC                         |
| verapamil oral tablet 40 mg  | 1                | GC                         |
| verapamil oral tablet extended release (Calan SR)<br>120 mg, 180 mg, 240 mg  | 1                | GC                         |
| <b>Cardiovascular Agents, Miscellaneous</b>  |                  |                            |
| CORLANOR ORAL TABLET 5 MG,<br>7.5 MG   | 3                | PA; QL (60 per 30<br>days) |
| DEMSER ORAL CAPSULE 250 MG   | 5                | NM; NDS                    |
| digitek oral tablet 125 mcg, 250 mcg   | 2                |                            |
| digox oral tablet 125 mcg, 250 mcg   | 2                |                            |
| digoxin 0.25 mg/ml syringe 250 mcg/ml  | 2                |                            |
| digoxin injection solution 250 mcg/ml (Lanoxin)  | 2                |                            |
| DIGOXIN ORAL SOLUTION 50<br>MCG/ML   | 3                |                            |
| digoxin oral tablet 125 mcg, 250 mcg (Digitek)   | 2                |                            |
| dobutamine in d5w intravenous<br>parenteral solution 1,000 mg/250 ml<br>(4,000 mcg/ml), 250 mg/250 ml (1<br>mg/ml), 500 mg/250 ml (2,000 mcg/ml) | 2                | PA BvD                     |
| dobutamine intravenous solution 250<br>mg/20 ml (12.5 mg/ml), 500 mg/40 ml<br>(12.5 mg/ml)   | 2                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                  |
|---|------------------|---|
| <i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i> | 2                | PA BvD                                      |
| <i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>  | 2                | PA BvD                                      |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>   | 2                | Mylan generic preferred; QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml (Auvi-Q)</i>   | 2                | Mylan generic preferred; QL (4 per 30 days) |
| EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML  | 2                | QL (4 per 30 days)                          |
| EPIPEN INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML  | 2                | QL (4 per 30 days)                          |
| EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML  | 2                | QL (4 per 30 days)                          |
| FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML   | 5                | NM; NDS; QL (18 per 30 days)                |
| <i>hydralazine injection solution 20 mg/ml</i>  | 2                |   |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>  | 2                |   |
| LANOXIN ORAL TABLET 187.5 MCG   | 4                | QL (30 per 30 days)                         |
| LANOXIN ORAL TABLET 62.5 MCG  | 4                |   |
| <i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>   | 5                | PA BvD; NM; NDS                             |
| <i>milrinone intravenous solution 1 mg/ml</i>   | 5                | PA BvD; NM; NDS                             |
| <i>norepinephrine bitartrate intravenous solution 1 mg/ml (Levophed (bitartrate))</i>   | 2                | PA BvD                                      |
| RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG  | 3                |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>Dihydropyridines</b>  |           |                     |
| <i>afeditab cr oral tablet extended release<br/>30 mg, 60 mg</i>   | 2         |                     |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5<br/>mg (Norvasc)</i>  | 1         | GC                  |
| <i>amlodipine-benazepril oral capsule 10-20<br/>mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40<br/>mg</i>                                  | 2         |                     |
| <i>amlodipine-benazepril oral capsule 2.5-10<br/>mg</i>  | 2         |                     |
| <i>amlodipine-olmesartan oral tablet 10-20<br/>mg, 10-40 mg, 5-20 mg, 5-40 mg</i>  | 2         |                     |
| <i>amlodipine-valsartan oral tablet 10-160<br/>mg, 10-320 mg, 5-160 mg, 5-320 mg</i>   | 2         |                     |
| <i>amlodipine-valsartan-hctiazid oral<br/>tablet 10-160-12.5 mg, 10-160-25 mg, 10-<br/>320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | 2         |                     |
| <b>CLEVIPREX INTRAVENOUS<br/>EMULSION 25 MG/50 ML, 50<br/>MG/100 ML</b>  | 4         |                     |
| <i>felodipine oral tablet extended release 24<br/>hr 10 mg, 2.5 mg, 5 mg</i>   | 2         |                     |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>  | 2         |                     |
| <i>nicardipine oral capsule 20 mg, 30 mg</i>   | 2         |                     |
| <i>nifedipine oral capsule 10 mg (Procardia)</i>   | 2         |                     |
| <i>nifedipine oral capsule 20 mg</i>   | 2         |                     |
| <i>nifedipine oral tablet extended release<br/>24hr 30 mg, 60 mg, 90 mg</i>  | 2         |                     |
| <i>nifedipine oral tablet extended release 30<br/>mg, 60 mg, 90 mg</i>   | 2         |                     |
| <b>Diuretics</b>   |           |                     |
| <i>amiloride oral tablet 5 mg</i>  | 2         |                     |
| <i>amiloride-hydrochlorothiazide oral tablet<br/>5-50 mg</i>   | 2         |                     |
| <i>bumetanide injection solution 0.25 mg/ml</i>  | 2         |                     |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2<br/>mg</i>   | 2         |                     |
| <i>chlorothiazide oral tablet 250 mg, 500 mg</i>   | 2         |                     |
| <i>chlorothiazide sodium intravenous recon<br/>soln 500 mg</i>   | 2         |                     |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>   | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| DYRENIUM ORAL CAPSULE 100 MG, 50 MG   | 4                |                                  |
| <i>furosemide injection solution 10 mg/ml</i>   | 2                |                                  |
| <i>furosemide injection syringe 10 mg/ml</i>  | 2                |                                  |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>  | 2                |                                  |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>   | 1                | GC                               |
| <i>hydrochlorothiazide oral capsule 12.5 mg (Microzide)</i>   | 1                | GC                               |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>  | 1                | GC                               |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>   | 1                | GC                               |
| JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)              | 5                | PA; NM; NDS; QL (56 per 28 days) |
| <i>methyclothiazide oral tablet 5 mg</i>  | 2                |                                  |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 2                |                                  |
| <i>spironolactone oral tablet 100 mg (Aldactone)</i>  | 2                |                                  |
| <i>spironolactone oral tablet 25 mg, 50 mg (Aldactone)</i>  | 1                | GC                               |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>  | 2                |                                  |
| <i>torsemide oral tablet 10 mg, 20 mg (Demadex)</i>   | 2                |                                  |
| <i>torsemide oral tablet 100 mg</i>   | 2                |                                  |
| <i>torsemide oral tablet 5 mg</i>   | 1                | GC                               |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>   | 1                | GC                               |
| <i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>   | 2                |                                  |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i>  | 1                | GC                               |
| <i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i>  | 1                | GC                               |
| <b>Dyslipidemics</b>  |                  |                                  |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 2                |                                  |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>  | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)                            | 6                | GC                               |
| cholestyramine (with sugar) oral powder in packet 4 gram (Questran)                      | 2                |                                  |
| cholestyramine light oral powder 4 gram  | 2                |                                  |
| cholestyramine light packet 4 gram   | 2                |                                  |
| colestipol oral packet 5 gram (Colestid)   | 2                |                                  |
| colestipol oral tablet 1 gram (Colestid)   | 2                |                                  |
| ezetimibe oral tablet 10 mg (Zetia)  | 2                |                                  |
| ezetimibe-simvastatin oral tablet 10-10 mg (Vytorin 10-10)                               | 2                |                                  |
| ezetimibe-simvastatin oral tablet 10-20 mg (Vytorin 10-20)                               | 2                |                                  |
| ezetimibe-simvastatin oral tablet 10-40 mg (Vytorin 10-40)                               | 2                |                                  |
| ezetimibe-simvastatin oral tablet 10-80 mg (Vytorin 10-80)                               | 2                |                                  |
| fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg                 | 2                |                                  |
| fenofibrate nanocrystallized oral tablet 145 mg, 48 mg (Tricor)                          | 2                |                                  |
| fenofibrate oral tablet 160 mg, 54 mg  | 2                |                                  |
| fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg (Trilipix) | 2                |                                  |
| fenofibric acid oral tablet 105 mg, 35 mg (Fibrincor)                                    | 2                |                                  |
| fluvastatin oral capsule 20 mg, 40 mg (Lescol)   | 2                |                                  |
| gemfibrozil oral tablet 600 mg (Lopid)   | 1                | GC                               |
| JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG   | 5                | PA; NM; NDS; QL (30 per 30 days) |
| JUXTAPID ORAL CAPSULE 20 MG  | 5                | PA; NM; NDS; QL (90 per 30 days) |
| JUXTAPID ORAL CAPSULE 5 MG   | 5                | PA; NM; NDS; QL (45 per 30 days) |
| KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML   | 5                | PA; NM; NDS; QL (4 per 28 days)  |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG  | 3                | QL (30 per 30 days)              |
| lovastatin oral tablet 10 mg, 20 mg, 40 mg   | 6                | GC                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|----------------------------|------------------|--------------------------------------|
| niacin oral tablet extended release 24 hr<br>1,000 mg, 500 mg, 750 mg | (Niaspan Extended-Release) | 2                |                                      |
| niacor oral tablet 500 mg   |                            | 2                |                                      |
| omega-3 acid ethyl esters oral capsule 1 gram                         | (Lovaza)                   | 2                | QL (120 per 30 days)                 |
| PRALUENT PEN SUBCUTANEOUS<br>PEN INJECTOR 150 MG/ML, 75<br>MG/ML      |                            | 5                | PA; NM; NDS; QL (2<br>per 28 days)   |
| pravastatin oral tablet 10 mg   |                            | 2                |                                      |
| pravastatin oral tablet 20 mg, 40 mg, 80 mg                           | (Pravachol)                | 2                |                                      |
| prevalite oral powder in packet 4 gram                                |                            | 2                |                                      |
| REPATHA PUSHTRONEX<br>SUBCUTANEOUS WEARABLE<br>INJECTOR 420 MG/3.5 ML |                            | 5                | PA; NM; NDS; QL (3.5<br>per 28 days) |
| REPATHA SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>140 MG/ML           |                            | 5                | PA; NM; NDS; QL (3<br>per 28 days)   |
| REPATHA SYRINGE<br>SUBCUTANEOUS SYRINGE 140<br>MG/ML                  |                            | 5                | PA; NM; NDS; QL (3<br>per 28 days)   |
| rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg                    | (Crestor)                  | 2                |                                      |
| simvastatin oral tablet 10 mg, 20 mg, 40 mg                           | (Zocor)                    | 6                | GC                                   |
| simvastatin oral tablet 5 mg  |                            | 6                | GC                                   |
| simvastatin oral tablet 80 mg   | (Zocor)                    | 6                | GC; QL (30 per 30<br>days)           |
| VASCEPA ORAL CAPSULE 0.5<br>GRAM                                      |                            | 3                | QL (240 per 30 days)                 |
| VASCEPA ORAL CAPSULE 1<br>GRAM  |                            | 3                | QL (120 per 30 days)                 |
| WELCHOL ORAL POWDER IN<br>PACKET 3.75 GRAM                            |                            | 3                |                                      |
| WELCHOL ORAL TABLET 625 MG  |                            | 2                |                                      |
| <b>Renin-Angiotensin-Aldosterone System<br/>Inhibitors</b>            |                            |                  |                                      |
| eplerenone oral tablet 25 mg, 50 mg                                   | (Inspira)                  | 2                |                                      |
| TEKAMLO ORAL TABLET 150-10<br>MG, 150-5 MG, 300-10 MG, 300-5 MG       |                            | 3                | ST                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TEKTURNA HCT ORAL TABLET<br>150-12.5 MG, 150-25 MG, 300-12.5<br>MG, 300-25 MG   | 3                | ST                         |
| TEKTURNA ORAL TABLET 150<br>MG, 300 MG  | 3                | ST                         |
| <b>Vasodilators</b>   |                  |                            |
| BIDIL ORAL TABLET 20-37.5 MG  | 3                |                            |
| <i>isosorbide dinitrate oral tablet 10 mg, 20<br/>mg, 30 mg</i>   | 2                |                            |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)  | 2                |                            |
| <i>isosorbide dinitrate oral tablet extended<br/>release 40 mg</i> (ISOCHRON)   | 2                |                            |
| <i>isosorbide mononitrate oral tablet 10 mg</i>   | 2                |                            |
| <i>isosorbide mononitrate oral tablet 20 mg</i>   | 1                | GC                         |
| <i>isosorbide mononitrate oral tablet<br/>extended release 24 hr 120 mg, 60 mg</i>  | 2                |                            |
| <i>isosorbide mononitrate oral tablet<br/>extended release 24 hr 30 mg</i>  | 1                | GC                         |
| <i>minitran transdermal patch 24 hour 0.1<br/>mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>   | 2                | QL (30 per 30 days)        |
| <i>minitran transdermal patch 24 hour 0.4<br/>mg/hr</i>   | 2                | QL (60 per 30 days)        |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>  | 2                |                            |
| NITRO-BID TRANSDERMAL<br>OINTMENT 2 %   | 2                |                            |
| <i>nitroglycerin in 5 % dextrose intravenous<br/>solution 100 mg/250 ml (400 mcg/ml), 25<br/>mg/250 ml (100 mcg/ml), 50 mg/250 ml<br/>(200 mcg/ml), 50 mg/500 ml (100<br/>mcg/ml)</i> | 2                |                            |
| <i>nitroglycerin intravenous solution 50<br/>mg/10 ml (5 mg/ml)</i>   | 2                |                            |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 (Nitrostat)<br/>mg, 0.6 mg</i>   | 2                |                            |
| <i>nitroglycerin transdermal patch 24 hour</i> (Minitran)<br><i>0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>   | 2                | QL (30 per 30 days)        |
| <i>nitroglycerin transdermal patch 24 hour</i> (Minitran)<br><i>0.4 mg/hr</i>   | 2                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| <b>Central Nervous System Agents</b>   |           |                                   |
| <b>Central Nervous System Agents</b>   |           |                                   |
| AMPYRA ORAL TABLET<br>EXTENDED RELEASE 12 HR 10<br>MG  | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| <i>atomoxetine oral capsule 10 mg, 100 mg, (Strattera)<br/>18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> | 2         |                                   |
| AUBAGIO ORAL TABLET 14 MG, 7<br>MG   | 5         | PA; NM; NDS; QL (28 per 28 days)  |
| AUSTEDO ORAL TABLET 12 MG, 9<br>MG   | 5         | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG   | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| AVONEX (WITH ALBUMIN)<br>INTRAMUSCULAR KIT 30 MCG  | 5         | PA; NM; NDS                       |
| AVONEX INTRAMUSCULAR PEN<br>INJECTOR KIT 30 MCG/0.5 ML   | 5         | PA; NM; NDS                       |
| AVONEX INTRAMUSCULAR<br>SYRINGE KIT 30 MCG/0.5 ML  | 5         | PA; NM; NDS                       |
| BETASERON SUBCUTANEOUS<br>KIT 0.3 MG   | 5         | PA; NM; NDS                       |
| <i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>                               | 2         |                                   |
| <i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>                                      | 2         |                                   |
| <i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>                                   | 2         |                                   |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 2         | QL (60 per 30 days)               |
| <i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i>                       | 2         | QL (120 per 30 days)              |
| <i>dextroamphetamine oral tablet 10 mg, 5 mg</i>   | 2         | QL (180 per 30 days)              |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>      | 2         | QL (30 per 30 days)               |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>     | 2         | QL (60 per 30 days)               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |              | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|--------------|------------------|----------------------------------|
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | (Adderall)   | 2                | QL (60 per 30 days)              |
| <b>EXTAVIA SUBCUTANEOUS KIT 0.3 MG</b>   |              | 5                | PA; NM; NDS                      |
| <i>flumazenil intravenous solution 0.1 mg/ml</i>   |              | 2                |                                  |
| <b>GILENYA ORAL CAPSULE 0.25 MG</b>  |              | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <b>GILENYA ORAL CAPSULE 0.5 MG</b>   |              | 5                | PA; NM; NDS; QL (28 per 28 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i>  | (Copaxone)   | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i>  | (Copaxone)   | 5                | PA; NM; NDS; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i>   |              | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i>   |              | 5                | PA; NM; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>                        | (Intuniv ER) | 2                |                                  |
| <b>INGREZZA ORAL CAPSULE 40 MG</b>   |              | 5                | PA; NM; NDS; QL (60 per 30 days) |
| <b>INGREZZA ORAL CAPSULE 80 MG</b>   |              | 5                | PA; NM; NDS; QL (30 per 30 days) |
| <b>LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML</b>  |              | 5                | PA; NM; NDS                      |
| <i>lithium carbonate oral capsule 150 mg, 300 mg</i>   |              | 1                | GC                               |
| <i>lithium carbonate oral capsule 600 mg</i>   |              | 2                |                                  |
| <i>lithium carbonate oral tablet 300 mg</i>  |              | 2                |                                  |
| <i>lithium carbonate oral tablet extended release 300 mg</i>                                       | (Lithobid)   | 2                |                                  |
| <i>lithium carbonate oral tablet extended release 450 mg</i>                                       |              | 2                |                                  |
| <i>lithium citrate oral solution 8 meq/5 ml</i>  |              | 2                |                                  |
| <i>methylphenidate er 18 mg tab 18 mg</i>  | (Concerta)   | 2                | QL (30 per 30 days)              |
| <i>methylphenidate er 27 mg tab 27 mg</i>  | (Concerta)   | 2                | QL (30 per 30 days)              |
| <i>methylphenidate er 36 mg tab 36 mg</i>  | (Concerta)   | 2                | QL (60 per 30 days)              |
| <i>methylphenidate er 54 mg tab 54 mg</i>  | (Concerta)   | 2                | QL (30 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--|------------------|------------------------------------|
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> | 2                | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>                             | 2                | QL (60 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er (Ritalin LA) biphasic 50-50 10 mg, 20 mg, 40 mg</i>   | 2                | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er (Ritalin LA) biphasic 50-50 30 mg</i>                 | 2                | QL (60 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>                              | 2                | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>                               | 2                | QL (900 per 30 days)               |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>                                    | 2                | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i>                                | 2                | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 20 mg</i>                                | 2                | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>             | 2                | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>                           | 2                | QL (60 per 30 days)                |
| <b>NUEDEXTA ORAL CAPSULE 20-10 MG</b>  | 3                | PA NSO; QL (60 per 30 days)        |
| <b>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</b>   | 5                | PA; NM; NDS; QL (20 per 180 days)  |
| <b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>       | 5                | PA; NM; NDS                        |
| <b>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>            | 5                | PA; NM; NDS                        |
| <b>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</b>   | 5                | PA; NM; NDS; QL (2800 per 28 days) |
| <b>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>                | 5                | PA; NM; NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| REBIF REBIDOSE<br>SUBCUTANEOUS PEN INJECTOR<br>22 MCG/0.5 ML, 44 MCG/0.5 ML,<br>8.8MCG/0.2ML-22 MCG/0.5ML (6) | 5                | PA; NM; NDS                          |
| REBIF TITRATION PACK<br>SUBCUTANEOUS SYRINGE<br>8.8MCG/0.2ML-22 MCG/0.5ML (6)                                 | 5                | PA; NM; NDS                          |
| <i>riluzole oral tablet 50 mg</i> (Rilutek)   | 2                |                                      |
| SAVELLA ORAL TABLET 100 MG,<br>12.5 MG, 25 MG, 50 MG  | 3                | QL (60 per 30 days)                  |
| SAVELLA ORAL TABLETS,DOSE<br>PACK 12.5 MG (5)-25 MG(8)-50<br>MG(42)   | 3                | QL (60 per 30 days)                  |
| TECFIDERA ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 120 MG  | 5                | PA; NM; NDS; QL (14<br>per 30 days)  |
| TECFIDERA ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 120 MG (14)- 240<br>MG (46), 240 MG                       | 5                | PA; NM; NDS; QL (60<br>per 30 days)  |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)  | 5                | PA; NM; NDS; QL<br>(112 per 28 days) |
| <b>Contraceptives</b>   |                  |                                      |
| <b>Contraceptives</b>   |                  |                                      |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i>   | 2                |                                      |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-<br/>mcg</i>   | 2                |                                      |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1<br/>mg- 35 mcg</i>   | 2                |                                      |
| <i>amethia lo oral tablets,dose pack,3 month<br/>0.10 mg-20 mcg (84)/10 mcg (7)</i>                           | 2                | QL (91 per 84 days)                  |
| <i>amethia oral tablets,dose pack,3 month<br/>0.15 mg-30 mcg (84)/10 mcg (7)</i>                              | 2                | QL (91 per 84 days)                  |
| <i>apri oral tablet 0.15-0.03 mg</i>  | 2                |                                      |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-<br/>mcg</i>   | 2                |                                      |
| <i>ashlyna oral tablets,dose pack,3 month<br/>0.15 mg-30 mcg (84)/10 mcg (7)</i>                              | 2                |                                      |
| <i>aubra oral tablet 0.1-20 mg-mcg</i>  | 2                |                                      |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>   | 2                |                                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5                                  | 2                |                            |
| balziva (28) oral tablet 0.4-35 mg-mcg  | 2                |                            |
| bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5                                   | 2                |                            |
| blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)                                    | 2                |                            |
| blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)                         | 2                |                            |
| blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)                             | 2                |                            |
| briellyn oral tablet 0.4-35 mg-mcg  | 2                |                            |
| camila oral tablet 0.35 mg  | 2                |                            |
| camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)                | 2                | QL (91 per 84 days)        |
| camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)                   | 2                | QL (91 per 84 days)        |
| caziant (28) oral tablet 0.11/125/.15-25 mg-mcg   | 2                |                            |
| cryselle (28) oral tablet 0.3-30 mg-mcg   | 2                |                            |
| cyclafem 1/35 (28) oral tablet 1-35 mg-mcg  | 2                |                            |
| cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg                                   | 2                |                            |
| cyred oral tablet 0.15-0.03 mg  | 2                |                            |
| dasetta 1/35 (28) oral tablet 1-35 mg-mcg   | 2                |                            |
| dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg                                    | 2                |                            |
| daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)                    | 2                | QL (91 per 84 days)        |
| deblitane oral tablet 0.35 mg   | 2                |                            |
| delyla (28) oral tablet 0.1-20 mg-mcg   | 2                |                            |
| desog-e.estradiolle.estriadiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5 | 2                |                            |
| desogestrel-ethinyl estradiol oral tablet (Aprि) 0.15-0.03 mg                           | 2                |                            |
| drospirenone-ethinyl estradiol oral tablet (Gianvi (28)) 3-0.02 mg                      | 2                |                            |
| drospirenone-ethinyl estradiol oral tablet (Ocella) 3-0.03 mg                           | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b>   | <b>Requirements/Limits</b> |
|--|--------------------|----------------------------|
| <i>elonest oral tablet 0.3-30 mg-mcg</i>                             | 2                  |                            |
| <b>ELLA ORAL TABLET 30 MG</b>  | 4                  | QL (6 per 365 days)        |
| <i>emoquette oral tablet 0.15-0.03 mg</i>                            | 2                  |                            |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>           | 2                  |                            |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                              | 2                  |                            |
| <i>errin oral tablet 0.35 mg</i>                                     | 2                  |                            |
| <i>estarrylla oral tablet 0.25-35 mg-mcg</i>                         | 2                  |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>         | (Kelnor 1/35 (28)) | 2                          |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>         | (Kelnor 1-50)      | 2                          |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                        | 2                  |                            |
| <i>femynor oral tablet 0.25-35 mg-mcg</i>                            | 2                  |                            |
| <i>gianvi (28) oral tablet 3-0.02 mg</i>                             | 2                  |                            |
| <i>gildagia oral tablet 0.4-35 mg-mcg</i>                            | 2                  |                            |
| <i>heather oral tablet 0.35 mg</i>                                   | 2                  |                            |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>       | 2                  | QL (91 per 84 days)        |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                             | 2                  |                            |
| <i>jencycla oral tablet 0.35 mg</i>                                  | 2                  |                            |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>         | 2                  | QL (91 per 84 days)        |
| <i>jolivette oral tablet 0.35 mg</i>                                 | 2                  |                            |
| <i>juleber oral tablet 0.15-0.03 mg</i>                              | 2                  |                            |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                   | 2                  |                            |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                       | 2                  |                            |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 2                  |                            |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | 2                  |                            |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>            | 2                  |                            |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>          | 2                  |                            |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>                      | 2                  |                            |
| <i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>                           | 2                  |                            |
| <i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>        | 2                  |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|-----------------|------------------|----------------------------|
| <i>kurvelo oral tablet 0.15-0.03 mg</i>   |                 | 2                |                            |
| <i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | (Amethia Lo)    | 2                | QL (91 per 84 days)        |
| <i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | (Fayosim)       | 2                | QL (91 per 84 days)        |
| <i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia)       | 2                | QL (91 per 84 days)        |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>  |                 | 2                |                            |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>  |                 | 2                |                            |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>   |                 | 2                |                            |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>                                |                 | 2                |                            |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                                    |                 | 2                |                            |
| <i>larissia oral tablet 0.1-20 mg-mcg</i>   |                 | 2                |                            |
| <i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>   |                 | 2                |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>  |                 | 2                |                            |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                                     |                 | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>                                      | (Aubra)         | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>                                       | (Altavera (28)) | 2                | QL (91 per 84 days)        |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>                  | (Introvale)     | 2                | QL (91 per 84 days)        |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                     | (Enpresse)      | 2                | QL (91 per 84 days)        |
| <i>levora-28 oral tablet 0.15-0.03 mg</i>   |                 | 2                |                            |
| <i>lillow oral tablet 0.15-0.03 mg</i>  |                 | 2                |                            |
| <i>lomedia 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>   |                 | 2                |                            |
| <i>loryna (28) oral tablet 3-0.02 mg</i>  |                 | 2                |                            |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>  |                 | 2                |                            |
| <i>lutera (28) oral tablet 0.1-20 mg-mcg</i>  |                 | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| lyza oral tablet 0.35 mg  | 2                |                            |
| marlissa oral tablet 0.15-0.03 mg   | 2                |                            |
| microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg   | 2                |                            |
| microgestin 1/20 (21) oral tablet 1-20 mg-mcg   | 2                |                            |
| microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)                               | 1                | GC                         |
| microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)                                   | 2                |                            |
| milu oral tablet 0.25-35 mg-mcg   | 2                |                            |
| mono-linyah oral tablet 0.25-35 mg-mcg  | 2                |                            |
| mononessa (28) oral tablet 0.25-35 mg-mcg   | 2                |                            |
| myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)  | 2                |                            |
| necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg   | 2                |                            |
| necon 1/50 (28) oral tablet 1-50 mg-mcg   | 2                |                            |
| necon 10/11 (28) oral tablet 0.5-35/1-35 mg-mcg/mg-mcg  | 2                |                            |
| necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg  | 2                |                            |
| nikki (28) oral tablet 3-0.02 mg  | 2                |                            |
| nora-be oral tablet 0.35 mg   | 2                |                            |
| noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7) (Wymzya Fe)     | 2                |                            |
| norethindrone (contraceptive) oral tablet (Camila) 0.35 mg  | 2                |                            |
| norethindrone ac-eth estradiol oral tablet (Junel 1/20 (21)) 1-20 mg-mcg                          | 2                |                            |
| norethindrone-e.estradiol-iron oral tablet (Blisovi Fe 1/20 (28)) 1 mg-20 mcg (21)/75 mg (7)      | 2                |                            |
| norethindrone-e.estradiol-iron oral tablet (Blisovi 24 Fe) 1 mg-20 mcg (24)/75 mg (4)             | 2                |                            |
| norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen LO 0.18/0.215/0.25 mg-25 mcg (28))   | 2                |                            |
| norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen (28)) 0.18/0.215/0.25 mg-35 mcg (28) | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| norgestimate-ethinyl estradiol oral tablet (Estarylla)<br>0.25-35 mg-mcg | 2                |                            |
| norlyda oral tablet 0.35 mg  | 2                |                            |
| norlyroc oral tablet 0.35 mg   | 2                |                            |
| nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg                            | 2                |                            |
| nortrel 1/35 (21) oral tablet 1-35 mg-mcg                                | 2                |                            |
| nortrel 1/35 (28) oral tablet 1-35 mg-mcg                                | 2                |                            |
| nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg                     | 2                |                            |
| NUVARING VAGINAL RING 0.12-0.015 MG/24 HR                                | 3                | QL (1 per 28 days)         |
| ocella oral tablet 3-0.03 mg   | 2                |                            |
| ogestrel (28) oral tablet 0.5-50 mg-mcg                                  | 2                |                            |
| orsythia oral tablet 0.1-20 mg-mcg                                       | 2                |                            |
| philith oral tablet 0.4-35 mg-mcg  | 2                |                            |
| pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5                    | 2                |                            |
| pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg                  | 2                |                            |
| portia oral tablet 0.15-0.03 mg  | 2                |                            |
| previfem oral tablet 0.25-35 mg-mcg                                      | 2                |                            |
| quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg                   | 2                | QL (91 per 84 days)        |
| reclipsen (28) oral tablet 0.15-0.03 mg                                  | 2                |                            |
| setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg                   | 2                | QL (91 per 84 days)        |
| sharobel oral tablet 0.35 mg   | 2                |                            |
| sprintec (28) oral tablet 0.25-35 mg-mcg                                 | 2                |                            |
| sronyx oral tablet 0.1-20 mg-mcg   | 2                |                            |
| syeda oral tablet 3-0.03 mg  | 2                |                            |
| tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)               | 2                |                            |
| tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)                      | 2                |                            |
| tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)                   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>         | 2                |                            |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>          | 2                |                            |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>             | 2                |                            |
| <i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>           | 2                |                            |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>               | 2                |                            |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>             | 2                |                            |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>               | 2                |                            |
| <i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>          | 2                |                            |
| <i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>      | 2                |                            |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>      | 2                |                            |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>           | 2                |                            |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>            | 2                |                            |
| <i>tulana oral tablet 0.35 mg</i>  | 2                |                            |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | 2                |                            |
| <i>vestura (28) oral tablet 3-0.02 mg</i>                                | 2                |                            |
| <i>vienna oral tablet 0.1-20 mg-mcg</i>                                  | 2                |                            |
| <i>viovere (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>             | 2                |                            |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>                            | 2                |                            |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>                                | 2                |                            |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i>                               | 2                |                            |
| <i>wymzyafe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>      | 2                |                            |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>                  | 2                | QL (3 per 28 days)         |
| <i>zarah oral tablet 3-0.03 mg</i>                                       | 2                |                            |
| <i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>                           | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>zenchent fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>   | 2                |                            |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>                          | 2                |                            |
| <i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>                          | 2                |                            |
| <b>Dental And Oral Agents</b>  |                  |                            |
| <b>Dental And Oral Agents</b>  |                  |                            |
| <i>cevimeline oral capsule 30 mg</i> (Evoxac)                            | 2                |                            |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>          | 2                |                            |
| <i>oralone dental paste 0.1 %</i>  | 2                |                            |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>                | 2                |                            |
| <i>periogard mucous membrane mouthwash 0.12 %</i>                        | 2                |                            |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))  | 2                |                            |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)              | 2                |                            |
| <b>Dermatological Agents</b>   |                  |                            |
| <b>Dermatological Agents, Other</b>                                      |                  |                            |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Soriatane)          | 5                | NM; NDS                    |
| <i>acyclovir topical ointment 5 %</i> (Zovirax)                          | 2                | QL (30 per 30 days)        |
| <b>ALCOHOL PADS TOPICAL PADS,<br/>MEDICATED</b>                          | 1                | GC                         |
| <b>ALCOHOL PREP PADS</b>   | 1                | GC                         |
| <i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)               | 2                |                            |
| <i>ammonium lactate topical lotion 12 %</i> (AmLactin)                   | 2                |                            |
| <i>calcipotriene scalp solution 0.005 %</i>                              | 2                |                            |
| <i>calcipotriene topical cream 0.005 %</i> (Dovonex)                     | 2                |                            |
| <i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)               | 2                |                            |
| <i>calcitrene topical ointment 0.005 %</i>                               | 2                |                            |
| <i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)                 | 2                |                            |
| <b>CONDYLOX TOPICAL GEL 0.5 %</b>  | 4                |                            |
| <b>COSENTYX (2 SYRINGES)<br/>SUBCUTANEOUS SYRINGE 150 MG/ML</b>          | 5                | PA; NM; NDS                |
| <b>COSENTYX PEN (2 PENS)<br/>SUBCUTANEOUS PEN INJECTOR<br/>150 MG/ML</b> | 5                | PA; NM; NDS                |
| <b>DENAVIR TOPICAL CREAM 1 %</b>   | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| <i>diclofenac sodium topical drops 1.5 %</i>                                   | 2                | QL (300 per 30 days)              |
| <i>diclofenac sodium topical gel 3 %</i> (Solaraze)                            | 5                | PA; NM; NDS; QL (100 per 28 days) |
| DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML                                      | 5                | PA; NM; NDS                       |
| FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %  | 3                | PA                                |
| <i>fluorouracil topical cream 0.5 %</i> (Carac)                                | 5                | NM; NDS                           |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                                 | 2                |                                   |
| <i>fluorouracil topical solution 2 %, 5 %</i>                                  | 2                |                                   |
| <i>imiquimod topical cream in packet 5 %</i> (Aldara)                          | 2                | PA NSO; QL (24 per 30 days)       |
| <i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i> (Oxsoralen Ultra) | 5                | NM; NDS                           |
| PANRETIN TOPICAL GEL 0.1 %   | 5                | NM; NDS                           |
| PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)      | 5                | PA; NM; NDS; QL (224 per 28 days) |
| PICATO TOPICAL GEL 0.015 %   | 3                | QL (3 per 56 days)                |
| PICATO TOPICAL GEL 0.05 %  | 3                | QL (2 per 56 days)                |
| <i>podofilox topical solution 0.5 %</i>  | 2                |                                   |
| REGRANEX TOPICAL GEL 0.01 %  | 5                | PA; NM; NDS; QL (30 per 30 days)  |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM  | 4                |                                   |
| SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML                                       | 5                | PA; NM; NDS                       |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML                         | 5                | PA; NM; NDS                       |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML                                    | 5                | PA; NM; NDS                       |
| TOLAK TOPICAL CREAM 4 %  | 4                |                                   |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML   | 5                | PA; NM; NDS                       |
| VALCHLOR TOPICAL GEL 0.016 %   | 5                | NM; NDS                           |
| VEREGEN TOPICAL OINTMENT 15 %  | 5                | NM; NDS                           |
| VOLTAREN TOPICAL GEL 1 %   | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                     | 2                |                            |
| <b>ZOVIRAX TOPICAL CREAM 5 %</b>  | 5                | NM; NDS; QL (5 per 4 days) |
| <b>Dermatological Antibacterials</b>  |                  |                            |
| <i>clindamycin phosphate topical foam 1 % (Evoclin)</i>                     | 2                |                            |
| <i>clindamycin phosphate topical gel 1 % (Cleocin T)</i>                    | 2                |                            |
| <i>clindamycin phosphate topical lotion 1 % (Cleocin T)</i>                 | 2                |                            |
| <i>clindamycin phosphate topical solution 1 % (Cleocin T)</i>               | 2                |                            |
| <i>clindamycin phosphate topical swab 1 % (Cleocin T)</i>                   | 2                |                            |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Duac)</i> | 2                |                            |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 % (Benzacllin)</i>          | 2                |                            |
| <i>ery pads topical swab 2 %</i>  | 2                |                            |
| <i>erythromycin with ethanol topical gel 2 % (Erygel)</i>                   | 2                |                            |
| <i>erythromycin with ethanol topical solution 2 %</i>                       | 2                |                            |
| <i>erythromycin with ethanol topical swab 2 % (Ery Pads)</i>                | 2                |                            |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 % (Aktipak)</i>            | 2                |                            |
| <i>gentamicin topical cream 0.1 %</i>                                       | 2                |                            |
| <i>gentamicin topical ointment 0.1 %</i>                                    | 2                |                            |
| <i>metronidazole topical cream 0.75 % (MetroCream)</i>                      | 2                |                            |
| <i>metronidazole topical gel 0.75 % (Rosadan)</i>                           | 2                |                            |
| <i>metronidazole topical gel 1 % (Metrogel)</i>                             | 2                |                            |
| <i>metronidazole topical lotion 0.75 % (MetroLotion)</i>                    | 2                |                            |
| <i>mupirocin calcium topical cream 2 % (Bactroban)</i>                      | 2                |                            |
| <i>mupirocin topical ointment 2 % (Centany)</i>                             | 2                |                            |
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>    | 2                |                            |
| <i>neuac topical gel 1.2 %(1 % base) -5 %</i>                               | 2                |                            |
| <i>rosadan topical cream 0.75 %</i>   | 2                |                            |
| <i>selenium sulfide topical lotion 2.5 %</i>                                | 2                |                            |
| <i>silver sulfadiazine topical cream 1 % (Silvadene)</i>                    | 2                |                            |
| <i>ssd topical cream 1 %</i>  | 2                |                            |
| <i>sulfacetamide sodium (acne) topical suspension 10 % (Klaron)</i>         | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <b>Dermatological Anti-Inflammatory Agents</b>                      |                  |                            |
| <i>ala-cort topical cream 1 %</i>                                   | 2                |                            |
| <i>ala-cort topical cream 2.5 %</i>                                 | 1                | GC                         |
| <i>ala-scalp topical lotion 2 %</i>                                 | 2                |                            |
| <i>alclometasone topical cream 0.05 %</i>                           | 2                |                            |
| <i>alclometasone topical ointment 0.05 %</i>                        | 2                |                            |
| <i>betamethasone dipropionate topical cream 0.05 %</i>              | 2                |                            |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>             | 2                |                            |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>           | 2                |                            |
| <i>betamethasone valerate topical cream 0.1 %</i>                   | 2                |                            |
| <i>betamethasone valerate topical foam 0.12 (Luxiq) %</i>           | 2                |                            |
| <i>betamethasone valerate topical lotion 0.1 %</i>                  | 2                |                            |
| <i>betamethasone valerate topical ointment 0.1 %</i>                | 2                |                            |
| <i>betamethasone, augmented topical cream 0.05 %</i>                | 2                |                            |
| <i>betamethasone, augmented topical gel 0.05 %</i>                  | 2                |                            |
| <i>betamethasone, augmented topical lotion 0.05 %</i>               | 2                |                            |
| <i>betamethasone, augmented topical ointment 0.05 % (Diprolene)</i> | 2                |                            |
| <i>clobetasol 0.05% cream 0.05 % (Temovate)</i>                     | 2                |                            |
| <i>clobetasol emollient 0.05% crm 0.05 %</i>                        | 2                |                            |
| <i>clobetasol scalp solution 0.05 % (Cormax)</i>                    | 2                |                            |
| <i>clobetasol topical foam 0.05 % (Olux)</i>                        | 2                |                            |
| <i>clobetasol topical gel 0.05 %</i>                                | 2                |                            |
| <i>clobetasol topical lotion 0.05 % (Clobex)</i>                    | 2                |                            |
| <i>clobetasol topical ointment 0.05 % (Temovate)</i>                | 2                |                            |
| <i>clobetasol topical shampoo 0.05 % (Clobex)</i>                   | 2                |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                    | 2                |                            |
| <i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>            | 2                |                            |
| <i>clocortolone pivalate topical cream 0.1 % (Cloderm)</i>          | 2                |                            |
| <i>cormax scalp solution 0.05 %</i>                                 | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>                                      |                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|------------------|----------------------------|
| <i>desonide topical cream 0.05 %</i>                  | (DesOwen)        | 2                |                            |
| <i>desonide topical lotion 0.05 %</i>                 | (DesOwen)        | 2                |                            |
| <i>desonide topical ointment 0.05 %</i>               |                  | 2                |                            |
| <i>desoximetasone topical cream 0.05 %, 0.25 %</i>    | (Topicort)       | 2                |                            |
| <i>desoximetasone topical gel 0.05 %</i>              | (Topicort)       | 2                |                            |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> | (Topicort)       | 2                |                            |
| <i>diflorasone topical cream 0.05 %</i>               | (Psorcon)        | 2                |                            |
| <i>diflorasone topical ointment 0.05 %</i>            |                  | 2                |                            |
| ELIDEL TOPICAL CREAM 1 %                              |                  | 3                |                            |
| EUCRISA TOPICAL OINTMENT 2 %                          |                  | 3                |                            |
| <i>fluocinolone topical cream 0.01 %</i>              |                  | 2                |                            |
| <i>fluocinolone topical cream 0.025 %</i>             | (Synalar)        | 2                |                            |
| <i>fluocinolone topical ointment 0.025 %</i>          | (Synalar)        | 2                |                            |
| <i>fluocinonide topical cream 0.05 %</i>              |                  | 2                |                            |
| <i>fluocinonide topical gel 0.05 %</i>                |                  | 2                |                            |
| <i>fluocinonide topical ointment 0.05 %</i>           |                  | 2                |                            |
| <i>fluocinonide topical solution 0.05 %</i>           |                  | 2                |                            |
| <i>fluocinonide-e topical cream 0.05 %</i>            |                  | 2                |                            |
| <i>fluticasone topical cream 0.05 %</i>               | (Cutivate)       | 2                |                            |
| <i>fluticasone topical ointment 0.005 %</i>           |                  | 2                |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>    | (Ultravate)      | 2                |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i> | (Ultravate)      | 2                |                            |
| <i>hydrocortisone butyrate topical cream 0.1 %</i>    | (Locoid)         | 2                |                            |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i> | (Locoid)         | 2                |                            |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | (Locoid)         | 2                |                            |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i>        | (Ala-Cort)       | 1                | GC                         |
| <i>hydrocortisone topical lotion 2.5 %</i>            |                  | 2                |                            |
| <i>hydrocortisone topical ointment 1 %</i>            | (Anti-Itch (HC)) | 1                | GC                         |
| <i>hydrocortisone topical ointment 2.5 %</i>          |                  | 1                | GC                         |
| <i>hydrocortisone valerate topical cream 0.2 %</i>    |                  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>hydrocortisone valerate topical ointment<br/>0.2 %</i>                | 2                |                            |
| <i>mometasone topical cream 0.1 %</i> (Elocon)                           | 2                |                            |
| <i>mometasone topical ointment 0.1 %</i> (Elocon)                        | 2                |                            |
| <i>mometasone topical solution 0.1 %</i>                                 | 2                |                            |
| <i>prednicarbate topical cream 0.1 %</i> (Dermatop)                      | 2                |                            |
| <i>prednicarbate topical ointment 0.1 %</i> (Dermatop)                   | 2                |                            |
| <i>procto-med hc topical cream with<br/>perineal applicator 2.5 %</i>    | 2                |                            |
| <i>procto-pak topical cream with perineal<br/>applicator 1 %</i>         | 2                |                            |
| <i>proctosol hc topical cream with perineal<br/>applicator 2.5 %</i>     | 2                |                            |
| <i>protozone-hc topical cream with perineal<br/>applicator 2.5 %</i>     | 2                |                            |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)              | 2                |                            |
| <i>triamcinolone acetonide topical cream<br/>0.025 %</i>                 | 1                | GC                         |
| <i>triamcinolone acetonide topical cream 0.1 %</i> (Triderm)<br>%, 0.5 % | 2                |                            |
| <i>triamcinolone acetonide topical lotion<br/>0.025 %, 0.1 %</i>         | 2                |                            |
| <i>triamcinolone acetonide topical ointment<br/>0.025 %</i>              | 1                | GC                         |
| <i>triamcinolone acetonide topical ointment<br/>0.1 %, 0.5 %</i>         | 2                |                            |
| <i>tridesilon topical cream 0.05 %</i>                                   | 2                |                            |
| <b>Dermatological Retinoids</b>  |                  |                            |
| <i>adapalene topical cream 0.1 %</i> (Differin)                          | 2                |                            |
| <i>adapalene topical gel 0.1 %</i> (Differin)                            | 2                |                            |
| <i>tazarotene topical cream 0.1 %</i> (Avage)                            | 2                |                            |
| <b>TAZORAC TOPICAL CREAM 0.05 %</b>                                      | 4                |                            |
| <i>tretinoin topical cream 0.025 %</i> (Avita)                           | 2                | PA                         |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)                   | 2                | PA                         |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A)                            | 2                | PA                         |
| <i>tretinoin topical gel 0.025 %</i> (Avita)                             | 2                | PA                         |
| <b>Scabicides And Pediculicides</b>                                      |                  |                            |
| <i>malathion topical lotion 0.5 %</i> (Ovide)                            | 2                |                            |
| <i>permethrin topical cream 5 %</i> (Elimite)                            | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>spinossad topical suspension 0.9 %</i> (Natroba)                               | 2                |                            |
| <b>Devices</b>  |                  |                            |
| <b>Devices</b>  |                  |                            |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"                             | 2                |                            |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"                                    | 2                |                            |
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"                             | 2                |                            |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"                           | 2                |                            |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"                           | 2                |                            |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 "   | 1                | GC                         |
| INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE    | 2                |                            |
| INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"     | 2                |                            |
| INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin Syringe) SYRINGE 1/2 ML 28 GAUGE | 2                |                            |
| PEN NEEDLE, DIABETIC NEEDLE (1st Tier Unifine 29 GAUGE X 1/2" Pentips)            | 2                |                            |
| STERILE PADS 2" X 2" 2 X 2 "  | 1                | GC                         |
| VGO 40 DISPOSABLE DEVICE  | 2                |                            |
| <b>Enzyme Replacement/Modifiers</b>   |                  |                            |
| <b>Enzyme Replacement/Modifiers</b>   |                  |                            |
| ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML   | 5                | NM; NDS                    |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML                                       | 5                | NM; NDS                    |
| CERDELGA ORAL CAPSULE 84 MG   | 5                | PA; NM; NDS                |
| CEREZYME INTRAVENOUS RECON SOLN 400 UNIT  | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| CREON ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 12,000-38,000 -<br>60,000 UNIT, 24,000-76,000 -120,000<br>UNIT, 3,000-9,500- 15,000 UNIT,<br>36,000-114,000- 180,000 UNIT, 6,000-<br>19,000 -30,000 UNIT | 3                |                                 |
| ELAPRASE INTRAVENOUS<br>SOLUTION 6 MG/3 ML   | 5                | NM; NDS                         |
| ELITEK INTRAVENOUS RECON<br>SOLN 1.5 MG, 7.5 MG  | 5                | NM; NDS                         |
| FABRAZYME INTRAVENOUS<br>RECON SOLN 35 MG, 5 MG  | 5                | NM; NDS                         |
| KANUMA INTRAVENOUS<br>SOLUTION 2 MG/ML   | 5                | PA; NM; NDS                     |
| KRYSTEXXA INTRAVENOUS<br>SOLUTION 8 MG/ML  | 5                | NM; NDS                         |
| KUVAN ORAL TABLET,SOLUBLE<br>100 MG  | 5                | NM; NDS                         |
| <i>miglustat oral capsule 100 mg</i> (Zavesca)   | 5                | NM; NDS; QL (90 per<br>30 days) |
| NAGLAZYME INTRAVENOUS<br>SOLUTION 5 MG/5 ML  | 5                | NM; NDS                         |
| ORFADIN ORAL CAPSULE 10 MG,<br>2 MG, 20 MG, 5 MG   | 5                | PA; NM; NDS                     |
| ORFADIN ORAL SUSPENSION 4<br>MG/ML   | 5                | PA; NM; NDS                     |
| PALYNZIQ SUBCUTANEOUS<br>SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5<br>ML, 20 MG/ML  | 5                | PA; NM; NDS                     |
| PERTZYE ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 16,000-57,500-<br>60,500 UNIT, 24,000-86,250- 90,750<br>UNIT   | 5                | NM; NDS                         |
| PERTZYE ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 4,000-14,375-<br>15,125 UNIT, 8,000-28,750- 30,250<br>UNIT   | 4                |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---|------------------|---------------------------------|
| PROSYSBI ORAL CAPSULE,<br>DELAYED REL SPRINKLE 25 MG,<br>75 MG  | 5                | NM; NDS                         |
| PULMOZYME INHALATION<br>SOLUTION 1 MG/ML  | 5                | PA BvD; NM; NDS                 |
| STRENSIQ SUBCUTANEOUS<br>SOLUTION 100 MG/ML, 40 MG/ML   | 5                | PA; NM; LA; NDS                 |
| VIMIZIM INTRAVENOUS<br>SOLUTION 5 MG/5 ML (1 MG/ML)   | 5                | PA; NM; NDS                     |
| VPRIV INTRAVENOUS RECON<br>SOLN 400 UNIT  | 5                | NM; NDS                         |
| ZAVESCA ORAL CAPSULE 100 MG   | 5                | NM; NDS; QL (90 per<br>30 days) |
| ZENPEP ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 10,000-32,000 -<br>42,000 UNIT, 15,000-47,000 -63,000<br>UNIT, 20,000-63,000- 84,000 UNIT,<br>20,000-68,000 -109,000 UNIT, 25,000-<br>79,000- 105,000 UNIT, 3,000-10,000 -<br>14,000-UNIT, 40,000-126,000- 168,000<br>UNIT, 40,000-136,000- 218,000 UNIT,<br>5,000-17,000- 24,000 UNIT | 3                |                                 |
| ZENPEP ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 10,000-34,000 -<br>55,000 UNIT, 15,000-51,000 -82,000<br>UNIT, 25,000-85,000- 136,000 UNIT,<br>3,000-10,000- 16,000 UNIT, 5,000-<br>17,000 -27,000 UNIT  | 3                |                                 |
| <b>Eye, Ear, Nose, Throat Agents</b>  |                  |                                 |
| <b>Eye, Ear, Nose, Throat Agents,</b>   |                  |                                 |
| <b>Miscellaneous</b>  |                  |                                 |
| AKTEN (PF) OPHTHALMIC (EYE)<br>GEL 3.5 %  | 4                |                                 |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> (Iopidine)  | 2                |                                 |
| <i>atropine ophthalmic (eye) drops 1 %</i>  | 2                |                                 |
| <i>azelastine nasal aerosol,spray 137 mcg<br/>(0.1 %)</i>   | 2                | QL (30 per 25 days)             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>azelastine nasal spray, non-aerosol 0.15 % (Astepro) (205.5 mcg)</i> | 2                | QL (30 per 25 days)        |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i>                         | 2                |                            |
| <b>BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %</b>                             | 4                | ST                         |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>                              | 2                |                            |
| <i>cyclopentolate ophthalmic (eye) drops (Cyclogyl) 0.5 %, 1 %, 2 %</i> | 2                |                            |
| <b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>                           | 5                | NM; NDS                    |
| <i>epinastine ophthalmic (eye) drops 0.05 % (Elestat)</i>               | 2                |                            |
| <i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>              | 2                | QL (30 per 28 days)        |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>     | 2                | QL (15 per 10 days)        |
| <b>LACRISERT OPHTHALMIC (EYE) INSERT 5 MG</b>                           | 3                |                            |
| <i>olopatadine nasal spray, non-aerosol 0.6 % (Patanase)</i>            | 2                | QL (30.5 per 30 days)      |
| <i>olopatadine ophthalmic (eye) drops 0.1 % (Patanol)</i>               | 2                |                            |
| <i>olopatadine ophthalmic (eye) drops 0.2 % (Pataday)</i>               | 2                |                            |
| <b>OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)</b>                 | 3                |                            |
| <i>phenylephrine hcl ophthalmic (eye) drops 10 %</i>                    | 1                | GC                         |
| <i>phenylephrine hcl ophthalmic (eye) drops 2.5 %</i>                   | 2                |                            |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i>                        | 2                |                            |
| <b>TYZINE NASAL DROPS 0.1 %</b>   | 4                |                            |
| <b>TYZINE NASAL SPRAY, NON-AEROSOL 0.1 %</b>                            | 4                |                            |
| <b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>                    |                  |                            |
| <i>acetasol hc otic (ear) drops 1-2 %</i>                               | 2                |                            |
| <i>acetic acid otic (ear) solution 2 %</i>                              | 2                |                            |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>bacitracin-polymyxin b ophthalmic (eye) (AK-Poly-Bac) ointment 500-10,000 unit/gram</i>                | 2                |                            |
| <i>bleph-10 ophthalmic (eye) drops 10 %</i>   | 2                |                            |
| <b>CILOXAN OPHTHALMIC (EYE)<br/>OINTMENT 0.3 %</b>  | 4                |                            |
| <b>CIPRODEX OTIC (EAR)<br/>DROPS,SUSPENSION 0.3-0.1 %</b>   | 3                |                            |
| <i>ciprofloxacin hcl ophthalmic (eye) drops (Ciloxan) 0.3 %</i>   | 2                |                            |
| <i>ciprofloxacin hcl otic (ear) dropperette (Cetraxal) 0.2 %</i>  | 2                |                            |
| <b>COLY-MYCIN S OTIC (EAR)<br/>DROPS,SUSPENSION 3.3-3-10-0.5<br/>MG/ML</b>                                | 4                |                            |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>   | 2                |                            |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 % (Zymaxid)</i>  | 2                |                            |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>   | 2                |                            |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>  | 2                |                            |
| <i>gentamicin ophthalmic (eye) ointment (Gentak) 0.3 % (3 mg/gram)</i>                                    | 2                |                            |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>  | 2                |                            |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i>  | 2                |                            |
| <b>MOXEZA OPHTHALMIC (EYE)<br/>DROPS, VISCOUS 0.5 %</b>   | 3                |                            |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 % (Vigamox)</i>  | 2                |                            |
| <b>NATACYN OPHTHALMIC (EYE)<br/>DROPS,SUSPENSION 5 %</b>  | 3                |                            |
| <i>neomycin-bacitracin-poly-hc ophthalmic (Neo-Polycin HC) (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | 2                |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>              | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------|------------------|----------------------------|
| <i>neomycin-polymyxin b-dexamethophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | (Maxitrol) | 2                |                            |
| <i>neomycin-polymyxin b-dexamethophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>          | (Maxitrol) | 2                |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>          |            | 2                |                            |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>          |            | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>               |            | 2                |                            |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                       |            | 2                |                            |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>                         |            | 2                |                            |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>                          |            | 2                |                            |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i>   | (Ocuflax)  | 2                |                            |
| <i>ofloxacin otic (ear) drops 0.3 %</i>   |            | 2                |                            |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>                                       |            | 2                |                            |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>                    | (Polytrim) | 1                | GC                         |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>   | (Bleph-10) | 2                |                            |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>  |            | 2                |                            |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>                       |            | 2                |                            |
| <b>TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %</b>   |            | 4                |                            |
| <b>TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %</b>                                     |            | 3                |                            |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>  | (Tobrex)   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex) | 2                |                            |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> (Viroptic)                              | 2                |                            |
| <b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>  | 4                |                            |
| <b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>                               | 3                |                            |
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>                                 |                  |                            |
| <b>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</b>                                   | 3                | ST                         |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>   | 2                |                            |
| <b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>   | 3                |                            |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>                     | 2                |                            |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>                                  | 2                |                            |
| <b>DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %</b>   | 3                |                            |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                            | 2                | QL (50 per 25 days)        |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)               | 2                |                            |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)         | 2                |                            |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>                               | 2                |                            |
| <i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)    | 1                | GC                         |
| <b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>                                  | 3                |                            |
| <i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)                              | 2                |                            |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)                                 | 2                |                            |
| <b>LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %</b>  | 3                |                            |
| <b>LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %</b>                                 | 3                |                            |
| <b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>   | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i> (Omnipred)               | 2                |                            |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>                             | 2                |                            |
| <b>PROLENSA OPHTHALMIC (EYE)<br/>DROPS 0.07 %</b>   | 3                |                            |
| <b>RESTASIS OPHTHALMIC (EYE)<br/>DROPPERETTE 0.05 %</b>                                     | 3                | QL (60 per 30 days)        |
| <b>XIIDRA OPHTHALMIC (EYE)<br/>DROPPERETTE 5 %</b>  | 4                | PA; QL (60 per 30 days)    |
| <b>Gastrointestinal Agents</b>  |                  |                            |
| <b>Antiulcer Agents And Acid Suppressants</b>   |                  |                            |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                         | 2                |                            |
| <b>CARAFATE ORAL SUSPENSION<br/>100 MG/ML</b>   | 3                |                            |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>   | 2                |                            |
| <i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))                            | 2                |                            |
| <i>cimetidine oral tablet 300 mg, 400 mg,<br/>800 mg</i>                                    | 2                |                            |
| <b>DEXILANT ORAL<br/>CAPSULE,BIPHASE DELAYED<br/>RELEASE 30 MG, 60 MG</b>                   | 3                | ST                         |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i>                                     | 2                |                            |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)                         | 2                |                            |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i>                                      | 2                |                            |
| <i>famotidine (pf)-nacl (iso-os)<br/>intravenous piggyback 20 mg/50 ml</i>                  | 2                |                            |
| <i>famotidine intravenous solution 10 mg/ml</i>   | 2                |                            |
| <i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i> (Pepcid)                             | 2                |                            |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                       | 1                | GC                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)  | 1                | GC                         |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Heartburn Treatment 24 Hour) | 2                |                            |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)                    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)</i>                         | 2                |                            |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>                                     | 2                |                            |
| <i>nizatidine oral solution 150 mg/10 ml</i>                                      | 2                |                            |
| <i>omeprazole oral capsule, delayed release(dr/lec) 10 mg</i>                     | 2                |                            |
| <i>omeprazole oral capsule, delayed release(dr/lec) 20 mg, 40 mg</i>              | 1                | GC                         |
| <i>pantoprazole intravenous recon soln 40 mg (Protonix)</i>                       | 2                |                            |
| <i>pantoprazole oral tablet, delayed release (Protonix) (dr/lec) 20 mg, 40 mg</i> | 1                | GC                         |
| <i>rabeprazole oral tablet, delayed release (Aciphex) (dr/lec) 20 mg</i>          | 2                | ST; QL (30 per 30 days)    |
| <i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml) (Zantac)</i> | 2                |                            |
| <i>ranitidine hcl oral syrup 15 mg/ml</i>   | 2                |                            |
| <i>ranitidine hcl oral tablet 150 mg (Acid Control (ranitidine))</i>              | 1                | GC                         |
| <i>ranitidine hcl oral tablet 300 mg (Zantac)</i>                                 | 1                | GC                         |
| <i>sucralfate oral tablet 1 gram (Carafate)</i>                                   | 2                |                            |
| <b>Gastrointestinal Agents, Other</b>   |                  |                            |
| <i>AMITIZA ORAL CAPSULE 24 MCG, 8 MCG</i>   | 3                | QL (60 per 30 days)        |
| <i>CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG</i>                                   | 5                | NM; NDS                    |
| <i>constulose oral solution 10 gram/15 ml</i>                                     | 2                |                            |
| <i>cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)</i>                         | 5                | NM; NDS                    |
| <i>dicyclomine oral capsule 10 mg</i>   | 2                |                            |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                                       | 2                |                            |
| <i>dicyclomine oral tablet 20 mg</i>  | 2                |                            |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>                       | 2                |                            |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)</i>                  | 2                |                            |
| <i>enulose oral solution 10 gram/15 ml</i>  | 2                |                            |
| <i>GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG</i>                                       | 5                | PA; NM; NDS                |
| <i>generlac oral solution 10 gram/15 ml</i>                                       | 2                |                            |
| <i>glycopyrrolate injection solution 0.2 mg/ml (Robinul)</i>                      | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|---|----------------------------------|------------------|-------------------------------------|
| <i>glycopyrrolate oral tablet 1 mg</i>                                      | (Robinul)                        | 2                |                                     |
| <i>glycopyrrolate oral tablet 2 mg</i>                                      | (Robinul Forte)                  | 2                |                                     |
| <i>kionex (with sorbitol) oral suspension</i>                               |                                  | 2                |                                     |
| <i>15-19.3 gram/60 ml</i>   |                                  |                  |                                     |
| <i>lactulose oral solution 10 gram/15 ml</i>                                | (Constulose)                     | 2                |                                     |
| LINZESS ORAL CAPSULE 145<br>MCG, 290 MCG, 72 MCG                            |                                  | 3                | QL (30 per 30 days)                 |
| <i>loperamide oral capsule 2 mg</i>   | (Anti-Diarrheal<br>(loperamide)) | 2                |                                     |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i>                             |                                  | 2                |                                     |
| <i>metoclopramide hcl injection solution 5</i><br><i>mg/ml</i>              |                                  | 2                |                                     |
| <i>metoclopramide hcl injection syringe 5</i><br><i>mg/ml</i>               |                                  | 2                |                                     |
| <i>metoclopramide hcl oral solution 5 mg/5</i><br><i>ml</i>                 |                                  | 1                | GC                                  |
| <i>metoclopramide hcl oral tablet 10 mg, 5</i>                              | (Reglan)                         | 1                | GC                                  |
| <i>mg</i>   |                                  |                  |                                     |
| MOVANTIK ORAL TABLET 12.5<br>MG, 25 MG                                      |                                  | 3                | QL (30 per 30 days)                 |
| NUTRESTORE ORAL POWDER IN<br>PACKET 5 GRAM                                  |                                  | 4                |                                     |
| OCALIVA ORAL TABLET 10 MG, 5<br>MG  |                                  | 5                | PA; NM; NDS; QL (30<br>per 30 days) |
| RAVICTI ORAL LIQUID 1.1<br>GRAM/ML  |                                  | 5                | PA; NM; NDS                         |
| RELISTOR ORAL TABLET 150 MG   |                                  | 5                | PA; NM; NDS; QL (90<br>per 30 days) |
| RELISTOR SUBCUTANEOUS<br>SOLUTION 12 MG/0.6 ML                              |                                  | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| RELISTOR SUBCUTANEOUS<br>SYRINGE 12 MG/0.6 ML, 8 MG/0.4<br>ML               |                                  | 5                | PA; NM; NDS; QL (28<br>per 28 days) |
| <i>sod polystyren sulf 15 g/60 ml sorbitol</i><br><i>free 15 gram/60 ml</i> |                                  | 2                |                                     |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>                             | (Buphenyl)                       | 5                | NM; NDS                             |
| <i>sodium polystyrene sulfonate oral powder</i>                             | (Kionex)                         | 2                |                                     |
| <i>sps (with sorbitol) oral suspension 15-20</i><br><i>gram/60 ml</i>       |                                  | 2                |                                     |
| <i>ursodiol oral capsule 300 mg</i>   | (Actigall)                       | 2                |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>ursodiol oral tablet 250 mg</i> (URSO 250)  | 2                |                                  |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)  | 2                |                                  |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                                      | 3                | QL (30 per 30 days)              |
| VIBERZI ORAL TABLET 100 MG, 75 MG  | 5                | ST; NM; NDS; QL (60 per 30 days) |
| XERMELO ORAL TABLET 250 MG   | 5                | PA; NM; NDS; QL (90 per 30 days) |
| <b>Laxatives</b>   |                  |                                  |
| CLENPIQ ORAL SOLUTION 10 MG- 3.5 GRAM -12 GRAM/160 ML  | 4                |                                  |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>  | 2                |                                  |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>  | 2                |                                  |
| <i>gavilyte-n oral recon soln 420 gram</i>   | 2                |                                  |
| MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM  | 3                |                                  |
| <i>peg 3350-electrolytes oral recon soln 236- (GaviLyte-G) 22.74-6.74 -5.86 gram</i>               | 2                |                                  |
| <i>peg 3350-electrolytes oral recon soln 240- (Colyte with Flavor 22.72-6.72 -5.84 gram Packs)</i> | 1                | GC                               |
| <i>peg-electrolyte soln oral recon soln 420 (GaviLyte-N) gram</i>                                  | 2                |                                  |
| <i>polyethylene glycol 3350 oral powder 17 (ClearLax) gram/dose</i>                                | 2                |                                  |
| PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM  | 4                |                                  |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM   | 3                |                                  |
| <i>trilyte with flavor packets oral recon soln 420 gram</i>  | 2                |                                  |
| <b>Phosphate Binders</b>   |                  |                                  |
| AURYXIA ORAL TABLET 210 MG IRON  | 4                |                                  |
| <i>calcium acetate oral capsule 667 mg</i>   | 2                |                                  |
| <i>calcium acetate oral tablet 667 mg (Calphron)</i>   | 2                |                                  |
| <i>eliphos oral tablet 667 mg</i>  | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| FOSRENOL ORAL POWDER IN<br>PACKET 1,000 MG, 750 MG                                 | 4                |                            |
| <i>lanthanum oral tablet, chewable 1,000 mg, (Fosrenol)<br/>500 mg, 750 mg</i>     | 5                | NM; NDS                    |
| PHOSLYRA ORAL SOLUTION 667<br>MG (169 MG CALCIUM)/5 ML                             | 4                |                            |
| RENAGEL ORAL TABLET 400 MG,<br>800 MG  | 3                |                            |
| <i>sevelamer carbonate oral powder in<br/>packet 0.8 gram, 2.4 gram</i>            | 2                |                            |
| <i>sevelamer carbonate oral tablet 800 mg (Renvela)</i>                            | 2                |                            |
| VELPHORO ORAL<br>TABLET,CHEWABLE 500 MG  | 3                |                            |
| <b>Genitourinary Agents</b>  |                  |                            |
| <b>Antispasmodics, Urinary</b>   |                  |                            |
| <i>bethanechol chloride oral tablet 10 mg, (Urecholine)<br/>25 mg, 5 mg, 50 mg</i> | 2                |                            |
| <i>flavoxate oral tablet 100 mg</i>  | 2                |                            |
| MYRBETRIQ ORAL TABLET<br>EXTENDED RELEASE 24 HR 25<br>MG, 50 MG                    | 3                |                            |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                    | 1                | GC                         |
| <i>oxybutynin chloride oral tablet 5 mg</i>  | 2                |                            |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>    | 2                |                            |
| <i>tolterodine oral capsule,extended release (Detrol LA)<br/>24hr 2 mg, 4 mg</i>   | 2                |                            |
| <i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i>                                 | 2                |                            |
| TOVIAZ ORAL TABLET<br>EXTENDED RELEASE 24 HR 4 MG,<br>8 MG                         | 3                |                            |
| <i>trospium oral capsule,extended release<br/>24hr 60 mg</i>                       | 2                |                            |
| <i>trospium oral tablet 20 mg</i>  | 2                |                            |
| VESICARE ORAL TABLET 10 MG, 5<br>MG  | 3                |                            |
| <b>Genitourinary Agents, Miscellaneous</b>   |                  |                            |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg (Uroxatral)</i>              | 2                |                            |
| <i>dutasteride oral capsule 0.5 mg (Avodart)</i>                                   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| <i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> | 2                | QL (30 per 30 days)               |
| <i>finasteride oral tablet 5 mg</i>  | 1                | GC                                |
| <i>tamsulosin oral capsule 0.4 mg</i>                                      | 2                |                                   |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                      | 1                | GC                                |
| <b>Heavy Metal Antagonists</b>   |                  |                                   |
| <b>Heavy Metal Antagonists</b>   |                  |                                   |
| CUPRIMINE ORAL CAPSULE 250 MG  | 5                | PA; NM; NDS                       |
| <i>deferoxamine injection recon soln 2 gram, 500 mg</i>                    | 2                | PA                                |
| DEPEN TITRATABS ORAL TABLET 250 MG   | 5                | PA; NM; NDS                       |
| EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG                     | 5                | PA; NM; NDS                       |
| FERRIPROX ORAL SOLUTION 100 MG/ML  | 5                | PA; NM; NDS                       |
| FERRIPROX ORAL TABLET 500 MG   | 5                | PA; NM; NDS                       |
| JADENU ORAL TABLET 180 MG, 360 MG, 90 MG                                   | 5                | PA; NM; NDS                       |
| JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG              | 5                | PA; NM; NDS                       |
| <i>trientine oral capsule 250 mg</i>                                       | 5                | PA; NM; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b>                    |                  |                                   |
| <b>Androgens</b>   |                  |                                   |
| ANADROL-50 ORAL TABLET 50 MG   | 5                | PA; NM; NDS                       |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR               | 3                | PA; QL (30 per 30 days)           |
| ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)  | 3                | PA; QL (150 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| ANDROGEL TRANSDERMAL GEL<br>IN PACKET 1.62 % (20.25 MG/1.25<br>GRAM), 1.62 % (40.5 MG/2.5 GRAM)  | 3                | PA; QL (150 per 30<br>days) |
| <i>androxy oral tablet 10 mg</i>   | 2                |                             |
| <i>danazol oral capsule 100 mg, 200 mg, 50<br/>mg</i>  | 2                |                             |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)  | 2                |                             |
| <i>testosterone cypionate intramuscular oil</i> (Depo-Testosterone)<br>100 mg/ml, 200 mg/ml  | 2                | PA                          |
| <i>testosterone enanthate intramuscular oil</i><br>200 mg/ml   | 2                | PA; QL (5 per 28 days)      |
| <i>testosterone transdermal gel in packet 1 %</i> (25 mg/2.5 gram), 1 % (50 mg/5<br>gram)  | 2                | PA; QL (300 per 30<br>days) |
| <b>Estrogens And Antiestrogens</b>   |                  |                             |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>  | 2                |                             |
| COMBIPATCH TRANSDERMAL<br>PATCH SEMIWEEKLY 0.05-0.14<br>MG/24 HR, 0.05-0.25 MG/24 HR   | 3                | QL (8 per 28 days)          |
| DUAVEE ORAL TABLET 0.45-20<br>MG   | 3                |                             |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)  | 2                |                             |
| <i>estradiol transdermal patch semiweekly</i> (Alora)<br>0.025 mg/24 hr, 0.05 mg/24 hr, 0.075<br>mg/24 hr, 0.1 mg/24 hr                                  | 2                | QL (8 per 28 days)          |
| <i>estradiol transdermal patch semiweekly</i> (Minivelle)<br>0.0375 mg/24 hr   | 2                | QL (8 per 28 days)          |
| <i>estradiol transdermal patch weekly</i> 0.025 (Climara)<br>mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24<br>hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1<br>mg/24 hr | 2                | QL (4 per 28 days)          |
| <i>estradiol vaginal cream 0.01 %</i> (0.1<br>mg/gram) (Estrace)   | 2                |                             |
| <i>estradiol vaginal tablet 10 mcg</i> (Vagifem)   | 2                | QL (18 per 28 days)         |
| <i>estradiol valerate intramuscular oil 20 mg/ml</i> , 40 mg/ml (Delestrogen)  | 2                |                             |
| <i>estradiol-norethindrone acet oral tablet</i> (Activella)<br>0.5-0.1 mg, 1-0.5 mg  | 2                |                             |
| ESTRING VAGINAL RING 2 MG<br>(7.5 MCG /24 HOUR)  | 4                | QL (1 per 84 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>                                 | 2                |                            |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR                                     | 4                | QL (1 per 84 days)         |
| <i>fyavolv oral tablet 1-5 mg-mcg</i>  | 2                |                            |
| <i>jinteli oral tablet 1-5 mg-mcg</i>  | 2                |                            |
| <i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>                                     | 2                |                            |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG   | 4                |                            |
| <i>mimvey lo oral tablet 0.5-0.1 mg</i>  | 2                |                            |
| <i>mimvey oral tablet 1-0.5 mg</i>   | 2                |                            |
| <i>norethindrone ac-eth estradiol oral tablet (Femhrt Low Dose) 0.5-2.5 mg-mcg</i>   | 2                |                            |
| <i>norethindrone ac-eth estradiol oral tablet (Fyavolv) 1-5 mg-mcg</i>               | 2                |                            |
| PREMARIN INJECTION RECON SOLN 25 MG  | 3                |                            |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG                      | 3                |                            |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM   | 3                |                            |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)                                 | 3                |                            |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                | 3                |                            |
| <i>raloxifene oral tablet 60 mg (Evista)</i>   | 2                |                            |
| <i>yuvafem vaginal tablet 10 mcg</i>   | 2                | QL (18 per 28 days)        |
| <b>Glucocorticoids/Mineralocorticoids</b>  |                  |                            |
| <i>a-hydrocort injection recon soln 100 mg</i>                                       | 2                |                            |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan) | 2                |                            |
| <i>cortisone oral tablet 25 mg</i>   | 2                | PA BvD                     |
| <i>decadron oral elixir 0.5 mg/5 ml</i>  | 2                | PA BvD                     |
| <i>dexamethasone 0.75 mg tablet 0.75 mg (Decadron)</i>                               | 1                | PA BvD; GC                 |
| <i>dexamethasone oral elixir 0.5 mg/5 ml (Decadron)</i>                              | 2                | PA BvD                     |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg (Decadron)</i>                    | 1                | PA BvD; GC                 |
| <i>dexamethasone oral tablet 1 mg, 1.5 mg</i>  | 1                | PA BvD; GC                 |
| <i>dexamethasone oral tablet 2 mg</i>  | 2                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|----------------|------------------|----------------------------------|
| <i>dexamethasone oral tablet 6 mg</i>   | (Decadron)     | 2                | PA BvD                           |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>                                     |                | 2                |                                  |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                            |                | 2                |                                  |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>                                       |                | 2                |                                  |
| EMFLAZA ORAL SUSPENSION<br>22.75 MG/ML  |                | 5                | PA; NM; NDS; QL (39 per 30 days) |
| EMFLAZA ORAL TABLET 18 MG   |                | 5                | PA; NM; NDS; QL (30 per 30 days) |
| EMFLAZA ORAL TABLET 30 MG,<br>36 MG, 6 MG   |                | 5                | PA; NM; NDS; QL (60 per 30 days) |
| <i>fludrocortisone oral tablet 0.1 mg</i>   |                | 2                |                                  |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>  | (Cortef)       | 2                | PA BvD                           |
| KENALOG INJECTION<br>SUSPENSION 10 MG/ML, 40<br>MG/ML   |                | 4                |                                  |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>                             | (Depo-Medrol)  | 2                |                                  |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>  | (Medrol)       | 2                | PA BvD                           |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i>  | (Medrol (Pak)) | 2                | PA BvD                           |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>                              |                | 2                |                                  |
| <i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>                                 | (Solu-Medrol)  | 2                |                                  |
| <i>prednisolone 15 mg/5 ml soln alf, d/f 15 mg/5 ml (3 mg/ml)</i>                                     |                | 2                | PA BvD                           |
| <i>prednisolone oral solution 15 mg/5 ml</i>  |                | 2                | PA BvD                           |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> |                | 2                | PA BvD                           |
| <i>prednisone 10 mg tablet 10 mg</i>  |                | 1                | PA BvD; GC                       |
| <i>prednisone oral solution 5 mg/5 ml</i>   |                | 2                | PA BvD                           |
| <i>prednisone oral tablet 1 mg</i>  |                | 2                | PA BvD                           |
| <i>prednisone oral tablet 10 mg, 2.5 mg, 5 mg, 50 mg</i>  |                | 1                | PA BvD; GC                       |
| <i>prednisone oral tablet 20 mg</i>   | (Deltasone)    | 1                | PA BvD; GC                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>  | 2                | PA BvD                     |
| SOLU-CORTEF (PF) INJECTION<br>RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML   | 4                |                            |
| <i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>  | 2                |                            |
| <b>Pituitary</b>  |                  |                            |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>   | 2                |                            |
| <i>desmopressin injection solution 4 mcg/ml</i>   | 2                |                            |
| <i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>  | 2                |                            |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>  | 2                |                            |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>  | 2                |                            |
| GENOTROPIN MINIQUICK<br>SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML   | 4                | PA                         |
| GENOTROPIN MINIQUICK<br>SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML | 5                | PA; NM; NDS                |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)   | 5                | PA; NM; NDS                |
| HUMATROPE INJECTION<br>CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)   | 5                | PA; NM; NDS                |
| HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG   | 5                | PA; NM; NDS                |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML   | 5                | NM; NDS                    |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG  | 5                | NM; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| LUPRON DEPOT-PED<br>INTRAMUSCULAR KIT 11.25 MG,<br>15 MG   | 5                | NM; NDS                    |
| NORDITROPIN FLEXPRO<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/1.5 ML (6.7 MG/ML), 15<br>MG/1.5 ML (10 MG/ML), 30 MG/3<br>ML (10 MG/ML) | 5                | PA; NM; NDS                |
| NORDITROPIN FLEXPRO<br>SUBCUTANEOUS PEN INJECTOR 5<br>MG/1.5 ML (3.3 MG/ML)  | 4                | PA                         |
| NUTROPIN AQ NUSPIN<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/2 ML (5 MG/ML), 20 MG/2<br>ML (10 MG/ML), 5 MG/2 ML (2.5<br>MG/ML)        | 5                | PA; NM; NDS                |
| <i>octreotide acetate injection solution 1,000<br/>mcg/ml</i>  | 5                | NM; NDS                    |
| <i>octreotide acetate injection solution 100 (Sandostatin)<br/>mcg/ml, 50 mcg/ml</i>   | 2                |                            |
| <i>octreotide acetate injection solution 200<br/>mcg/ml</i>  | 2                |                            |
| <i>octreotide acetate injection solution 500 (Sandostatin)<br/>mcg/ml</i>  | 5                | NM; NDS                    |
| <i>octreotide acetate injection syringe 100<br/>mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>  | 2                |                            |
| <i>octreotide acetate injection syringe 500<br/>mcg/ml (1 ml)</i>  | 5                | NM; NDS                    |
| OMNITROPE SUBCUTANEOUS<br>CARTRIDGE 10 MG/1.5 ML (6.7<br>MG/ML), 5 MG/1.5 ML (3.3 MG/ML)   | 5                | PA; NM; NDS                |
| OMNITROPE SUBCUTANEOUS<br>RECON SOLN 5.8 MG  | 5                | PA; NM; NDS                |
| SAIZEN 8.8 MG SAIZENPREP<br>CART 8.8 MG/1.51 ML (FINAL<br>CONC.)   | 5                | PA; NM; NDS                |
| SAIZEN CLICK.EASY<br>SUBCUTANEOUS CARTRIDGE 8.8<br>MG/1.51 ML (FINAL CONC.)  | 5                | PA; NM; NDS                |
| SAIZEN SUBCUTANEOUS RECON<br>SOLN 5 MG, 8.8 MG   | 5                | PA; NM; NDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---|------------------|---------------------------------|
| SANDOSTATIN LAR DEPOT<br>INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>RECON 10 MG, 20 MG, 30 MG | 5                | NM; NDS                         |
| SEROSTIM SUBCUTANEOUS<br>RECON SOLN 4 MG, 5 MG, 6 MG  | 5                | PA; NM; NDS                     |
| SIGNIFOR SUBCUTANEOUS<br>SOLUTION 0.3 MG/ML (1 ML), 0.6<br>MG/ML (1 ML), 0.9 MG/ML (1 ML)       | 5                | NM; NDS; QL (60 per<br>30 days) |
| SOMATULINE DEPOT<br>SUBCUTANEOUS SYRINGE 120<br>MG/0.5 ML, 60 MG/0.2 ML, 90<br>MG/0.3 ML        | 5                | NM; NDS; QL (1 per<br>28 days)  |
| SOMAVERT SUBCUTANEOUS<br>RECON SOLN 10 MG, 15 MG, 20<br>MG, 25 MG, 30 MG                        | 5                | NM; NDS                         |
| STIMATE NASAL SPRAY, NON-<br>AEROSOL 150 MCG/SPRAY (0.1<br>ML)                                  | 4                |                                 |
| SUPPRELIN LA IMPLANT KIT 50<br>MG (65 MCG/DAY)  | 5                | NM; NDS; QL (1 per<br>360 days) |
| SYNAREL NASAL SPRAY, NON-<br>AEROSOL 2 MG/ML  | 5                | NM; NDS                         |
| TRIPTODUR INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 22.5 MG                             | 5                | NM; NDS; QL (1 per<br>168 days) |
| ZOMACTON SUBCUTANEOUS<br>RECON SOLN 10 MG   | 5                | PA; NM; NDS                     |
| ZOMACTON SUBCUTANEOUS<br>RECON SOLN 5 MG  | 4                | PA                              |
| ZORBTIVE SUBCUTANEOUS<br>RECON SOLN 8.8 MG  | 5                | PA; NM; NDS                     |
| <b>Progestins</b>   |                  |                                 |
| DEPO-PROVERA<br>INTRAMUSCULAR SUSPENSION<br>400 MG/ML   | 4                | QL (10 per 28 days)             |
| <i>hydroxyprogesterone caproate</i><br><i>intramuscular oil 250 mg/ml</i>                       | 2                | PA NSO                          |
| <i>medroxyprogesterone intramuscular</i> (Depo-Provera)<br><i>suspension 150 mg/ml</i>          | 2                | QL (1 per 84 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  |                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|----------------|------------------|----------------------------|
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>  | (Depo-Provera) | 2                | QL (1 per 84 days)         |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>  | (Provera)      | 1                | GC                         |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>  |                | 2                |                            |
| <i>norethindrone acetate oral tablet 5 mg</i>   | (Aygestin)     | 2                |                            |
| <i>progesterone in oil intramuscular oil 50 mg/ml</i>   |                | 2                |                            |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i>  | (Prometrium)   | 2                |                            |
| <b>Thyroid And Antithyroid Agents</b>   |                |                  |                            |
| <i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>   |                | 5                | NM; NDS                    |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | (Levo-T)       | 1                | GC                         |
| <i>liothyronine intravenous solution 10 mcg/ml</i>  | (Triostat)     | 2                |                            |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>   | (Cytomel)      | 2                |                            |
| <i>methimazole oral tablet 10 mg</i>  | (Tapazole)     | 2                |                            |
| <i>methimazole oral tablet 5 mg</i>   | (Tapazole)     | 1                | GC                         |
| <i>propylthiouracil oral tablet 50 mg</i>   |                | 2                |                            |
| <b>Immunological Agents</b>   |                |                  |                            |
| <b>Immunological Agents</b>   |                |                  |                            |
| <i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)</i>                             |                | 5                | PA; NM; NDS                |
| <i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML</i>   |                | 5                | PA; NM; NDS                |
| <i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>  |                | 5                | NM; NDS                    |
| <i>ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG</i>   |                | 4                | PA BvD                     |
| <i>azathioprine oral tablet 50 mg</i>   | (Imuran)       | 2                | PA BvD                     |
| <i>azathioprine sodium injection recon soln 100 mg</i>  |                | 2                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM                                | 5                | PA BvD; NM; NDS            |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)                           | 5                | PA; NM; NDS                |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)                                    | 5                | PA; NM; NDS                |
| cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)                                     | 2                | PA BvD                     |
| cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)                                     | 2                | PA BvD                     |
| cyclosporine modified oral capsule 50 mg   | 2                | PA BvD                     |
| cyclosporine modified oral solution 100 mg/ml (Gengraf)  | 2                | PA BvD                     |
| cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)   | 2                | PA BvD                     |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)  | 5                | PA; NM; NDS                |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)                             | 5                | PA; NM; NDS                |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)                                  | 5                | PA; NM; NDS                |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG                             | 4                | PA BvD                     |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %  | 5                | PA BvD; NM; NDS            |
| GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE, 15-18 % RANGE (10 ML), 15-18 % RANGE (2 ML) | 3                | PA BvD                     |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 %   | 5                | PA BvD; NM; NDS            |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM                          | 5                | PA BvD; NM; NDS            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| GAMMAPLEX (WITH SORBITOL)<br>INTRAVENOUS SOLUTION 5 %  | 5                | PA BvD; NM; NDS            |
| GAMMAPLEX INTRAVENOUS<br>SOLUTION 10 %, 10 % (100 ML), 10<br>% (200 ML)  | 5                | PA BvD; NM; NDS            |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %),<br>10 GRAM/100 ML (10 %), 2.5<br>GRAM/25 ML (10 %), 20 GRAM/200<br>ML (10 %), 40 GRAM/400 ML (10 %),<br>5 GRAM/50 ML (10 %) | 5                | PA BvD; NM; NDS            |
| <i>gengraf oral capsule 100 mg, 25 mg, 50<br/>mg</i>   | 2                | PA BvD                     |
| <i>gengraf oral solution 100 mg/ml</i>   | 2                | PA BvD                     |
| HUMIRA PEDIATRIC CROHN'S<br>START SUBCUTANEOUS<br>SYRINGE KIT 40 MG/0.8 ML, 40<br>MG/0.8 ML (6 PACK), 80 MG/0.8 ML,<br>80 MG/0.8 ML-40 MG/0.4 ML                                 | 5                | PA; NM; NDS                |
| HUMIRA PEN CROHN'S-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML  | 5                | PA; NM; NDS                |
| HUMIRA PEN PSORIASIS-UVEITIS<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.8 ML  | 5                | PA; NM; NDS                |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.4 ML,<br>40 MG/0.8 ML  | 5                | PA; NM; NDS                |
| HUMIRA SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML, 10<br>MG/0.2 ML, 20 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML   | 5                | PA; NM; NDS                |
| HYPERRAB (PF)<br>INTRAMUSCULAR SOLUTION 300<br>UNIT/ML   | 4                |                            |
| HYPERRAB S/D (PF)<br>INTRAMUSCULAR SOLUTION 150<br>UNIT/ML, 150 UNIT/ML (10 ML)  | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|--|------------------|-------------------------------------|
| HYQVIA SUBCUTANEOUS<br>SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %) | 5                | PA BvD; NM; NDS                     |
| ILARIS (PF) SUBCUTANEOUS<br>RECON SOLN 180 MG/1.2 ML (150 MG/ML)   | 5                | PA; NM; NDS                         |
| ILARIS (PF) SUBCUTANEOUS<br>SOLUTION 150 MG/ML   | 5                | PA; NM; NDS                         |
| IMOGLAM RABIES-HT (PF)<br>INTRAMUSCULAR SOLUTION 150 UNIT/ML   | 4                |                                     |
| INFLECTRA INTRAVENOUS<br>RECON SOLN 100 MG   | 5                | PA; NM; NDS                         |
| KEVZARA SUBCUTANEOUS PEN<br>INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML  | 5                | PA; NM; NDS; QL (2.28 per 28 days)  |
| KEVZARA SUBCUTANEOUS<br>SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML   | 5                | PA; NM; NDS; QL (2.28 per 28 days)  |
| KINERET SUBCUTANEOUS<br>SYRINGE 100 MG/0.67 ML   | 5                | PA; NM; NDS; QL (18.76 per 28 days) |
| <i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>  | 2                |                                     |
| <i>mycophenolate mofetil hcl intravenous (CellCept Intravenous)<br/>recon soln 500 mg</i>  | 2                | PA BvD                              |
| <i>mycophenolate mofetil oral capsule 250 mg (CellCept)</i>  | 2                | PA BvD                              |
| <i>mycophenolate mofetil oral suspension (CellCept)<br/>for reconstitution 200 mg/ml</i>   | 5                | PA BvD; NM; NDS                     |
| <i>mycophenolate mofetil oral tablet 500 mg (CellCept)</i>   | 2                | PA BvD                              |
| <i>mycophenolate sodium oral tablet, delayed release (dr/lec) 180 mg,<br/>360 mg</i>   | 2                | PA BvD                              |
| NULOJIX INTRAVENOUS RECON<br>SOLN 250 MG   | 5                | PA BvD; NM; NDS                     |
| OCTAGAM INTRAVENOUS<br>SOLUTION 10 %, 5 %  | 5                | PA BvD; NM; NDS                     |
| OLUMIANT ORAL TABLET 2 MG  | 5                | PA; NM; NDS; QL (30 per 30 days)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|---|------------------|-------------------------------------|
| ORENCIA (WITH MALTPOSE)<br>INTRAVENOUS RECON SOLN 250<br>MG   | 5                | PA; NM; NDS                         |
| ORENCIA CLICKJECT<br>SUBCUTANEOUS AUTO-<br>INJECTOR 125 MG/ML   | 5                | PA; NM; NDS                         |
| ORENCIA SUBCUTANEOUS<br>SYRINGE 125 MG/ML, 50 MG/0.4<br>ML, 87.5 MG/0.7 ML  | 5                | PA; NM; NDS                         |
| OTEZLA ORAL TABLET 30 MG  | 5                | PA; NM; NDS; QL (60<br>per 30 days) |
| OTEZLA STARTER ORAL<br>TABLETS,DOSE PACK 10 MG (4)-20<br>MG (4)-30 MG (47), 10 MG (4)-20 MG<br>(4)-30 MG(19)  | 5                | PA; NM; NDS; QL (60<br>per 30 days) |
| OTREXUP (PF) SUBCUTANEOUS<br>AUTO-INJECTOR 10 MG/0.4 ML,<br>12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5<br>MG/0.4 ML, 20 MG/0.4 ML, 22.5<br>MG/0.4 ML, 25 MG/0.4 ML  | 3                |                                     |
| PRIVIGEN INTRAVENOUS<br>SOLUTION 10 %   | 5                | PA BvD; NM; NDS                     |
| PROGRAF INTRAVENOUS<br>SOLUTION 5 MG/ML   | 4                | PA BvD                              |
| RAPAMUNE ORAL SOLUTION 1<br>MG/ML   | 5                | PA BvD; NM; NDS                     |
| RASUVO (PF) SUBCUTANEOUS<br>AUTO-INJECTOR 10 MG/0.2 ML,<br>12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5<br>MG/0.35 ML, 20 MG/0.4 ML, 22.5<br>MG/0.45 ML, 25 MG/0.5 ML, 27.5<br>MG/0.55 ML, 30 MG/0.6 ML, 7.5<br>MG/0.15 ML | 3                |                                     |
| REMICADE INTRAVENOUS<br>RECON SOLN 100 MG   | 5                | PA; NM; NDS                         |
| RIDAURA ORAL CAPSULE 3 MG   | 5                | NM; NDS                             |
| SIMPONI ARIA INTRAVENOUS<br>SOLUTION 12.5 MG/ML   | 5                | PA; NM; NDS                         |
| SIMPONI SUBCUTANEOUS PEN<br>INJECTOR 100 MG/ML, 50 MG/0.5<br>ML   | 5                | PA; NM; NDS                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>              |
|--|------------------|---|
| SIMPONI SUBCUTANEOUS<br>SYRINGE 100 MG/ML, 50 MG/0.5<br>ML                                       | 5                | PA; NM; NDS                             |
| <i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)   | 2                | PA BvD                                  |
| <i>sirolimus oral tablet 2 mg</i> (Rapamune)   | 5                | PA BvD; NM; NDS                         |
| STELARA INTRAVENOUS<br>SOLUTION 130 MG/26 ML   | 5                | PA; NM; NDS                             |
| STELARA SUBCUTANEOUS<br>SOLUTION 45 MG/0.5 ML  | 5                | PA; NM; NDS                             |
| STELARA SUBCUTANEOUS<br>SYRINGE 45 MG/0.5 ML, 90 MG/ML   | 5                | PA; NM; NDS                             |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                      | 2                | PA BvD                                  |
| TYSABRI INTRAVENOUS<br>SOLUTION 300 MG/15 ML   | 5                | PA; NM; LA; NDS;<br>QL (15 per 28 days) |
| XELJANZ ORAL TABLET 10 MG  | 5                | PA; NM; NDS; QL (60 per 30 days)        |
| XELJANZ ORAL TABLET 5 MG   | 5                | PA; NM; NDS; QL (120 per 30 days)       |
| XELJANZ XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 11 MG   | 5                | PA; NM; NDS; QL (30 per 30 days)        |
| ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG  | 5                | PA BvD; NM; NDS                         |
| <b>Vaccines</b>  |                  |   |
| ACTHIB (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML  | 3                |   |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3                |   |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML       | 3                |   |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION 50 MG                    | 3                | PA BvD                                  |
| BEXSERO INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5 ML  | 3                |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                      | 3                |                            |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                        | 3                |                            |
| CERVARIX VACCINE (PF)<br>INTRAMUSCULAR SYRINGE 20-20<br>MCG/0.5 ML                        | 3                |                            |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML | 3                |                            |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                   | 3                | PA BvD                     |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                      | 3                | PA BvD                     |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/0.5 ML                     | 3                | PA BvD                     |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML                        | 3                | PA BvD                     |
| GARDASIL (PF)<br>INTRAMUSCULAR SUSPENSION<br>20-40-40-20 MCG/0.5 ML                       | 3                | QL (1.5 per 365 days)      |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                                     | 3                | QL (1.5 per 365 days)      |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML  | 3                | QL (1.5 per 365 days)      |
| HAVRIX (PF) INTRAMUSCULAR<br>SUSPENSION 1,440 ELISA<br>UNIT/ML, 720 ELISA UNIT/0.5 ML     | 3                |                            |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML,<br>720 ELISA UNIT/0.5 ML        | 3                |                            |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                    | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT           | 3                | PA BvD                     |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SUSPENSION<br>25-58-10 LF-MCG-LF/0.5ML | 3                |                            |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML   | 3                |                            |
| IPOL INJECTION SUSPENSION 40-<br>8-32 UNIT/0.5 ML                            | 3                |                            |
| IPOL INJECTION SYRINGE 40-8-32<br>UNIT/0.5 ML                                | 3                |                            |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                            | 3                |                            |
| KINRIX (PF) INTRAMUSCULAR<br>SUSPENSION 25 LF-58 MCG-10<br>LF/0.5 ML         | 3                |                            |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML            | 3                |                            |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML                      | 3                |                            |
| MENHIBRIX (PF)<br>INTRAMUSCULAR RECON SOLN<br>5-2.5 MCG/0.5 ML               | 3                |                            |
| MENOMUNE - A/C/Y/W-135 (PF)<br>SUBCUTANEOUS RECON SOLN 50<br>MCG             | 3                |                            |
| MENOMUNE - A/C/Y/W-135<br>SUBCUTANEOUS RECON SOLN 50<br>MCG                  | 3                |                            |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML          | 3                |                            |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML       | 3                |                            |
| PEDIARIX (PF) INTRAMUSCULAR<br>SYRINGE 10 MCG-25LF-25 MCG-<br>10LF/0.5 ML    | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION 7.5<br>MCG/0.5 ML                                    | 3                |                            |
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15 LF<br>UNIT-20 MCG-5 LF/0.5 ML                            | 3                |                            |
| PENTACEL DTAP-IPV COMPNT<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15 LF-48 MCG- 5 LF<br>UNIT/0.5ML  | 3                |                            |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5 | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML                    | 3                |                            |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                       | 3                | PA BvD                     |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML        | 3                | PA BvD                     |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                         | 3                | PA BvD                     |
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                              | 3                |                            |
| ROTAQUE VACCINE ORAL<br>SOLUTION 2 ML  | 3                |                            |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML               | 3                | QL (2 per 365 days)        |
| TENIVAC (PF) INTRAMUSCULAR<br>SUSPENSION 5 LF UNIT- 2 LF<br>UNIT/0.5ML                         | 3                |                            |
| TENIVAC (PF) INTRAMUSCULAR<br>SYRINGE 5-2 LF UNIT/0.5 ML                                       | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| TETANUS,DIPHTHERIA TOX<br>PED(PF) INTRAMUSCULAR<br>SUSPENSION 5-25 LF UNIT/0.5 ML      | 3                |                            |
| TETANUS-DIPHTHERIA<br>TOXOIDS-TD INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML        | 3                |                            |
| TICE BCG INTRAVESICAL<br>SUSPENSION FOR<br>RECONSTITUTION 50 MG                        | 3                | PA BvD                     |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                       | 3                |                            |
| TWINRIX (PF) INTRAMUSCULAR<br>SUSPENSION 720 ELISA UNIT- 20<br>MCG/ML                  | 3                |                            |
| TWINRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT- 20<br>MCG/ML                     | 3                |                            |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                      | 3                |                            |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML                                       | 3                |                            |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML, 50<br>UNIT/ML                   | 3                |                            |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML, 50<br>UNIT/ML                      | 3                |                            |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 1,350 UNIT/0.5<br>ML     | 3                | QL (2 per 365 days)        |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10 EXP4.74<br>UNIT/0.5 ML | 3                |                            |
| ZOSTAVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 19,400<br>UNIT/0.65 ML  | 3                | QL (1 per 365 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>Inflammatory Bowel Disease Agents</b>   |           |                     |
| <b>Inflammatory Bowel Disease Agents</b>   |           |                     |
| <i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)                                 | 5         | NM; NDS             |
| <b>APRISO ORAL CAPSULE, EXTENDED RELEASE 24HR 0.375 GRAM</b>                         | 3         |                     |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                                     | 2         |                     |
| <i>budesonide oral capsule, delayed, extend.release 3 mg</i> (Entocort EC)           | 5         | NM; NDS             |
| <b>CANASA RECTAL SUPPOSITORY 1,000 MG</b>  | 3         |                     |
| <i>cocolcort rectal enema 100 mg/60 ml</i>   | 2         |                     |
| <b>DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG</b>                           | 3         |                     |
| <b>DIPENTUM ORAL CAPSULE 250 MG</b>  | 5         | ST; NM; NDS         |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)                           | 2         |                     |
| <b>LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM</b>                           | 2         |                     |
| <i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)             | 2         |                     |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                 | 2         |                     |
| <i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs) | 2         |                     |
| <b>UCERIS RECTAL FOAM 2 MG/ACTUATION</b>   | 3         |                     |
| <b>Irrigating Solutions</b>  |           |                     |
| <b>Irrigating Solutions</b>  |           |                     |
| <i>acetic acid irrigation solution 0.25 %</i>  | 2         |                     |
| <b>LACTATED RINGERS IRRIGATION SOLUTION</b>  | 3         |                     |
| <i>ringer's irrigation solution</i>  | 2         |                     |
| <i>sodium chloride irrigation solution 0.9 %</i> (Sterile Saline)                    | 2         |                     |
| <i>sorbitol irrigation solution 3 %, 3.3 %</i>                                       | 2         |                     |
| <i>sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml</i>                         | 2         |                     |
| <i>water for irrigation, sterile irrigation solution</i> (Curity Sterile Water)      | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name   | Drug Tier | Requirements/Limits             |
|---|-----------|---------------------------------|
| <b>Metabolic Bone Disease Agents</b>  |           |                                 |
| <b>Metabolic Bone Disease Agents</b>  |           |                                 |
| <i>alendronate oral solution 70 mg/75 ml</i>  | 2         | QL (300 per 28 days)            |
| <i>alendronate oral tablet 10 mg, 5 mg</i>  | 1         | GC                              |
| <i>alendronate oral tablet 35 mg</i>  | 1         | GC; QL (4 per 28 days)          |
| <i>alendronate oral tablet 40 mg</i>  | 2         |                                 |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)  | 1         | GC; QL (4 per 28 days)          |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>                                      | 2         | QL (3.7 per 28 days)            |
| <i>calcitriol intravenous solution 1 mcg/ml</i>   | 2         |                                 |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)  | 2         |                                 |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)  | 2         |                                 |
| <i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)   | 2         |                                 |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>   | 2         |                                 |
| <i>etidronate disodium oral tablet 200 mg, 400 mg</i>   | 2         |                                 |
| <b>FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML</b>  | 3         | PA; QL (2.4 per 28 days)        |
| <i>ibandronate intravenous solution 3 mg/3 ml</i>   | 2         | QL (3 per 84 days)              |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)   | 2         | QL (3 per 84 days)              |
| <i>ibandronate oral tablet 150 mg</i> (Boniva)  | 2         | QL (1 per 28 days)              |
| <b>MIACALCIN INJECTION SOLUTION 200 UNIT/ML</b>   | 3         |                                 |
| <b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE</b>                   | 5         | PA; NM; NDS; QL (2 per 28 days) |
| <i>pamidronate intravenous recon soln 30 mg, 90 mg</i>  | 2         |                                 |
| <i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i> | 2         |                                 |
| <i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>   | 2         |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML<br><i>paricalcitol intravenous solution 2 mcg/ml (Zemplar)</i> | 2                |                               |
| PARICALCITOL INTRAVENOUS SOLUTION 5 MCG/ML<br><i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>                     | 2                |                               |
| <i>paricalcitol oral capsule 4 mcg</i>  | 2                |                               |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML  | 3                | QL (1 per 180 days)           |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG<br><i>risedronate oral tablet 150 mg (Actonel)</i>                   | 3                | QL (60 per 30 days)           |
| <i>risedronate oral tablet 30 mg, 5 mg (Actonel)</i>  | 2                | QL (30 per 30 days)           |
| <i>risedronate oral tablet 35 mg (Actonel)</i>  | 2                | QL (4 per 28 days)            |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>  | 2                | QL (4 per 28 days)            |
| SENSIPAR ORAL TABLET 30 MG  | 3                | QL (60 per 30 days)           |
| SENSIPAR ORAL TABLET 60 MG  | 5                | NM; NDS; QL (60 per 30 days)  |
| SENSIPAR ORAL TABLET 90 MG  | 5                | NM; NDS; QL (120 per 30 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)   | 3                | PA; QL (1.56 per 30 days)     |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)  | 5                | PA; NM; NDS                   |
| <i>zoledronic acid intravenous recon soln 4 mg</i>  | 2                |                               |
| <i>zoledronic acid intravenous solution 4 mg/5 ml (Zometa)</i>  | 2                |                               |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml (Reclast)</i>   | 2                | QL (100 per 300 days)         |
| <i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>   | 2                |                               |
| ZOMETTA INTRAVENOUS PIGGYBACK 4 MG/100 ML   | 5                | NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| <b>Miscellaneous Therapeutic Agents</b>  |           |                                   |
| <b>Miscellaneous Therapeutic Agents</b>  |           |                                   |
| ACTHAR H.P. INJECTION GEL 80 UNIT/ML   | 5         | PA; NM; NDS; QL (35 per 28 days)  |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                   | 5         | NM; NDS                           |
| <i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)             | 2         |                                   |
| BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG                                   | 5         | PA; NM; NDS                       |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML                                    | 5         | PA; NM; NDS; QL (4 per 28 days)   |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML  | 5         | PA; NM; NDS; QL (4 per 28 days)   |
| BOTOX INJECTION RECON SOLN 100 UNIT  | 4         | PA; QL (4 per 90 days)            |
| BOTOX INJECTION RECON SOLN 200 UNIT  | 4         | PA; QL (1 per 90 days)            |
| CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG                               | 4         |                                   |
| CYSTADANE ORAL POWDER 1 GRAM/1.7 ML  | 5         | NM; NDS                           |
| <i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl)) | 2         |                                   |
| <i>droperidol injection solution 2.5 mg/ml</i>                                   | 2         |                                   |
| ELMIRON ORAL CAPSULE 100 MG  | 4         |                                   |
| ENDARI ORAL POWDER IN PACKET 5 GRAM  | 5         | PA; NM; NDS; QL (180 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i>   | 2         |                                   |
| EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)                       | 5         | PA; NM; LA; NDS                   |
| <i>fomepizole intravenous solution 1 gram/ml</i>                                 | 5         | NM; NDS                           |
| <i>guanidine oral tablet 125 mg</i>  | 2         |                                   |
| <i>hydroxyzine pamoate oral capsule 100 mg</i>                                   | 2         |                                   |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)                  | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---|------------------|------------------------------------|
| KEVEYIS ORAL TABLET 50 MG   | 5                | PA; NM; NDS; QL (120 per 30 days)  |
| <i>leucovorin calcium 100 mg vial<br/>sdv,plf,latex-free 100 mg</i>                       | 2                |                                    |
| <i>leucovorin calcium injection recon soln<br/>100 mg, 200 mg, 350 mg, 50 mg</i>          | 2                |                                    |
| <i>leucovorin calcium injection solution 500<br/>mg/50 ml</i>                             | 2                |                                    |
| <i>leucovorin calcium oral tablet 10 mg, 15<br/>mg, 25 mg, 5 mg</i>                       | 2                |                                    |
| <i>levocarnitine (with sugar) oral solution (Carnitor)<br/>100 mg/ml</i>                  | 2                |                                    |
| <i>levocarnitine intravenous solution 200 (Carnitor)<br/>mg/ml</i>                        | 2                |                                    |
| <i>levocarnitine oral tablet 330 mg (Carnitor)</i>  | 2                |                                    |
| LEVOLEUCOVORIN<br>INTRAVENOUS RECON SOLN 175<br>MG  | 4                |                                    |
| <i>levoleucovorin intravenous recon soln 50 (Fusilev)<br/>mg</i>                          | 5                | NM; NDS                            |
| <i>mesna intravenous solution 100 mg/ml (Mesnex)</i>                                      | 2                |                                    |
| MESNEX ORAL TABLET 400 MG   | 5                | NM; NDS                            |
| MESTINON ORAL SYRUP 60 MG/5<br>ML   | 5                | NM; NDS                            |
| <i>methylergonovine injection solution 0.2<br/>mg/ml (1 ml)</i>                           | 2                |                                    |
| MYOBLOC INTRAMUSCULAR<br>SOLUTION 10,000 UNIT/2 ML  | 4                | PA; QL (2 per 90 days)             |
| MYOBLOC INTRAMUSCULAR<br>SOLUTION 2,500 UNIT/0.5 ML                                       | 4                | PA; QL (0.5 per 90<br>days)        |
| MYOBLOC INTRAMUSCULAR<br>SOLUTION 5,000 UNIT/ML   | 4                | PA; QL (1 per 90 days)             |
| NPLATE SUBCUTANEOUS RECON<br>SOLN 250 MCG, 500 MCG  | 5                | PA; NM; NDS; QL (8<br>per 28 days) |
| PROGLYCEM ORAL SUSPENSION<br>50 MG/ML   | 4                |                                    |
| <i>pyridostigmine bromide oral tablet 60 mg (Mestinon)</i>                                | 2                |                                    |
| <i>pyridostigmine bromide oral tablet (Mestinon Timespan)<br/>extended release 180 mg</i> | 2                |                                    |
| RENFLEXIS INTRAVENOUS<br>RECON SOLN 100 MG  | 5                | PA; NM; NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG                       | 5                | PA NSO; NM; NDS; QL (60 per 30 days) |
| THIOLA ORAL TABLET 100 MG   | 5                | NM; NDS                              |
| TOTECT INTRAVENOUS RECON SOLN 500 MG                                      | 5                | NM; NDS                              |
| TYBOST ORAL TABLET 150 MG   | 3                | QL (30 per 30 days)                  |
| VISTOGARD ORAL GRANULES IN PACKET 10 GRAM                                 | 5                | NM; NDS; QL (24 per 14 days)         |
| XURIDEN ORAL GRANULES IN PACKET 2 GRAM                                    | 5                | PA; NM; NDS; QL (120 per 30 days)    |
| <b>Ophthalmic Agents</b>  |                  |                                      |
| <b>Antiglaucoma Agents</b>  |                  |                                      |
| <i>acetazolamide oral capsule, extended release 500 mg</i>                | 2                |                                      |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                           | 2                |                                      |
| <i>acetazolamide sodium injection recon soln 500 mg</i>                   | 2                |                                      |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %                                   | 3                |                                      |
| AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %                               | 3                |                                      |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                             | 2                |                                      |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i>                          | 2                |                                      |
| <i>brimonidine ophthalmic (eye) drops 0.15 (Alphagan P) %</i>             | 2                |                                      |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                           | 1                | GC                                   |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                               | 1                | GC                                   |
| COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %                                 | 3                |                                      |
| <i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>                   | 2                |                                      |
| <i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i> | 2                |                                      |
| <i>latanoprost ophthalmic (eye) drops 0.005 (Xalatan) %</i>               | 2                |                                      |
| <i>levobunolol ophthalmic (eye) drops 0.5 (Betagan) %</i>                 | 2                |                                      |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                                     | 3                | QL (2.5 per 25 days)                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|------------------|----------------------------|
| <i>methazolamide oral tablet 25 mg</i>                                     | (Neptazane)      | 2                |                            |
| <i>methazolamide oral tablet 50 mg</i>                                     |                  | 2                |                            |
| <i>metipranolol ophthalmic (eye) drops 0.3 %</i>                           |                  | 2                |                            |
| <b>PHOSPHOLINE IODIDE OPTHALMIC (EYE) DROPS 0.125 %</b>                    |                  | 3                |                            |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>                | (Isopto Carpine) | 2                |                            |
| <b>RHOPRESSA OPTHALMIC (EYE) DROPS 0.02 %</b>                              |                  | 3                | QL (2.5 per 25 days)       |
| <b>SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</b>                  |                  | 3                |                            |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>                | (Timoptic)       | 1                | GC                         |
| <i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i>            | (Istalol)        | 1                | GC                         |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> | (Timoptic-XE)    | 2                |                            |
| <b>TRAVATAN Z OPTHALMIC (EYE) DROPS 0.004 %</b>                            |                  | 3                | QL (2.5 per 25 days)       |
| <b>ZIOPTAN (PF) OPTHALMIC (EYE) DROPPERETTE 0.0015 %</b>                   |                  | 3                | QL (30 per 30 days)        |
| <b>Replacement Preparations</b>  |                  |                  |                            |
| <b>Replacement Preparations</b>  |                  |                  |                            |
| <i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>              |                  | 2                |                            |
| <i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>               |                  | 2                |                            |
| <i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>        |                  | 2                |                            |
| <i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>       |                  | 2                |                            |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>      |                  | 2                |                            |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>         |                  | 2                |                            |
| <i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>        |                  | 2                |                            |
| <i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>       |                  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| dextrose 5%-0.2 % sod chloride<br>intravenous parenteral solution  | 2                |                            |
| dextrose 5%-0.3 % sod.chloride<br>intravenous parenteral solution  | 2                |                            |
| dextrose with sodium chloride<br>intravenous parenteral solution 5-0.2 %   | 2                |                            |
| electrolyte-48 in d5w intravenous<br>parenteral solution   | 2                |                            |
| IONOSOL-B IN D5W<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %   | 4                |                            |
| IONOSOL-MB IN D5W<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %  | 4                |                            |
| ISOLYTE-P IN 5 % DEXTROSE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %  | 4                |                            |
| ISOLYTE-S INTRAVENOUS<br>PARENTERAL SOLUTION   | 4                |                            |
| klor-con m10 oral tablet,er<br>particles/crystals 10 meq   | 2                |                            |
| klor-con m15 oral tablet,er<br>particles/crystals 15 meq   | 2                |                            |
| klor-con m20 oral tablet,er<br>particles/crystals 20 meq   | 2                |                            |
| klor-con sprinkle oral capsule, extended<br>release 10 meq, 8 meq  | 2                |                            |
| magnesium sulfate in d5w intravenous<br>piggyback 1 gram/100 ml  | 2                |                            |
| magnesium sulfate in water intravenous<br>parenteral solution 20 gram/500 ml (4<br>%), 40 gram/1,000 ml (4 %)      | 2                |                            |
| magnesium sulfate in water intravenous<br>piggyback 2 gram/50 ml (4 %), 4<br>gram/100 ml (4 %), 4 gram/50 ml (8 %) | 2                |                            |
| magnesium sulfate injection solution 4<br>meq/ml (50 %)  | 2                |                            |
| magnesium sulfate injection syringe 4<br>meq/ml  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NORMOSOL-M IN 5 % DEXTROSE<br>INTRAVENOUS PARENTERAL<br>SOLUTION  | 4         |                     |
| NORMOSOL-R PH 7.4<br>INTRAVENOUS PARENTERAL<br>SOLUTION   | 4         |                     |
| PLASMA-LYTE 148 INTRAVENOUS<br>PARENTERAL SOLUTION  | 4         |                     |
| PLASMA-LYTE A INTRAVENOUS<br>PARENTERAL SOLUTION  | 4         |                     |
| PLASMA-LYTE-56 IN 5 %<br>DEXTROSE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %  | 4         |                     |
| <i>potassium acetate intravenous solution 2<br/>meq/ml</i>  | 2         |                     |
| <i>potassium chlorid-d5-0.45%nacl<br/>intravenous parenteral solution 10 meq/l,<br/>30 meq/l, 40 meq/l</i>  | 2         |                     |
| <i>potassium chlorid-d5-0.45%nacl<br/>intravenous parenteral solution 20 meq/l</i>  | 2         |                     |
| <i>potassium chloride in 0.9%nacl<br/>intravenous parenteral solution 20 meq/l,<br/>40 meq/l</i>  | 2         |                     |
| <i>potassium chloride in 5 % dex<br/>intravenous parenteral solution 20 meq/l,<br/>30 meq/l, 40 meq/l</i>   | 2         |                     |
| <i>potassium chloride in lr-d5 intravenous<br/>parenteral solution 20 meq/l, 40 meq/l</i>   | 2         |                     |
| <i>potassium chloride in water intravenous<br/>piggyback 10 meq/100 ml, 10 meq/50 ml,<br/>20 meq/100 ml, 20 meq/50 ml, 30<br/>meq/100 ml, 40 meq/100 ml</i> | 2         |                     |
| <i>potassium chloride intravenous solution 2<br/>meq/ml</i>   | 2         |                     |
| <i>potassium chloride oral capsule, extended (Klor-Con Sprinkle)<br/>release 10 meq, 8 meq</i>  | 2         |                     |
| <i>potassium chloride oral liquid 20 meq/15<br/>ml, 40 meq/15 ml</i>  | 2         |                     |
| <i>potassium chloride oral tablet extended (K-Tab)<br/>release 10 meq, 20 meq, 8 meq</i>  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   |                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|--------------------|------------------|----------------------------|
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i>   | (Klor-Con M10)     | 2                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i>   | (Klor-Con M20)     | 2                |                            |
| <i>potassium chloride-0.45% nacl intravenous parenteral solution 20 meq/l</i>                                |                    | 2                |                            |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i> |                    | 2                |                            |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>                               |                    | 2                |                            |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>                     |                    | 2                |                            |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>                                      | (Urocit-K 10)      | 2                |                            |
| <i>potassium citrate oral tablet extended release 15 meq</i>   | (Urocit-K 15)      | 2                |                            |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>   | (Urocit-K 5)       | 2                |                            |
| <i>potassium citrate-citric acid oral packet 3,300-1,002 mg</i>  | (Cytra K Crystals) | 2                |                            |
| <i>ringer's intravenous parenteral solution</i>  |                    | 2                |                            |
| <i>sodium acetate intravenous solution 2 meq/ml</i>  |                    | 2                |                            |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>   |                    | 2                |                            |
| <i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>   |                    | 2                |                            |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i>   |                    | 2                |                            |
| <i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>  |                    | 2                |                            |
| <i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>  |                    | 2                |                            |
| <i>sodium lactate intravenous solution 5 meq/ml</i>  |                    | 2                |                            |
| <i>sodium phosphate intravenous solution 3 mmol/ml</i>   |                    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TPN ELECTROLYTES II IV SOLN<br>25'S,20ML/50ML FTV 18-18-5-4.5-35<br>MEQ/20 ML   | 4                |                            |
| TPN ELECTROLYTES<br>INTRAVENOUS SOLUTION 35-20-5<br>MEQ/20 ML   | 4                |                            |
| <b>Respiratory Tract Agents</b>   |                  |                            |
| <b>Anti-Inflammatories, Inhaled</b>   |                  |                            |
| <b>Corticosteroids</b>  |                  |                            |
| ADVAIR DISKUS INHALATION<br>BLISTER WITH DEVICE 100-50<br>MCG/DOSE, 250-50 MCG/DOSE, 500-<br>50 MCG/DOSE              | 3                | QL (60 per 30 days)        |
| ADVAIR HFA INHALATION HFA<br>AEROSOL INHALER 115-21<br>MCG/ACTUATION, 230-21<br>MCG/ACTUATION, 45-21<br>MCG/ACTUATION | 3                | QL (12 per 28 days)        |
| ARNUITY ELLIPTA INHALATION<br>BLISTER WITH DEVICE 100<br>MCG/ACTUATION, 200<br>MCG/ACTUATION, 50<br>MCG/ACTUATION     | 3                | QL (30 per 30 days)        |
| BREO ELLIPTA INHALATION<br>BLISTER WITH DEVICE 100-25<br>MCG/DOSE, 200-25 MCG/DOSE                                    | 3                | QL (60 per 30 days)        |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)             | 2                | PA BvD                     |
| DULERA INHALATION HFA<br>AEROSOL INHALER 100-5<br>MCG/ACTUATION, 200-5<br>MCG/ACTUATION                               | 3                | QL (13 per 28 days)        |
| FLOVENT 100 MCG DISKUS 100<br>MCG/ACTUATION   | 3                | QL (60 per 30 days)        |
| FLOVENT 250 MCG DISKUS 250<br>MCG/ACTUATION   | 3                | QL (120 per 30 days)       |
| FLOVENT DISKUS INHALATION<br>BLISTER WITH DEVICE 100<br>MCG/ACTUATION, 50<br>MCG/ACTUATION                            | 3                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| FLOVENT DISKUS INHALATION<br>BLISTER WITH DEVICE 250<br>MCG/ACTUATION  | 3                | QL (120 per 30 days)       |
| FLOVENT HFA INHALATION HFA<br>AEROSOL INHALER 110<br>MCG/ACTUATION   | 3                | QL (12 per 28 days)        |
| FLOVENT HFA INHALATION HFA<br>AEROSOL INHALER 220<br>MCG/ACTUATION   | 3                | QL (24 per 28 days)        |
| FLOVENT HFA INHALATION HFA<br>AEROSOL INHALER 44<br>MCG/ACTUATION  | 3                | QL (21.2 per 28 days)      |
| QVAR INHALATION AEROSOL 40<br>MCG/ACTUATION, 80<br>MCG/ACTUATION   | 3                | QL (17.4 per 25 days)      |
| QVAR REDIHALER INHALATION<br>HFA AEROSOL BREATH<br>ACTIVATED 40 MCG/ACTUATION,<br>80 MCG/ACTUATION                 | 3                | QL (21.2 per 25 days)      |
| SYMBICORT 160-4.5 MCG<br>INHALER 60 INHALATIONS 160-4.5<br>MCG/ACTUATION   | 3                | QL (12 per 25 days)        |
| SYMBICORT INHALATION HFA<br>AEROSOL INHALER 160-4.5<br>MCG/ACTUATION, 80-4.5<br>MCG/ACTUATION                      | 3                | QL (11 per 25 days)        |
| <b>Antileukotrienes</b>  |                  |                            |
| montelukast oral granules in packet 4 mg (Singulair)   | 2                |                            |
| montelukast oral tablet 10 mg (Singulair)  | 1                | GC                         |
| montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)   | 2                |                            |
| zafirlukast oral tablet 10 mg, 20 mg (Accolate)  | 2                |                            |
| <b>Bronchodilators</b>   |                  |                            |
| albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml | 2                | PA BvD                     |
| albuterol sulfate oral syrup 2 mg/5 ml   | 2                |                            |
| albuterol sulfate oral tablet 2 mg, 4 mg   | 2                |                            |
| albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name   | Drug Tier | Requirements/Limits   |
|---|-----------|-----------------------|
| ANORO ELLIPTA INHALATION<br>BLISTER WITH DEVICE 62.5-25<br>MCG/ACTUATION              | 3         | QL (60 per 30 days)   |
| ATROVENT HFA INHALATION<br>HFA AEROSOL INHALER 17<br>MCG/ACTUATION                    | 3         | QL (25.8 per 28 days) |
| COMBIVENT RESPIMAT<br>INHALATION MIST 20-100<br>MCG/ACTUATION                         | 3         | QL (8 per 30 days)    |
| <i>elixophyllin oral elixir 80 mg/15 ml</i>   | 2         |                       |
| FORADIL AEROLIZER<br>INHALATION CAPSULE,<br>W/INHALATION DEVICE 12 MCG                | 3         | QL (60 per 30 days)   |
| INCRUSE ELLIPTA INHALATION<br>BLISTER WITH DEVICE 62.5<br>MCG/ACTUATION               | 3         |                       |
| <i>ipratropium bromide inhalation solution<br/>0.02 %</i>                             | 2         | PA BvD                |
| <i>levalbuterol tartrate inhalation hfa<br/>aerosol inhaler 45 mcg/actuation</i>      | 2         | QL (30 per 30 days)   |
| LONHALA MAGNAIR STARTER<br>INHALATION SOLUTION FOR<br>NEBULIZATION 25 MCG/ML          | 3         | QL (60 per 30 days)   |
| <i>metaproterenol oral syrup 10 mg/5 ml</i>   | 1         | GC                    |
| <i>metaproterenol oral tablet 10 mg, 20 mg</i>  | 2         |                       |
| PROAIR HFA INHALATION HFA<br>AEROSOL INHALER 90<br>MCG/ACTUATION                      | 3         |                       |
| PROAIR RESPICLICK<br>INHALATION AEROSOL POWDR<br>BREATH ACTIVATED 90<br>MCG/ACTUATION | 3         |                       |
| SEREVENT DISKUS INHALATION<br>BLISTER WITH DEVICE 50<br>MCG/DOSE                      | 3         | QL (60 per 30 days)   |
| SPIRIVA RESPIMAT INHALATION<br>MIST 1.25 MCG/ACTUATION                                | 3         |                       |
| SPIRIVA RESPIMAT INHALATION<br>MIST 2.5 MCG/ACTUATION                                 | 3         |                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| SPIRIVA WITH HANDIHALER<br>INHALATION CAPSULE,<br>W/INHALATION DEVICE 18 MCG   | 3                |                            |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION   | 3                | QL (4 per 28 days)         |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION   | 3                | QL (4 per 28 days)         |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i>  | 2                |                            |
| <i>terbutaline subcutaneous solution 1<br/>mg/ml</i>   | 5                | NM; NDS                    |
| <i>theophylline in dextrose 5 % intravenous<br/>parenteral solution 200 mg/100 ml, 200<br/>mg/50 ml, 400 mg/250 ml, 400 mg/500<br/>ml, 800 mg/250 ml</i> | 2                |                            |
| <i>theophylline oral solution 80 mg/15 ml</i>  | 2                |                            |
| <i>theophylline oral tablet extended release (Theochron)<br/>12 hr 100 mg, 200 mg, 300 mg</i>  | 2                |                            |
| <i>theophylline oral tablet extended release<br/>12 hr 450 mg</i>  | 2                |                            |
| <i>theophylline oral tablet extended release<br/>24 hr 400 mg, 600 mg</i>  | 2                |                            |
| TRELEGY ELLIPTA INHALATION<br>BLISTER WITH DEVICE 100-62.5-25<br>MCG   | 3                |                            |
| VENTOLIN HFA INHALATION<br>HFA AEROSOL INHALER 90<br>MCG/ACTUATION   | 4                | ST                         |
| <b>Respiratory Tract Agents, Other</b>   |                  |                            |
| <i>acetylcysteine intravenous solution 200 (Acetadote)<br/>mg/ml (20 %)</i>  | 2                | PA BvD                     |
| <i>acetylcysteine solution 100 mg/ml (10<br/>%), 200 mg/ml (20 %)</i>  | 2                | PA BvD                     |
| CINQAIR INTRAVENOUS<br>SOLUTION 10 MG/ML   | 5                | PA; NM; NDS                |
| <i>cromolyn inhalation solution for<br/>nebulization 20 mg/2 ml</i>  | 2                | PA BvD                     |
| DALIRESP ORAL TABLET 250<br>MCG, 500 MCG   | 3                | QL (30 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|---|------------------|-------------------------------------|
| ESBRIET ORAL CAPSULE 267 MG                                 | 5                | PA; NM; NDS; QL (270 per 30 days)   |
| ESBRIET ORAL TABLET 267 MG                                  | 5                | PA; NM; NDS; QL (270 per 30 days)   |
| ESBRIET ORAL TABLET 801 MG                                  | 5                | PA; NM; NDS; QL (90 per 30 days)    |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML                       | 5                | PA; NM; NDS; QL (1 per 28 days)     |
| KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG               | 5                | PA; NM; NDS; QL (60 per 30 days)    |
| KALYDECO ORAL TABLET 150 MG                                 | 5                | PA; NM; NDS; QL (60 per 30 days)    |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                       | 5                | PA; NM; LA; NDS; QL (3 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG                            | 5                | PA; NM; NDS; QL (60 per 30 days)    |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                  | 5                | PA; NM; NDS; QL (120 per 30 days)   |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG                 | 5                | NM; NDS                             |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N) | 5                | PA; NM; NDS; QL (56 per 28 days)    |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG                       | 5                | PA; NM; NDS                         |
| <b>Skeletal Muscle Relaxants</b>                            |                  |                                     |
| <b>Skeletal Muscle Relaxants</b>                            |                  |                                     |
| baclofen oral tablet 10 mg, 20 mg                           | 2                |                                     |
| carisoprodol oral tablet 250 mg, 350 mg (Soma)              | 2                | QL (120 per 30 days)                |
| chlorzoxazone oral tablet 500 mg                            | 2                |                                     |
| cyclobenzaprine oral tablet 10 mg, 5 mg                     | 2                |                                     |
| cyclobenzaprine oral tablet 7.5 mg (Fexmid)                 | 2                |                                     |
| dantrolene oral capsule 100 mg                              | 2                |                                     |
| dantrolene oral capsule 25 mg, 50 mg (Dantrium)             | 2                |                                     |
| methocarbamol oral tablet 500 mg (Robaxin)                  | 2                |                                     |
| methocarbamol oral tablet 750 mg (Robaxin-750)              | 2                |                                     |
| revonto intravenous recon soln 20 mg                        | 2                |                                     |
| tizanidine oral capsule 2 mg, 4 mg, 6 mg (Zanaflex)         | 2                |                                     |
| tizanidine oral tablet 2 mg                                 | 2                |                                     |
| tizanidine oral tablet 4 mg (Zanaflex)                      | 2                |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| <b>Sleep Disorder Agents</b>   |           |                                   |
| <b>Sleep Disorder Agents</b>   |           |                                   |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)           | 2         |                                   |
| <b>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</b>                            | 3         | QL (30 per 30 days)               |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                        | 2         | QL (30 per 30 days)               |
| <b>HETLIOZ ORAL CAPSULE 20 MG</b>  | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| <b>SILENOR ORAL TABLET 3 MG, 6 MG</b>  | 3         | QL (30 per 30 days)               |
| <b>XYREM ORAL SOLUTION 500 MG/ML</b>   | 5         | NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> (Sonata)                                | 2         | QL (60 per 30 days)               |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                                 | 2         | QL (30 per 30 days)               |
| <i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 2         | QL (30 per 30 days)               |
| <b>Vasodilating Agents</b>   |           |                                   |
| <b>Vasodilating Agents</b>   |           |                                   |
| <b>ADCIRCA ORAL TABLET 20 MG</b>   | 5         | PA; NM; NDS; QL (60 per 30 days)  |
| <b>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</b>                    | 5         | PA; NM; NDS; QL (90 per 30 days)  |
| <b>CIALIS ORAL TABLET 2.5 MG, 5 MG</b>   | 3         | PA; QL (30 per 30 days)           |
| <i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)             | 2         | PA                                |
| <i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)             | 5         | PA; NM; NDS                       |
| <b>LETAIRIS ORAL TABLET 10 MG, 5 MG</b>  | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| <b>OPSUMIT ORAL TABLET 10 MG</b>   | 5         | PA; NM; NDS; QL (30 per 30 days)  |
| <b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG</b>                           | 3         | PA                                |
| <b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG</b>        | 5         | PA; NM; NDS                       |
| <b>REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML</b>        | 5         | PA; NM; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                      |
|--|------------------|---|
| <i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)                | 5                | PA; NM; NDS; QL (37.5 per 1 day)                |
| <i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)                                 | 2                | PA; QL (90 per 30 days)                         |
| <b>TRACLEER ORAL TABLET 125 MG, 62.5 MG</b>  | 5                | PA; NM; LA; NDS; QL (60 per 30 days)            |
| <b>TRACLEER ORAL TABLET FOR SUSPENSION 32 MG</b>   | 5                | PA; NM; NDS; QL (112 per 28 days)               |
| <b>TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)</b>                    | 5                | PA; NM; NDS                                     |
| <b>UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG</b> | 5                | PA; NM; NDS; QL (60 per 30 days)                |
| <b>UPTRAVI ORAL TABLET 200 MCG</b>   | 5                | PA; NM; NDS; QL (240 per 30 days)               |
| <b>UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)</b>                                | 5                | PA; NM; NDS; QL (400 per 365 days)              |
| <b>Vitamins And Minerals</b>   |                  |   |
| <b>Vitamins And Minerals</b>   |                  |   |
| <i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>                                 | 2                |   |
| <i>pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg</i>                          | 3                | ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>                               | 3                | ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D |
| <i>sodium fluoride 0.5 mg/ml drop d/f, slf,gluten-free (otc) 0.5 mg (1.1 mg sod.fluorid)/ml</i>  | 2                |   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

|                                       |          |  |        |   |        |
|---------------------------------------|----------|--|--------|---|--------|
| <i>abacavir</i> .....                 | 59       | AKYNZEO<br>(FOSNETUPITANT).....            | 50     | AMINOSYN 8.5 %-<br>ELECTROLYTES.....        | 68     |
| <i>abacavir-lamivudine</i> .....      | 59       | AKYNZEO (NETUPITANT)50                     |        | AMINOSYN II 10 %.....                       | 68     |
| <i>abacavir-lamivudine-zidovudine</i> | 59       | <i>ala-cort</i> .....                      | 97     | AMINOSYN II 15 %.....                       | 68     |
| ABELCET.....                          | 46       | <i>ala-scalp</i> .....                     | 97     | AMINOSYN II 7 %.....                        | 68     |
| ABILIFY MAINTENA.....                 | 54       | ALBENZA.....                               | 52     | AMINOSYN II 8.5 %.....                      | 68     |
| ABRAXANE.....                         | 22       | <i>albuterol sulfate</i> .....             | 140    | AMINOSYN II 8.5 %-<br>ELECTROLYTES.....     | 68     |
| <i>acamprosate</i> .....              | 10       | <i>alclometasone</i> .....                 | 97     | AMINOSYN M 3.5 %.....                       | 68     |
| <i>acarbose</i> .....                 | 41       | ALCOHOL PADS.....                          | 94     | AMINOSYN-HBC 7%.....                        | 68     |
| <i>acebutolol</i> .....               | 75       | ALCOHOL PREP PADS.....                     | 94     | AMINOSYN-PF 10 %.....                       | 68     |
| <i>acetaminophen-codeine</i> .....    | 3        | ALDURAZYME.....                            | 100    | AMINOSYN-PF 7 %<br>(SULFITE-FREE).....      | 68     |
| <i>acetasol hc</i> .....              | 103      | ALECENSA.....                              | 22     | AMINOSYN-RF 5.2 %.....                      | 69     |
| <i>acetazolamide</i> .....            | 134      | <i>alendronate</i> .....                   | 130    | <i>amiodarone</i> .....                     | 74     |
| <i>acetazolamide sodium</i> .....     | 134      | <i>alfuzosin</i> .....                     | 111    | AMITIZA.....                                | 108    |
| <i>acetic acid</i> .....              | 103, 129 | ALIMTA.....                                | 22     | <i>amitriptyline</i> .....                  | 38     |
| <i>acetylcysteine</i> .....           | 142      | ALINIA.....                                | 52     | <i>amitriptyline-chlordiazepoxide</i> ..... | 38     |
| <i>acitretin</i> .....                | 94       | ALIQOPA.....                               | 22     | <i>amlodipine</i> .....                     | 79     |
| ACTEMRA.....                          | 119      | <i>allopurinol</i> .....                   | 48     | <i>amlodipine-atorvastatin</i> .....        | 80     |
| ACTHAR H.P.....                       | 132      | <i>alosetron</i> .....                     | 129    | <i>amlodipine-benazepril</i> .....          | 79     |
| ACTHIB (PF).....                      | 124      | ALPHAGAN P.....                            | 134    | <i>amlodipine-olmesartan</i> .....          | 79     |
| ACTIMMUNE.....                        | 132      | <i>alprazolam</i> .....                    | 11     | <i>amlodipine-valsartan</i> .....           | 79     |
| <i>acyclovir</i> .....                | 64, 94   | ALREX.....                                 | 106    | <i>amlodipine-valsartan-hcthiazid</i> ..... | 79     |
| <i>acyclovir sodium</i> .....         | 64       | <i>altavera (28)</i> .....                 | 87     | <i>ammonium lactate</i> .....               | 94     |
| ADACEL(TDAP                           |          | ALUNBRIG.....                              | 22, 23 | <i>amoxapine</i> .....                      | 38     |
| ADOLESN/ADULT)(PF)....                | 124      | <i>alyacen 1/35 (28)</i> .....             | 87     | <i>amoxicil-clarithromy-lansopraz</i> ..... |        |
| ADAGEN.....                           | 100      | <i>alyacen 7/7/7 (28)</i> .....            | 87     | .....                                       | 107    |
| <i>adapalene</i> .....                | 99       | <i>amabelz</i> .....                       | 113    | <i>amoxicillin</i> .....                    | 18     |
| ADCIRCA.....                          | 144      | <i>amantadine hcl</i> .....                | 53     | <i>amoxicillin-pot clavulanate</i> .....    | 18, 19 |
| <i>adefovir</i> .....                 | 64       | AMBISOME.....                              | 46     | <i>amphotericin b</i> .....                 | 46     |
| ADEMPAS.....                          | 144      | <i>amethia</i> .....                       | 87     | <i>ampicillin</i> .....                     | 19     |
| <i>adriamycin</i> .....               | 22       | <i>amethia lo</i> .....                    | 87     | <i>ampicillin sodium</i> .....              | 19     |
| <i>adrucil</i> .....                  | 22       | <i>amifostine crystalline</i> .....        | 132    | <i>ampicillin-sulbactam</i> .....           | 19     |
| ADVAIR DISKUS.....                    | 139      | <i>amiloride</i> .....                     | 79     | AMPYRA.....                                 | 84     |
| ADVAIR HFA.....                       | 139      | <i>amiloride-hydrochlorothiazide</i> ..... | 79     | ANADROL-50.....                             | 112    |
| <i>afeditab cr</i> .....              | 79       | AMINOSYN 10 %.....                         | 68     | <i>anagrelide</i> .....                     | 67     |
| AFINITOR.....                         | 22       | AMINOSYN 7 % WITH<br>ELECTROLYTES.....     | 68     | <i>anastrozole</i> .....                    | 23     |
| AFINITOR DISPERZ.....                 | 22       | AMINOSYN 8.5 %.....                        | 68     |   |        |
| <i>a-hydrocort</i> .....              | 114      |  |        |   |        |
| AKTEN (PF).....                       | 102      |  |        |   |        |

|                                |          |                                       |          |                                       |          |
|--------------------------------|----------|---------------------------------------|----------|---------------------------------------|----------|
| ANDRODERM                      | 112      | AVONEX                                | 84       | <i>betamethasone, augmented</i>       | 97       |
| ANDROGEL                       | 112, 113 | AVONEX (WITH                          |          | BETASERON                             | 84       |
| <i>androxy</i>                 | 113      | ALBUMIN)                              | 84       | <i>betaxolol</i>                      | 75, 134  |
| ANORO ELLIPTA                  | 141      | <i>azacitidine</i>                    | 23       | <i>bethanechol chloride</i>           | 111      |
| APOKYN                         | 53       | <i>azathioprine</i>                   | 119      | BETHKIS                               | 13       |
| <i>apraclonidine</i>           | 102      | <i>azathioprine sodium</i>            | 119      | BEVYXXA                               | 65       |
| <i>aprepitant</i>              | 50, 51   | <i>azelastine</i>                     | 102, 103 | <i>bexarotene</i>                     | 23       |
| <i>apri</i>                    | 87       | <i>azithromycin</i>                   | 17       | BEXSERO                               | 124      |
| APRISO                         | 129      | AZOPT                                 | 134      | <i>bicalutamide</i>                   | 23       |
| APTIOM                         | 33       | <i>aztreonam</i>                      | 18       | BICILLIN C-R                          | 19       |
| APTIVUS                        | 59       | <i>azurette (28)</i>                  | 88       | BICILLIN L-A                          | 19       |
| <i>aranelle (28)</i>           | 87       | <i>baciim</i>                         | 13       | BIDIL                                 | 83       |
| ARCALYST                       | 119      | <i>bacitracin</i>                     | 13, 103  | BIKTARVY                              | 59       |
| <i>aripiprazole</i>            | 54, 55   | <i>bacitracin-polymyxin b</i>         | 104      | <i>bimatoprost</i>                    | 134      |
| ARISTADA                       | 55       | <i>baclofen</i>                       | 143      | <i>bisoprolol fumarate</i>            | 75       |
| <i>armodafinil</i>             | 144      | <i>balsalazide</i>                    | 129      | <i>bisoprolol-hydrochlorothiazide</i> | 75       |
| ARNUITY ELLIPTA                | 139      | <i>balziva (28)</i>                   | 88       | <i>bleomycin</i>                      | 23       |
| <i>ascomp with codeine</i>     | 3        | BANZEL                                | 33       | <i>bleph-10</i>                       | 104      |
| <i>ashlyna</i>                 | 87       | BAVENCIO                              | 23       | BLINCYTO                              | 23       |
| <i>aspirin-dipyridamole</i>    | 67       | BAXDELA                               | 20       | <i>blisovi 24 fe</i>                  | 88       |
| ASSURE ID INSULIN              |          | BCG VACCINE, LIVE (PF)                | 124      | <i>blisovi fe 1.5/30 (28)</i>         | 88       |
| SAFETY                         | 100      | BD ULTRA-FINE NANO                    |          | <i>blisovi fe 1/20 (28)</i>           | 88       |
| ASTAGRAF XL                    | 119      | PEN NEEDLE                            | 100      | BOOSTRIX TDAP                         | 125      |
| <i>atazanavir</i>              | 59       | BD VEO INSULIN                        |          | BORTEZOMIB                            | 23       |
| <i>atenolol</i>                | 75       | SYRINGE UF                            | 100      | BOSULIF                               | 23       |
| <i>atenolol-chlorthalidone</i> | 75       | <i>bekyree (28)</i>                   | 88       | BOTOX                                 | 132      |
| <i>atomoxetine</i>             | 84       | BELBUCA                               | 3        | BREO ELLIPTA                          | 139      |
| <i>atorvastatin</i>            | 81       | BELEODAQ                              | 23       | <i>briellyn</i>                       | 88       |
| <i>atovaquone</i>              | 52       | BELSOMRA                              | 144      | BRILINTA                              | 67       |
| <i>atovaquone-proguanil</i>    | 52       | <i>benazepril</i>                     | 73       | <i>brimonidine</i>                    | 134      |
| ATRIPLA                        | 59       | <i>benazepril-hydrochlorothiazide</i> | 73       | BRIVIACT                              | 33       |
| <i>atropine</i>                | 33, 102  | BENDEKA                               | 23       | <i>bromfenac</i>                      | 106      |
| ATROVENT HFA                   | 141      | BENLYSTA                              | 132      | <i>bromocriptine</i>                  | 53       |
| AUBAGIO                        | 84       | <i>benznidazole</i>                   | 52       | BROMSITE                              | 106      |
| <i>aubra</i>                   | 87       | <i>benztropine</i>                    | 53       | <i>budesonide</i>                     | 129, 139 |
| AURYXIA                        | 110      | BEPREVE                               | 103      | <i>bumetanide</i>                     | 79       |
| AUSTEDO                        | 84       | BESPONSA                              | 23       | BUNAVAIL                              | 10       |
| AVASTIN                        | 23       | <i>betamethasone acet,sod phos</i>    | 114      | <i>buprenorphine</i>                  | 3        |
| AVC VAGINAL                    | 49       | <i>betamethasone dipropionate</i>     | 97       | <i>buprenorphine hcl</i>              | 3, 10    |
| <i>aviane</i>                  | 87       | <i>betamethasone valerate</i>         | 97       | <i>buprenorphine-naloxone</i>         | 10       |

|                                |         |                                 |     |                               |         |
|--------------------------------|---------|---------------------------------|-----|-------------------------------|---------|
| bupropion hcl                  | 38      | carbinoxamine maleate           | 48  | CERDELGA                      | 100     |
| bupropion hcl (smoking deter)  | 10      | carboplatin                     | 24  | CEREZYME                      | 100     |
| buspirone                      | 11      | CARIMUNE NF                     |     | CERVARIX VACCINE (PF)         |         |
| butalbital compound w/codeine  | 3       | NANOFILTERED                    | 120 |                               | 125     |
| butalbital-acetaminop-caf-cod  | 3       | carisoprodol                    | 143 | CETYLEV                       | 132     |
| butalbital-acetaminophen       | 3       | carteolol                       | 134 | cevimeline                    | 94      |
| butalbital-acetaminophen-caff  | 3       | cartia xt                       | 76  | CHANTIX                       | 10      |
| butalbital-aspirin-caffeine    | 3       | carvedilol                      | 75  | CHANTIX CONTINUING            |         |
| butorphanol tartrate           | 3       | caspofungin                     | 46  | MONTH BOX                     | 10      |
| BUTRANS                        | 3       | CAYSTON                         | 18  | CHANTIX STARTING              |         |
| BYSTOLIC                       | 75      | caziant (28)                    | 88  | MONTH BOX                     | 10      |
| BYVALSON                       | 75      | cefaclor                        | 15  | chloramphenicol sod succinate | 13      |
| cabergoline                    | 53      | cefadroxil                      | 15  | chlordiazepoxide hcl          | 11      |
| CABOMETYX                      | 23      | cefazolin                       | 15  | chlorhexidine gluconate       | 94      |
| caffeine citrate               | 84      | cefazolin in 0.9% sod chloride  | 15  | chloroquine phosphate         | 52      |
| calcipotriene                  | 94      | cefazolin in dextrose (iso-os)  | 15  | chlorothiazide                | 79      |
| calcitonin (salmon)            | 130     | cefdinir                        | 15  | chlorothiazide sodium         | 79      |
| calcitrene                     | 94      | cefditoren pivoxil              | 15  | chlorpromazine                | 55      |
| calcitriol                     | 94, 130 | CEFEPIME                        | 15  | chlorthalidone                | 79      |
| calcium acetate                | 110     | CEFEPIME IN DEXTROSE            |     | chlorzoxazone                 | 143     |
| calcium chloride               | 135     | 5%                              | 15  | cholestyramine (with sugar)   | 81      |
| CALDOLOR                       | 8       | CEFEPIME IN                     |     | cholestyramine light          | 81      |
| CALQUENCE                      | 23      | DEXTROSE,ISO-OSM                | 15  | CIALIS                        | 144     |
| camila                         | 88      | cefixime                        | 15  | ciclopirox                    | 46      |
| camrese                        | 88      | cefotaxime                      | 15  | cidofovir                     | 64      |
| camrese lo                     | 88      | cefoxitin                       | 16  | cilostazol                    | 67      |
| CANASA                         | 129     | cefoxitin in dextrose, iso-osm  | 15  | CILOXAN                       | 104     |
| candesartan                    | 72      | cefepodoxime                    | 16  | CIMDUO                        | 59      |
| candesartan-hydrochlorothiazid | 72      | cefprozil                       | 16  | cimetidine                    | 107     |
| capacet                        | 4       | ceftazidime                     | 16  | cimetidine hcl                | 107     |
| CAPASTAT                       | 50      | ceftibuten                      | 16  | CIMZIA                        | 120     |
| CAPRELSA                       | 23      | ceftriaxone                     | 16  | CIMZIA POWDER FOR             |         |
| captopril                      | 73      | ceftriaxone in dextrose, iso-os | 16  | RECONST                       | 120     |
| captopril-hydrochlorothiazide  | 73      | cefuroxime axetil               | 16  | CINQAIR                       | 142     |
| CARAFATE                       | 107     | cefuroxime sodium               | 16  | CINRYZE                       | 66      |
| CARBAGLU                       | 108     | cefuroxime-dextrose (iso-osm)   | 16  | CINVANTI                      | 51      |
| carbamazepine                  | 33, 34  | celecoxib                       | 8   | CIPRODEX                      | 104     |
| carbidopa                      | 53      | CELONTIN                        | 34  | ciprofloxacin                 | 20      |
| carbidopa-levodopa             | 53      | cephalexin                      | 16  | ciprofloxacin (mixture)       | 20      |
| carbidopa-levodopa-entacapone  | 53      | CEPROTIN (BLUE BAR)             | 65  | ciprofloxacin hcl             | 20, 104 |

|   |            |   |   |               |
|---|------------|---|---|---------------|
| <i>ciprofloxacin in 5 % dextrose</i> ...    | 20         | CLINIMIX E 5%/D15W                        | COSENTYX PEN (2 PENS) ..                    | 94            |
| <i>ciprofloxacin lactate</i> .....          | 20         | SULFIT FREE .....                         | COTELLIC .....                              | 24            |
| <i>citalopram</i> .....                     | 38         | CLINIMIX E 5%/D20W                        | CREON .....                                 | 101           |
| <i>cladribine</i> .....                     | 24         | SULFIT FREE .....                         | CRIXIVAN .....                              | 59            |
| <i>clarithromycin</i> .....                 | 17         | CLINIMIX E 5%/D25W                        | <i>cromolyn</i> .....                       | 103, 108, 142 |
| <i>clemastine</i> .....                     | 48         | SULFIT FREE .....                         | <i>cryselle</i> (28) .....                  | 88            |
| <b>CLENPIQ</b> .....                        | 110        | CLINISOL SF 15 %.....                     | <b>CUPRIMINE</b> .....                      | 112           |
| <b>CLEVIPREX</b> .....                      | 79         | <i>clobetasol</i> .....                   | <i>cyclafem</i> 1/35 (28) .....             | 88            |
| <i>clindamycin hcl</i> .....                | 13         | <i>clobetasol-emollient</i> .....         | <i>cyclafem</i> 7/7/7 (28) .....            | 88            |
| <i>clindamycin in 5 % dextrose</i> .....    | 14         | <i>clocortolone pivalate</i> .....        | <i>cyclobenzaprine</i> .....                | 143           |
| <i>clindamycin palmitate hcl</i> .....      | 14         | <i>clofarabine</i> .....                  | <i>cyclopentolate</i> .....                 | 103           |
| <i>clindamycin phosphate</i> ..             | 14, 49, 96 | <i>clomipramine</i> .....                 | <i>cyclophosphamide</i> .....               | 24            |
| <i>clindamycin-benzoyl peroxide</i> ..      | 96         | <i>clonazepam</i> .....                   | <b>CYCLOPHOSPHAMIDE</b> .....               | 24            |
| <b>CLINIMIX 5%/D15W</b>                     |            | <i>clonidine</i> .....                    | <b>CYCLOSET</b> .....                       | 41            |
| <b>SULFITE FREE</b> .....                   | 69         | <i>clonidine hcl</i> .....                | <i>cyclosporine</i> .....                   | 120           |
| <b>CLINIMIX 5%/D25W</b>                     |            | <i>clopidogrel</i> .....                  | <i>cyclosporine modified</i> .....          | 120           |
| <b>SULFITE-FREE</b> .....                   | 69         | <i>clorazepate dipotassium</i> .....      | <i>cyproheptadine</i> .....                 | 48            |
| <b>CLINIMIX 2.75%/D5W</b>                   |            | <i>clorpres</i> .....                     | <b>CYRAMZA</b> .....                        | 24            |
| <b>SULFIT FREE</b> .....                    | 69         | <i>clotrimazole</i> .....                 | <i>cyred</i> .....                          | 88            |
| <b>CLINIMIX 4.25%/D10W</b>                  |            | <i>clotrimazole-betamethasone</i> .....   | <b>CYSTADANE</b> .....                      | 132           |
| <b>SULF FREE</b> .....                      | 69         | <i>clozapine</i> .....                    | <b>CYSTARAN</b> .....                       | 103           |
| <b>CLINIMIX 4.25%/D5W</b>                   |            | <b>COARTEM</b> .....                      | <i>d10 %-0.45 % sodium chloride</i> .....   | 135           |
| <b>SULFIT FREE</b> .....                    | 69         | <i>codeine sulfate</i> .....              | <i>d2.5 %-0.45 % sodium chloride</i> .....  | 135           |
| <b>CLINIMIX 4.25%-D20W</b>                  |            | <b>COLCRYS</b> .....                      | <i>d5 % and 0.9 % sodium chloride</i> ..... | 135           |
| <b>SULF-FREE</b> .....                      | 69         | <i>colestipol</i> .....                   | <i>d5 %-0.45 % sodium chloride</i> .....    | 135           |
| <b>CLINIMIX 4.25%-D25W</b>                  |            | <i>colistin (colistimethate na)</i> ..... | <b>DAKLINZA</b> .....                       | 63            |
| <b>SULF-FREE</b> .....                      | 69         | <b>COLY-MYCIN S</b> .....                 | <b>DALIRESP</b> .....                       | 142           |
| <b>CLINIMIX 5%-D20W(SULFITE-FREE)</b> ..... | 69         | <b>COMBIGAN</b> .....                     | <i>danazol</i> .....                        | 113           |
| <b>CLINIMIX E 2.75%/D10W</b>                |            | <b>COMBIPATCH</b> .....                   | <i>dantrolene</i> .....                     | 143           |
| <b>SUL FREE</b> .....                       | 69         | <b>COMBIVENT RESPIMAT</b> . ..            | <i>dapsone</i> .....                        | 50            |
| <b>CLINIMIX E 2.75%/D5W</b>                 |            | <b>COMETRIQ</b> .....                     | <b>DAPTACEL (DTAP PEDIATRIC) (PF)</b> ..... | 125           |
| <b>SULF FREE</b> .....                      | 69         | <b>COMPLERA</b> .....                     | <i>daptomycin</i> .....                     | 14            |
| <b>CLINIMIX E 4.25%/D10W</b>                |            | <i>compro</i> .....                       | <b>DARAPRIM</b> .....                       | 52            |
| <b>SUL FREE</b> .....                       | 69         | <b>CONDYLOX</b> .....                     | <b>DARZALEX</b> .....                       | 24            |
| <b>CLINIMIX E 4.25%/D25W</b>                |            | <i>constulose</i> .....                   | <i>dasetta</i> 1/35 (28) .....              | 88            |
| <b>SUL FREE</b> .....                       | 69         | <b>CORLANOR</b> .....                     | <i>dasetta</i> 7/7/7 (28) .....             | 88            |
| <b>CLINIMIX E 4.25%/D5W</b>                 |            | <i>cormax</i> .....                       | <i>daysee</i> .....                         | 88            |
| <b>SULF FREE</b> .....                      | 69         | <i>cortisone</i> .....                    |   |               |
|   |            | <b>COSENTYX (2 SYRINGES)</b> ..           |   |               |

|   |          |                                       |            |
|---|----------|---------------------------------------|------------|
| <i>deblitane</i>                                  | 88       | <i>dextrose 5%-0.3 % sod.chloride</i> | 78         |
| <i>decadron</i>                                   | 114      | <i>.....</i>                          | 136        |
| <i>decitabine</i>                                 | 24       | <i>dextrose 50 % in water (d50w)</i>  | 70         |
| <i>deferoxamine</i>                               | 112      | <i>dextrose 70 % in water (d70w)</i>  | 70         |
| <i>delyla (28)</i>                                | 88       | <i>dextrose with sodium chloride</i>  | 136        |
| <b>DELZICOL</b>                                   | 129      | <b>DIASTAT</b>                        | 12         |
| <i>demeclocycline</i>                             | 21       | <b>DIASTAT ACUDIAL</b>                | 12         |
| <b>DEMSER</b>                                     | 77       | <i>diazepam</i>                       | 12         |
| <b>DENAVIR</b>                                    | 94       | <i>diazepam intensol</i>              | 12         |
| <b>DEPEN TITRATABS</b>                            | 112      | <i>diclofenac potassium</i>           | 8          |
| <b>DEPO-PROVERA</b>                               | 118      | <i>diclofenac sodium</i>              | 8, 95, 106 |
| <b>DESCOVY</b>                                    | 59       | <i>diclofenac-misoprostol</i>         | 8          |
| <i>desipramine</i>                                | 38       | <i>dicloxacillin</i>                  | 19         |
| <i>desmopressin</i>                               | 116      | <i>dicyclomine</i>                    | 108        |
| <i>desog-e.estradiolle.estradiol</i>              | 88       | <i>didanosine</i>                     | 59         |
| <i>desogestrel-ethinyl estradiol</i>              | 88       | <b>DIFCID</b>                         | 17         |
| <i>desonide</i>                                   | 98       | <i>diflorasone</i>                    | 98         |
| <i>desoximetasone</i>                             | 98       | <i>diflunisal</i>                     | 8          |
| <i>desvenlafaxine succinate</i>                   | 38       | <i>digitek</i>                        | 77         |
| <i>dexamethasone</i>                              | 114, 115 | <i>digox</i>                          | 77         |
| <i>dexamethasone sodium phos</i><br>( <i>pf</i> ) | 115      | <i>digoxin</i>                        | 77         |
| <i>dexamethasone sodium</i><br><i>phosphate</i>   | 106, 115 | <b>DIGOXIN</b>                        | 77         |
| <b>DEXILANT</b>                                   | 107      | <i>dihydroergotamine</i>              | 49         |
| <i>dexamethylphenidate</i>                        | 84       | <b>DILANTIN</b>                       | 34         |
| <i>dexrazoxane hcl</i>                            | 132      | <i>diltiazem hcl</i>                  | 76, 77     |
| <i>dextroamphetamine</i>                          | 84       | <i>dilt-xr</i>                        | 77         |
| <i>dextroamphetamine-</i><br><i>amphetamine</i>   | 84, 85   | <i>dimenhydrinate</i>                 | 51         |
| <i>dextrose 10 % and 0.2 % nacl.</i>              | 135      | <b>DIPENTUM</b>                       | 129        |
| <i>dextrose 10 % in water (d10w)</i>              | 70       | <i>diphenhydramine hcl</i>            | 48         |
| <i>dextrose 20 % in water (d20w)</i>              | 70       | <i>diphenoxylate-atropine</i>         | 108        |
| <i>dextrose 25 % in water (d25w)</i>              | 70       | <i>dipyridamole</i>                   | 67         |
| <i>dextrose 40 % in water (d40w)</i>              | 70       | <i>disopyramide phosphate</i>         | 74         |
| <i>dextrose 5 % in ringer's</i>                   | 70       | <i>disulfiram</i>                     | 10         |
| <i>dextrose 5 % in water (d5w)</i>                | 70       | <i>divalproex</i>                     | 34         |
| <i>dextrose 5 %-lactated ringers.</i>             | 135      | <i>dobutamine</i>                     | 77         |
| <i>dextrose 5%-0.2 % sod chloride</i>             | 136      | <i>dobutamine in d5w</i>              | 77         |
|   |          | <i>docetaxel</i>                      | 24         |
|   |          | <i>dofetilide</i>                     | 74         |
|   |          | <i>donepezil</i>                      | 37         |
|   |          | <i>dopamine</i>                       | 78         |
|   |          | <i>dopamine in 5 % dextrose</i>       | 78         |
|   |          | <b>DOPTELET</b>                       | 66         |
|   |          | <i>dorzolamide</i>                    | 134        |
|   |          | <i>dorzolamide-timolol</i>            | 134        |
|   |          | <i>doxazosin</i>                      | 72         |
|   |          | <i>doxepin</i>                        | 38         |
|   |          | <i>doxercalciferol</i>                | 130        |
|   |          | <i>doxorubicin</i>                    | 24         |
|   |          | <i>doxorubicin, peg-liposomal</i>     | 24         |
|   |          | <i>doxy-100</i>                       | 21         |
|   |          | <i>doxycycline hyclate</i>            | 21         |
|   |          | <i>doxycycline monohydrate</i>        | 21, 22     |
|   |          | <i>dronabinol</i>                     | 51         |
|   |          | <i>droperidol</i>                     | 132        |
|   |          | <i>drospirenone-ethinyl estradiol</i> | 88         |
|   |          | <b>DROXIA</b>                         | 24         |
|   |          | <b>DUAVEE</b>                         | 113        |
|   |          | <b>DUEXIS</b>                         | 8          |
|   |          | <b>DULERA</b>                         | 139        |
|   |          | <i>duloxetine</i>                     | 38, 39     |
|   |          | <b>DUPIXENT</b>                       | 95         |
|   |          | <b>DUREZOL</b>                        | 106        |
|   |          | <i>dutasteride</i>                    | 111        |
|   |          | <i>dutasteride-tamsulosin</i>         | 112        |
|   |          | <b>DYRENIUM</b>                       | 80         |
|   |          | <i>e.e.s. 400</i>                     | 17         |
|   |          | <b>E.E.S. GRANULES</b>                | 17         |
|   |          | <i>econazole</i>                      | 46         |
|   |          | <b>EDARBI</b>                         | 72         |
|   |          | <b>EDARBYCLOR</b>                     | 72         |
|   |          | <b>EDURANT</b>                        | 59         |
|   |          | <i>efavirenz</i>                      | 59         |
|   |          | <b>ELAPRASE</b>                       | 101        |
|   |          | <i>electrolyte-48 in d5w</i>          | 136        |
|   |          | <b>ELIDEL</b>                         | 98         |
|   |          | <b>ELIGARD</b>                        | 25         |
|   |          | <b>ELIGARD (3 MONTH)</b>              | 24         |
|   |          | <b>ELIGARD (4 MONTH)</b>              | 24         |
|   |          | <b>ELIGARD (6 MONTH)</b>              | 25         |
|   |          | <i>elinest</i>                        | 89         |

|                                      |     |                                      |         |                                      |        |
|--------------------------------------|-----|--------------------------------------|---------|--------------------------------------|--------|
| <i>eliphos</i>                       | 110 | EPIPEN JR 2-PAK                      | 78      | ETOPOPHOS                            | 25     |
| ELIQUIS                              | 65  | <i>epitol</i>                        | 34      | <i>etoposide</i>                     | 25     |
| ELITEK                               | 101 | EPIVIR HBV                           | 59      | EUCRISA                              | 98     |
| <i>elixophyllin</i>                  | 141 | <i>eplerenone</i>                    | 82      | EVOTAZ                               | 59     |
| ELLA                                 | 89  | EPOGEN                               | 66      | EXELDERM                             | 46, 47 |
| ELMIRON                              | 132 | <i>epoprostenol (glycine)</i>        | 144     | <i>exemestane</i>                    | 25     |
| EMBEDA                               | 4   | <i>eprosartan</i>                    | 72      | EXJADE                               | 112    |
| EMCYT                                | 25  | <i>ergoloid</i>                      | 132     | EXONDYS 51                           | 132    |
| EMEND                                | 51  | ERGOMAR                              | 49      | EXTAVIA                              | 85     |
| EMEND<br>(FOSAPREPITANT)             | 51  | ERIVEDGE                             | 25      | <i>ezetimibe</i>                     | 81     |
| EMFLAZA                              | 115 | ERLEADA                              | 25      | <i>ezetimibe-simvastatin</i>         | 81     |
| <i>emoquette</i>                     | 89  | <i>errin</i>                         | 89      | FABRAZYME                            | 101    |
| EMPLICITI                            | 25  | <i>ery pads</i>                      | 96      | <i>falmina (28)</i>                  | 89     |
| EMSAM                                | 39  | ERYPED 200                           | 17      | <i>famciclovir</i>                   | 64     |
| EMTRIVA                              | 59  | ERYPED 400                           | 17      | <i>famotidine</i>                    | 107    |
| <i>enalapril maleate</i>             | 73  | <i>ery-tab</i>                       | 17      | <i>famotidine (pf)</i>               | 107    |
| <i>enalaprilat</i>                   | 73  | ERY-TAB                              | 18      | <i>famotidine (pf)-nacl (iso-os)</i> | 107    |
| <i>enalapril-hydrochlorothiazide</i> | 73  | ERYTHROCIN                           | 18      | FANAPT                               | 55     |
| ENBREL                               | 120 | <i>erythrocin (as stearate)</i>      | 18      | FARESTON                             | 25     |
| ENBREL SURECLICK                     | 120 | erythromycin                         | 18, 104 | FARYDAK                              | 25     |
| ENDARI                               | 132 | erythromycin ethylsuccinate          | 18      | FASENRA                              | 143    |
| <i>endocet</i>                       | 4   | erythromycin with ethanol            | 96      | FASLODEX                             | 25     |
| ENGERIX-B (PF)                       | 125 | erythromycin-benzoyl peroxide        | 96      | <i>felbamate</i>                     | 34     |
| ENGERIX-B PEDIATRIC<br>(PF)          | 125 | ESBRIET                              | 143     | <i>felodipine</i>                    | 79     |
| <i>enoxaparin</i>                    | 65  | <i>escitalopram oxalate</i>          | 39      | FEMRING                              | 114    |
| <i>enpresse</i>                      | 89  | <i>esmolol</i>                       | 75      | <i>femynor</i>                       | 89     |
| <i>enskyce</i>                       | 89  | <i>esomeprazole sodium</i>           | 107     | <i>fenofibrate</i>                   | 81     |
| <i>entacapone</i>                    | 54  | <i>estarrylla</i>                    | 89      | <i>fenofibrate micronized</i>        | 81     |
| <i>entecavir</i>                     | 64  | <i>estazolam</i>                     | 12      | <i>fenofibrate nanocrystallized</i>  | 81     |
| ENTRESTO                             | 72  | <i>estradiol</i>                     | 113     | <i>fenofibric acid</i>               | 81     |
| <i>enulose</i>                       | 108 | <i>estradiol valerate</i>            | 113     | <i>fenofibric acid (choline)</i>     | 81     |
| ENVARSUS XR                          | 120 | <i>estradiol-norethindrone acet</i>  | 113     | <i>fenoprofen</i>                    | 8      |
| EPANED                               | 73  | ESTRING                              | 113     | <i>fentanyl</i>                      | 4      |
| EPCLUSA                              | 63  | <i>estropipate</i>                   | 114     | <i>fentanyl citrate</i>              | 4      |
| <i>epinastine</i>                    | 103 | <i>eszopiclone</i>                   | 144     | FERRIPROX                            | 112    |
| <i>epinephrine</i>                   | 78  | <i>ethambutol</i>                    | 50      | FETZIMA                              | 39     |
| EPIPEN                               | 78  | <i>ethosuximide</i>                  | 34      | FIASP FLEXTOUCH U-100                |        |
| EPIPEN 2-PAK                         | 78  | <i>ethynodiol diac-eth estradiol</i> | 89      | INSULIN                              | 43     |
|                                      |     | <i>etidronate disodium</i>           | 130     | FIASP U-100 INSULIN                  | 43     |
|                                      |     | <i>etodolac</i>                      | 8       | <i>finasteride</i>                   | 112    |

|                                   |          |                                   |             |                                   |          |
|-----------------------------------|----------|-----------------------------------|-------------|-----------------------------------|----------|
| FIRAZYR .....                     | 78       | fosinopril-hydrochlorothiazide .. | 73          | gentamicin sulfate (pf) .....     | 13       |
| flavoxate .....                   | 111      | fosphenytoin .....                | 34          | GENVOYA .....                     | 60       |
| FLEBOGAMMA DIF .....              | 120      | FOSRENOL .....                    | 111         | GEODON .....                      | 56       |
| flecainide .....                  | 74       | FREAMINE HBC 6.9 %.....           | 70          | gianvi (28) .....                 | 89       |
| FLECTOR .....                     | 95       | FREAMINE III 10 %.....            | 70          | gildagia .....                    | 89       |
| FLOVENT DISKUS .....              | 139, 140 | furosemide .....                  | 80          | GILENYA .....                     | 85       |
| FLOVENT HFA .....                 | 140      | FUZEON .....                      | 60          | GILOTrif .....                    | 25       |
| flouxuridine .....                | 25       | fyavolv .....                     | 114         | glatiramer .....                  | 85       |
| fluconazole .....                 | 47       | FYCOMPRA .....                    | 34          | glatopa .....                     | 85       |
| fluconazole in dextrose(iso-o) .. | 47       | gabapentin .....                  | 34          | GLEOSTINE .....                   | 25       |
| fluconazole in nacl (iso-osm) ..  | 47       | galantamine .....                 | 37          | glimepiride .....                 | 45       |
| flucytosine .....                 | 47       | GAMASTAN S/D .....                | 120         | glipizide .....                   | 45       |
| fludrocortisone .....             | 115      | GAMMAGARD LIQUID ..               | 120         | glipizide-metformin .....         | 45, 46   |
| flumazenil .....                  | 85       | GAMMAGARD S-D (IGA <              |             | GLUCAGEN HYPOKIT .....            | 41       |
| flunisolide .....                 | 106      | 1 MCG/ML) .....                   | 120         | GLUCAGON .....                    |          |
| fluocinolone .....                | 98       | GAMMAPLEX .....                   | 121         | EMERGENCY KIT .....               |          |
| fluocinolone acetonide oil .....  | 106      | GAMMAPLEX (WITH                   |             | (HUMAN) .....                     | 41       |
| fluocinonide .....                | 98       | SORBITOL) .....                   | 121         | glyburide .....                   | 46       |
| fluocinonide-e .....              | 98       | GAMUNEX-C .....                   | 121         | glyburide micronized .....        | 46       |
| fluoride (sodium) .....           | 145      | ganciclovir sodium .....          | 64          | glyburide-metformin .....         | 46       |
| fluorometholone .....             | 106      | GARDASIL (PF) .....               | 125         | glycopyrrolate .....              | 108, 109 |
| fluorouracil .....                | 25, 95   | GARDASIL 9 (PF) .....             | 125         | glydo .....                       | 9        |
| fluoxetine .....                  | 39       | gatifloxacin .....                | 104         | GLYXAMBI .....                    | 41       |
| FLUOXETINE .....                  | 39       | GATTEX 30-VIAL .....              | 108         | GOCOVRI .....                     | 54       |
| fluphenazine decanoate .....      | 55       | GAUZE PAD .....                   | 100         | GRALISE .....                     | 34       |
| fluphenazine hcl .....            | 55, 56   | gavilyte-c .....                  | 110         | GRALISE 30-DAY .....              |          |
| flurazepam .....                  | 12       | gavilyte-g .....                  | 110         | STARTER PACK .....                | 34       |
| flurbiprofen .....                | 8        | gavilyte-n .....                  | 110         | granisetron (pf) .....            | 51       |
| flurbiprofen sodium .....         | 106      | GAZYVA .....                      | 25          | granisetron hcl .....             | 51       |
| flutamide .....                   | 25       | gemcitabine .....                 | 25          | GRANIX .....                      | 66       |
| fluticasone .....                 | 98, 106  | gemfibrozil .....                 | 81          | griseofulvin microsize .....      | 47       |
| fluvastatin .....                 | 81       | generlac .....                    | 108         | griseofulvin ultramicrosize ..... | 47       |
| fluvoxamine .....                 | 39       | genraf .....                      | 121         | guanfacine .....                  | 72, 85   |
| fomepizole .....                  | 132      | GENOTROPIN .....                  | 116         | guanidine .....                   | 132      |
| fondaparinux .....                | 65       | GENOTROPIN .....                  |             | HAEGARDA .....                    | 66       |
| FORADIL AEROLIZER ..              | 141      | MINIQUICK .....                   | 116         | halobetasol propionate .....      | 98       |
| FORTEO .....                      | 130      | gentak .....                      | 104         | haloperidol .....                 | 56       |
| fosamprenavir .....               | 59       | gentamicin .....                  | 13, 96, 104 | haloperidol decanoate .....       | 56       |
| foscarnet .....                   | 62       | gentamicin in nacl (iso-osm) ..   | 13          | haloperidol lactate .....         | 56       |
| fosinopril .....                  | 73       | gentamicin sulfate (ped) (pf) ..  | 13          | HARVONI .....                     | 63       |

|  |        |   |   |          |
|--|--------|---|---|----------|
| HAVRIX (PF).....                         | 125    | HUMULIN N NPH U-100                       | <i>imipenem-cilastatin</i> .....            | 18       |
| <i>heather</i> .....                     | 89     | INSULIN.....                              | <i>imipramine hcl</i> .....                 | 39       |
| <i>heparin (porcine)</i> .....           | 65     | HUMULIN R REGULAR                         | <i>imipramine pamoate</i> .....             | 39       |
| <i>heparin (porcine) in 5 % dex</i> .... | 65     | U-100 INSULN.....                         | <i>imiquimod</i> .....                      | 95       |
| <i>heparin(porcine) in 0.45% nacl</i> 66 |        | HUMULIN R U-500                           | IMLYGIC.....                                | 26       |
| <i>heparin, porcine (pf)</i> .....       | 66     | (CONC) INSULIN.....                       | IMOGLAM RABIES-HT (PF)                      |          |
| HEPATAMINE 8%.....                       | 70     | HUMULIN R U-500                           | .....                                       | 122      |
| HERCEPTIN.....                           | 26     | (CONC) KWIKPEN.....                       | IMOVAX RABIES                               |          |
| HETLIOZ.....                             | 144    | <i>hydralazine</i> .....                  | VACCINE (PF).....                           | 126      |
| HEXALEN.....                             | 26     | <i>hydrochlorothiazide</i> .....          | IMPAVIDO.....                               | 52       |
| HIBERIX (PF).....                        | 125    | <i>hydrocodone-acetaminophen</i> .....    | INCRELEX.....                               | 116      |
| HUMALOG JUNIOR                           |        | <i>hydrocodone-ibuprofen</i> .....        | INCRUSE ELLIPTA.....                        | 141      |
| KWIKPEN U-100.....                       | 43     | <i>hydrocortisone</i> .....               | <i>indapamide</i> .....                     | 80       |
| HUMALOG KWIKPEN                          |        | <i>hydrocortisone butyrate</i> .....      | <i>indomethacin</i> .....                   | 8        |
| INSULIN.....                             | 43     | <i>hydrocortisone valerate</i> .....      | <i>indomethacin sodium</i> .....            | 8        |
| HUMALOG MIX 50-50                        |        | <i>hydrocortisone-acetic acid</i> .....   | INFANRIX (DTAP) (PF)....                    | 126      |
| INSULN U-100.....                        | 43     | <i>hydromorphone</i> .....                | INFLECTRA.....                              | 122      |
| HUMALOG MIX 50-50                        |        | <i>hydromorphone (pf)</i> .....           | INGREZZA.....                               | 85       |
| KWIKPEN.....                             | 43     | <i>hydroxychloroquine</i> .....           | INLYTA.....                                 | 26       |
| HUMALOG MIX 75-25                        |        | <i>hydroxyprogesterone caproate</i> ..... | INSULIN SYRINGE-                            |          |
| KWIKPEN.....                             | 43     | <i>hydroxyurea</i> .....                  | NEEDLE U-100.....                           | 100      |
| HUMALOG MIX 75-25(U-100)INSULN.....      | 43     | <i>hydroxyzine hcl</i> .....              | INTELENCE.....                              | 60       |
| HUMALOG U-100                            |        | <i>hydroxyzine pamoate</i> .....          | INTRALIPID.....                             | 70       |
| INSULIN.....                             | 43, 44 | HYPERRAB (PF).....                        | INTRON A.....                               | 63       |
| HUMATROPE.....                           | 116    | HYPERRAB S/D (PF).....                    | <i>introvale</i> .....                      | 89       |
| HUMIRA.....                              | 121    | HYQVIA.....                               | INVANZ.....                                 | 18       |
| HUMIRA PEDIATRIC                         |        | HYSINGLA ER.....                          | INVEGA SUSTENNA.....                        | 56       |
| CROHN'S START.....                       | 121    | <i>ibandronate</i> .....                  | INVEGA TRINZA.....                          | 56, 57   |
| HUMIRA PEN.....                          | 121    | IBRANCE.....                              | INVIRASE.....                               | 60       |
| HUMIRA PEN CROHN'S-UC-HS START.....      | 121    | <i>ibu</i> .....                          | INVOKAMET.....                              | 41       |
| HUMIRA PEN PSORIASIS-UVEITIS.....        | 121    | <i>ibuprofen</i> .....                    | INVOKAMET XR.....                           | 41       |
| HUMULIN 70/30 U-100                      |        | ICLUSIG.....                              | INVOKANA.....                               | 41       |
| INSULIN.....                             | 44     | IDHIFA.....                               | IONOSOL-B IN D5W.....                       | 136      |
| HUMULIN 70/30 U-100                      |        | <i>ifosfamide</i> .....                   | IONOSOL-MB IN D5W.....                      | 136      |
| KWIKPEN.....                             | 44     | ILARIS (PF).....                          | IPOL.....                                   | 126      |
| HUMULIN N NPH                            |        | ILEVRO.....                               | <i>ipratropium bromide</i> .....            | 103, 141 |
| INSULIN KWIKPEN.....                     | 44     | <i>imatitinib</i> .....                   | IPRIVASK.....                               | 66       |
|  |        | IMBRUVICA.....                            | <i>irbesartan</i> .....                     | 72       |
|  |        | IMFINZI.....                              | <i>irbesartan-hydrochlorothiazide</i> ..... | 72       |
|  |        |   | IRESSA.....                                 | 26       |

|                               |        |                                       |        |                                       |         |
|-------------------------------|--------|---------------------------------------|--------|---------------------------------------|---------|
| <i>irinotecan</i>             | 27     | KALYDECO                              | 143    | <i>lanthanum</i>                      | 111     |
| ISENTRESS                     | 60     | KANUMA                                | 101    | LANTUS SOLOSTAR U-100                 |         |
| ISENTRESS HD                  | 60     | <i>kariva</i> (28)                    | 89     | INSULIN                               | 44      |
| <i>isibloom</i>               | 89     | KAZANO                                | 42     | LANTUS U-100 INSULIN                  | 44      |
| ISOLYTE-P IN 5 %              |        | <i>kelnor</i> 1/35 (28)               | 89     | <i>larin</i> 1.5/30 (21)              | 90      |
| DEXTROSE                      | 136    | <i>kelnor</i> 1-50                    | 89     | <i>larin</i> 1/20 (21)                | 90      |
| ISOLYTE-S                     | 136    | KENALOG                               | 115    | <i>larin</i> 24 fe                    | 90      |
| <i>isoniazid</i>              | 50     | <i>ketoconazole</i>                   | 47     | <i>larin</i> fe 1.5/30 (28)           | 90      |
| <i>isosorbide dinitrate</i>   | 83     | <i>ketoprofen</i>                     | 8, 9   | <i>larin</i> fe 1/20 (28)             | 90      |
| <i>isosorbide mononitrate</i> | 83     | <i>ketorolac</i>                      | 9, 106 | <i>larissia</i>                       | 90      |
| <i>isradipine</i>             | 79     | KEVEYIS                               | 133    | LARTRUVO                              | 27      |
| <i>itraconazole</i>           | 47     | KEVZARA                               | 122    | <i>latanoprost</i>                    | 134     |
| <i>ivermectin</i>             | 52     | KEYTRUDA                              | 27     | LATUDA                                | 57      |
| IXEMTRA                       | 27     | <i>kimidess</i> (28)                  | 89     | LAZANDA                               | 5       |
| IXIARO (PF)                   | 126    | KINERET                               | 122    | <i>leena</i> 28                       | 90      |
| JADENU                        | 112    | KINRIX (PF)                           | 126    | <i>leflunomide</i>                    | 122     |
| JADENU SPRINKLE               | 112    | <i>kionex</i> (with sorbitol)         | 109    | LEMTRADA                              | 85      |
| JAKAFI                        | 27     | KISQALI                               | 27     | LENVIMA                               | 27      |
| <i>jantoven</i>               | 66     | KISQALI FEMARA CO-                    |        | <i>lessina</i>                        | 90      |
| JANUMET                       | 41     | PACK                                  | 27     | LETAIRIS                              | 144     |
| JANUMET XR                    | 41     | <i>klor-con</i> m10                   | 136    | <i>letrozole</i>                      | 27      |
| JANUVIA                       | 41     | <i>klor-con</i> m15                   | 136    | <i>leucovorin calcium</i>             | 133     |
| JARDIANCE                     | 41     | <i>klor-con</i> m20                   | 136    | LEUKERAN                              | 27      |
| <i>jencycla</i>               | 89     | <i>klor-con</i> sprinkle              | 136    | LEUKINE                               | 66      |
| JENTADUETO                    | 41     | KORLYM                                | 42     | <i>leuprolide</i>                     | 27      |
| JENTADUETO XR                 | 41, 42 | KRYSTEXXA                             | 101    | <i>levalbuterol tartrate</i>          | 141     |
| <i>jinteli</i>                | 114    | <i>kurvelo</i>                        | 90     | <i>levetiracetam</i>                  | 35      |
| <i>jolessa</i>                | 89     | KUVAN                                 | 101    | <i>levetiracetam</i> in nacl (iso-os) | 35      |
| <i>jolivette</i>              | 89     | KYNAMRO                               | 81     | <i>levobunolol</i>                    | 134     |
| <i>juleber</i>                | 89     | KYPROLIS                              | 27     | <i>levocarnitine</i>                  | 133     |
| JULUCA                        | 60     | <i>l norgest/e.estradiol-e.estrad</i> | 90     | <i>levocarnitine</i> (with sugar)     | 133     |
| <i>junel</i> 1.5/30 (21)      | 89     | <i>labetalol</i>                      | 75     | <i>levocetirizine</i>                 | 49      |
| <i>junel</i> 1/20 (21)        | 89     | LACRISERT                             | 103    | <i>levofloxacin</i>                   | 21, 104 |
| <i>junel</i> fe 1.5/30 (28)   | 89     | LACTATED RINGERS                      | 129    | <i>levofloxacin</i> in d5w            | 20      |
| <i>junel</i> fe 1/20 (28)     | 89     | <i>lactulose</i>                      | 109    | LEVOLEUCOVORIN                        | 133     |
| <i>junel</i> fe 24            | 89     | <i>lamivudine</i>                     | 60     | <i>levoleucovorin</i>                 | 133     |
| JUXTAPIID                     | 81     | <i>lamivudine-zidovudine</i>          | 60     | <i>levonest</i> (28)                  | 90      |
| JYNARQUE                      | 80     | <i>lamotrigine</i>                    | 34, 35 | <i>levonorgestrel-ethinyl estrad</i>  | 90      |
| KABIVEN                       | 71     | LANOXIN                               | 78     | <i>levonorg-eth estrad triphasic</i>  | 90      |
| KALETRA                       | 60     | <i>lansoprazole</i>                   | 107    | <i>levora-28</i>                      | 90      |

|  |           |  |          |  |
|--|-----------|--|----------|--|
| <i>levothyroxine</i> .....               | 119       | LUPRON DEPOT .....                     | 28       | MENOMUNE - A/C/Y/W-                      |
| LEXIVA .....                             | 60        | LUPRON DEPOT (3                        |          | 135 .....                                |
| LIALDA .....                             | 129       | MONTH) .....                           | 28       | 126                                      |
| <i>lidocaine</i> .....                   | 10        | LUPRON DEPOT (4                        |          | MENOMUNE - A/C/Y/W-                      |
| <i>lidocaine (pf)</i> .....              | 9, 10, 74 | MONTH) .....                           | 28       | 135 (PF) .....                           |
| <i>lidocaine hcl</i> .....               | 10        | LUPRON DEPOT (6                        |          | 126                                      |
| <i>lidocaine in 5 % dextrose (pf)</i> .. | 74        | MONTH) .....                           | 28       | MENVEO A-C-Y-W-135-DIP                   |
| <i>lidocaine viscous</i> .....           | 10        | LUPRON DEPOT-PED .....                 | 117      | (PF) .....                               |
| <i>lidocaine-prilocaine</i> .....        | 10        | LUPRON DEPOT-PED (3                    |          | 126                                      |
| <i>lillow</i> .....                      | 90        | MONTH) .....                           | 116      | <i>mercaptopurine</i> .....              |
| <i>linezolid</i> .....                   | 14        | <i>lulera (28)</i> .....               | 90       | 28                                       |
| <i>linezolid in dextrose 5%</i> .....    | 14        | LYNPARZA .....                         | 28       | <i>meropenem</i> .....                   |
| <i>linezolid-0.9% sodium chloride</i> .. | 14        | LYRICA .....                           | 35       | mesalamine .....                         |
| LINZESS .....                            | 109       | LYSODREN .....                         | 28       | mesna .....                              |
| <i>liothyronine</i> .....                | 119       | <i>lyza</i> .....                      | 91       | 133                                      |
| <i>lisinopril</i> .....                  | 73        | <i>magnesium sulfate</i> .....         | 136      | MESNEX .....                             |
| <i>lisinopril-hydrochlorothiazide</i> .. | 73        | <i>magnesium sulfate in d5w</i> .....  | 136      | MESTINON .....                           |
| <i>lithium carbonate</i> .....           | 85        | <i>magnesium sulfate in water</i> .... | 136      | <i>metaproterenol</i> .....              |
| <i>lithium citrate</i> .....             | 85        | <i>malathion</i> .....                 | 99       | 141                                      |
| LIVALO .....                             | 81        | <i>maprotiline</i> .....               | 39       | <i>metformin</i> .....                   |
| <i>lomedia 24 fe</i> .....               | 90        | <i>marlissa</i> .....                  | 91       | 42                                       |
| LONHALA MAGNAIR                          |           | MARPLAN .....                          | 39       | <i>methadone</i> .....                   |
| STARTER .....                            | 141       | MARQIBO .....                          | 28       | 5  |
| LONSURF .....                            | 28        | MATULANE .....                         | 28       | <i>methadose</i> .....                   |
| loperamide .....                         | 109       | <i>matzim la</i> .....                 | 77       | 135                                      |
| <i>lopinavir-ritonavir</i> .....         | 60        | MAVYRET .....                          | 63       | <i>methenamine hippurate</i> .....       |
| <i>lopreeza</i> .....                    | 114       | <i>meclizine</i> .....                 | 51       | 14                                       |
| <i>lorazepam</i> .....                   | 12        | <i>medroxyprogesterone</i> .....       | 118, 119 | <i>methimazole</i> .....                 |
| <i>loracet (hydrocodone)</i> .....       | 5         | <i>mefenamic acid</i> .....            | 9        | 119                                      |
| <i>loracet hd</i> .....                  | 5         | <i>mefloquine</i> .....                | 52       | <i>methocarbamol</i> .....               |
| <i>loracet plus</i> .....                | 5         | MEFOXIN IN DEXTROSE                    |          | 143                                      |
| <i>loryna (28)</i> .....                 | 90        | (ISO-OSM) .....                        | 16       | <i>methoxsalen</i> .....                 |
| <i>losartan</i> .....                    | 72        | <i>megestrol</i> .....                 | 28, 119  | 95                                       |
| <i>losartan-hydrochlorothiazide</i> ..   | 72        | MEKINIST .....                         | 28       | <i>methscopolamine</i> .....             |
| LOTEMAX .....                            | 106       | <i>meloxicam</i> .....                 | 9        | 109                                      |
| <i>lovastatin</i> .....                  | 81        | <i>melphalan hcl</i> .....             | 28       | <i>methyclothiazide</i> .....            |
| <i>low-ogestrel (28)</i> .....           | 90        | <i>memantine</i> .....                 | 37       | 80                                       |
| <i>loxapine succinate</i> .....          | 57        | MENACTRA (PF) .....                    | 126      | <i>methylergonovine</i> .....            |
| LUCEMYRA .....                           | 11        | MENEST .....                           | 114      | 133                                      |
| LUMIGAN .....                            | 134       | MENHIBRIX (PF) .....                   | 126      | <i>methylphenidate hcl</i> .....         |
|  |           |  |          | 85, 86                                   |
|  |           |  |          | <i>methylprednisolone</i> .....          |
|  |           |  |          | 115                                      |
|  |           |  |          | <i>methylprednisolone acetate</i> ....   |
|  |           |  |          | 115                                      |
|  |           |  |          | <i>methylprednisolone sodium</i>         |
|  |           |  |          | <i>succ</i> .....                        |
|  |           |  |          | 115                                      |
|  |           |  |          | <i>metipranolol</i> .....                |
|  |           |  |          | 135                                      |
|  |           |  |          | <i>metoclopramide hcl</i> .....          |
|  |           |  |          | 109                                      |
|  |           |  |          | <i>metolazone</i> .....                  |
|  |           |  |          | 80                                       |
|  |           |  |          | <i>metoprolol succinate</i> .....        |
|  |           |  |          | 75                                       |
|  |           |  |          | <i>metoprolol ta-hydrochlorothiaz</i>    |
|  |           |  |          | 75                                       |
|  |           |  |          | <i>metoprolol tartrate</i> .....         |
|  |           |  |          | 75, 76                                   |
|  |           |  |          | <i>metronidazole</i> .....               |
|  |           |  |          | 14, 49, 96                               |
|  |           |  |          | <i>metronidazole in nacl (iso-os)</i> .. |
|  |           |  |          | 14                                       |
|  |           |  |          | <i>mexiletine</i> .....                  |
|  |           |  |          | 74                                       |

|                               |         |                                      |        |                                       |         |
|-------------------------------|---------|--------------------------------------|--------|---------------------------------------|---------|
| MIACALCIN                     | 130     | MULTAQ                               | 74     | <i>neo-polycin</i>                    | 105     |
| miconazole-3                  | 47      | <i>mupirocin</i>                     | 96     | <i>neo-polycin hc</i>                 | 105     |
| microgestin 1.5/30 (21)       | 91      | <i>mupirocin calcium</i>             | 96     | NEPHRAMINE 5.4 %                      | 71      |
| microgestin 1/20 (21)         | 91      | <i>mycophenolate mofetil</i>         | 122    | NERLYNX                               | 29      |
| microgestin fe 1.5/30 (28)    | 91      | <i>mycophenolate mofetil hcl</i>     | 122    | NESINA                                | 42      |
| microgestin fe 1/20 (28)      | 91      | <i>mycophenolate sodium</i>          | 122    | <i>neuac</i>                          | 96      |
| midazolam                     | 12      | MYLOTARG                             | 29     | NEULASTA                              | 67      |
| midodrine                     | 72      | MYOBLOC                              | 133    | NEUPOGEN                              | 67      |
| miglitol                      | 42      | MYRBETRIQ                            | 111    | NEUPRO                                | 54      |
| miglustat                     | 101     | <i>myzilra</i>                       | 91     | <i>nevirapine</i>                     | 60      |
| mil                           | 91      | <i>nabumetone</i>                    | 9      | NEXAVAR                               | 29      |
| milrinone                     | 78      | <i>nadolol</i>                       | 76     | <i>niacin</i>                         | 82      |
| milrinone in 5 % dextrose     | 78      | <i>nafcillin</i>                     | 19     | <i>niacor</i>                         | 82      |
| mimvey                        | 114     | NAGLAZYME                            | 101    | <i>nicardipine</i>                    | 79      |
| mimvey lo                     | 114     | <i>naloxone</i>                      | 11     | NICOTROL                              | 11      |
| minitran                      | 83      | <i>naltrexone</i>                    | 11     | <i>nifedipine</i>                     | 79      |
| MINOCIN                       | 22      | NAMENDA XR                           | 37     | <i>nikki (28)</i>                     | 91      |
| minocycline                   | 22      | NAMZARIC                             | 37, 38 | <i>nilutamide</i>                     | 29      |
| minoxidil                     | 83      | <i>naproxen</i>                      | 9      | NINLARO                               | 29      |
| MIRCERA                       | 66      | <i>naratriptan</i>                   | 49     | NITRO-BID                             | 83      |
| mirtazapine                   | 39      | NARCAN                               | 11     | <i>nitrofurantoin</i>                 | 14      |
| misoprostol                   | 108     | NATACYN                              | 104    | <i>nitrofurantoin macrocrystal</i>    | 14      |
| mitoxantrone                  | 29      | <i>nateglinide</i>                   | 42     | <i>nitrofurantoin monohydm-</i>       |         |
| M-M-R II (PF)                 | 126     | NATPARA                              | 130    | <i>cryst</i>                          | 14      |
| moexipril                     | 73      | NEBUPENT                             | 52     | <i>nitroglycerin</i>                  | 83      |
| moexipril-hydrochlorothiazide | 73      | <i>necon 0.5/35 (28)</i>             | 91     | <i>nitroglycerin in 5 % dextrose</i>  | 83      |
| molindone                     | 57      | <i>necon 1/50 (28)</i>               | 91     | <i>nizatidine</i>                     | 108     |
| mometasone                    | 99      | <i>necon 10/11 (28)</i>              | 91     | <i>nora-be</i>                        | 91      |
| monodoxyne nl                 | 22      | <i>necon 7/7/7 (28)</i>              | 91     | NORDITROPIN FLEXPRO                   |         |
| mono-linyah                   | 91      | <i>nefazodone</i>                    | 40     |                                       | 117     |
| mononessa (28)                | 91      | <i>neomycin</i>                      | 13     | <i>norepinephrine bitartrate</i>      | 78      |
| montelukast                   | 140     | <i>neomycin-bacitracin-poly-hc</i>   | 104    | <i>noreth-ethinyl estradiol-iron</i>  | 91      |
| morphine                      | 5, 6    | <i>neomycin-bacitracin-polymyxin</i> | 104    | <i>norethindrone (contraceptive)</i>  | 91      |
| MORPHINE                      | 6       | <i>neomycin-polymyxin b gu</i>       | 96     | <i>norethindrone acetate</i>          | 119     |
| morphine concentrate          | 5       | <i>neomycin-polymyxin b-</i>         |        | <i>norethindrone ac-eth estradiol</i> | 91, 114 |
| MOVANTIK                      | 109     | <i>dexameth</i>                      | 105    | <i>norethindrone-e.estradiol-iron</i> | 91      |
| MOVIPREP                      | 110     | <i>neomycin-polymyxin-</i>           |        | <i>norgestimate-ethinyl estradiol</i> | 91, 92  |
| MOXEZA                        | 104     | <i>gramicidin</i>                    | 105    | <i>norlyda</i>                        | 92      |
| moxifloxacin                  | 21, 104 | <i>neomycin-polymyxin-hc</i>         | 105    |                                       |         |
| MOZOBIL                       | 67      |                                      |        |                                       |         |

|                                     |     |  |         |  |          |
|-------------------------------------|-----|--|---------|--|----------|
| <i>norlyroc</i> .....               | 92  | <i>nyata</i> .....                       | 47      | <i>orsythia</i> .....                    | 92       |
| NORMOSOL-M IN 5 %                   |     | <i>nystatin</i> .....                    | 47      | <i>oseltamivir</i> .....                 | 62       |
| DEXTROSE.....                       | 137 | <i>nystatin-triamcinolone</i> .....      | 48      | OSENI.....                               | 42       |
| NORMOSOL-R PH 7.4.....              | 137 | <i>nystop</i> .....                      | 48      | OTEZLA.....                              | 123      |
| NORTHERA.....                       | 72  | OCALIVA.....                             | 109     | OTEZLA STARTER.....                      | 123      |
| <i>nortrel 0.5/35 (28)</i> .....    | 92  | <i>ocella</i> .....                      | 92      | OTOVEL.....                              | 103      |
| <i>nortrel 1/35 (21)</i> .....      | 92  | OCREVUS.....                             | 86      | OTREXUP (PF).....                        | 123      |
| <i>nortrel 1/35 (28)</i> .....      | 92  | OCTAGAM.....                             | 122     | <i>oxacillin</i> .....                   | 20       |
| <i>nortrel 7/7/7 (28)</i> .....     | 92  | <i>octreotide acetate</i> .....          | 117     | <i>oxacillin in dextrose(iso-osm)</i> .. | 19       |
| <i>nortriptyline</i> .....          | 40  | ODEFSEY.....                             | 61      | <i>oxaliplatin</i> .....                 | 29       |
| NORVIR.....                         | 60  | ODOMZO.....                              | 29      | <i>oxandrolone</i> .....                 | 113      |
| NOVOLIN 70/30 U-100                 |     | OFEV.....                                | 143     | <i>oxazepam</i> .....                    | 12       |
| INSULIN.....                        | 44  | <i>ofloxacin</i> .....                   | 21, 105 | <i>oxcarbazepine</i> .....               | 35       |
| NOVOLIN N NPH U-100                 |     | <i>ogestrel (28)</i> .....               | 92      | OXTELLAR XR.....                         | 35       |
| INSULIN.....                        | 44  | <i>olanzapine</i> .....                  | 57      | <i>oxybutynin chloride</i> .....         | 111      |
| NOVOLIN R REGULAR U-100 INSULN..... | 44  | <i>olmesartan</i> .....                  | 72      | <i>oxycodone</i> .....                   | 6        |
| NOVOLOG FLEXPEN U-100 INSULIN.....  | 44  | <i>olmesartanamlodipin-hcthiazid</i> 72  |         | <i>oxycodone-acetaminophen</i> .....     | 6        |
| NOVOLOG MIX 70-30 U-100 INSULN..... | 45  | <i>olmesartan-hydrochlorothiazide</i> 72 |         | <i>oxycodone-aspirin</i> .....           | 6        |
| NOVOLOG MIX 70-30FLEXPEN U-100..... | 45  | <i>olopatadine</i> .....                 | 103     | OXYCONTIN.....                           | 6, 7     |
| NOVOLOG PENFILL U-100               |     | OLUMIANT.....                            | 122     | <i>oxymorphone</i> .....                 | 7        |
| INSULIN.....                        | 45  | OLYSIO.....                              | 63      | pacerone.....                            | 74       |
| NOVOLOG U-100 INSULIN ASPART.....   | 45  | <i>omega-3 acid ethyl esters</i> .....   | 82      | paclitaxel.....                          | 29       |
| NOXAFILE.....                       | 47  | <i>omeprazole</i> .....                  | 108     | <i>paliperidone</i> .....                | 57       |
| NPLATE.....                         | 133 | OMNITROPE.....                           | 117     | PALYNZIQ.....                            | 101      |
| NUCALA.....                         | 143 | ONCASPAR.....                            | 29      | <i>pamidronate</i> .....                 | 130      |
| NUCYNTA.....                        | 6   | <i>ondansetron</i> .....                 | 51      | PANRETIN.....                            | 95       |
| NUCYNTA ER.....                     | 6   | <i>ondansetron hcl</i> .....             | 51      | <i>pantoprazole</i> .....                | 108      |
| NUEDEXTA.....                       | 86  | <i>ondansetron hcl (pf)</i> .....        | 51      | <i>paricalcitol</i> .....                | 130, 131 |
| NULOJIX.....                        | 122 | ONFI.....                                | 12      | PARICALCITOL.....                        | 131      |
| NUPLAZID.....                       | 57  | ONIVYDE.....                             | 29      | <i>paroex oral rinse</i> .....           | 94       |
| NUTRESTORE.....                     | 109 | OPDIVO.....                              | 29      | <i>paromomycin</i> .....                 | 52       |
| NUTRILIPID.....                     | 71  | OPSUMIT.....                             | 144     | <i>paroxetine hcl</i> .....              | 40       |
| NUTROPIN AQ NUSPIN                  | 117 | <i>oralone</i> .....                     | 94      | PASER.....                               | 50       |
| NUVARING.....                       | 92  | ORENCIA.....                             | 123     | PAXIL.....                               | 40       |
| <i>nyamyc</i> .....                 | 47  | ORENCIA (WITH<br>MALTPOSE).....          | 123     | PEDIARIX (PF).....                       | 126      |
|                                     |     | ORENCIA CLICKJECT.....                   | 123     | PEDVAX HIB (PF).....                     | 127      |
|                                     |     | ORENITRAM.....                           | 144     | <i>peg 3350-electrolytes</i> .....       | 110      |
|                                     |     | ORFADIN.....                             | 101     | PEGANONE.....                            | 35       |
|                                     |     | ORKAMBI.....                             | 143     | PEGASYS.....                             | 64       |

|                                |          |
|--------------------------------|----------|
| PEGASYS CONVENIENCE            |          |
| PACK                           | 64       |
| PEGASYS PROCLICK               | 64       |
| peg-electrolyte soln           | 110      |
| PEGINTRON                      | 64       |
| PEN NEEDLE, DIABETIC           | 100      |
| penicillin g pot in dextrose   | 20       |
| penicillin g potassium         | 20       |
| penicillin g procaine          | 20       |
| penicillin v potassium         | 20       |
| PENNSAID                       | 95       |
| PENTACEL (PF)                  | 127      |
| PENTACEL DTAP-IPV              |          |
| COMPNT (PF)                    | 127      |
| PENTAM                         | 53       |
| pentoxifylline                 | 68       |
| PERIKABIVEN                    | 71       |
| perindopril erbumine           | 74       |
| periogard                      | 94       |
| PERJETA                        | 29       |
| permethrin                     | 99       |
| perphenazine                   | 57       |
| perphenazine-amitriptyline     | 40       |
| PERTZYE                        | 101      |
| pfizerpen-g                    | 20       |
| phenadoz                       | 51       |
| phenelzine                     | 40       |
| phenobarbital                  | 35, 36   |
| phenylephrine hcl              | 72, 103  |
| phenytoin                      | 36       |
| phenytoin sodium               | 36       |
| phenytoin sodium extended      | 36       |
| philith                        | 92       |
| PHOSLYRA                       | 111      |
| PHOSPHOLINE IODIDE             | 135      |
| PICATO                         | 95       |
| pilocarpine hcl                | 94, 135  |
| pimozide                       | 57       |
| pimtrea (28)                   | 92       |
| pindolol                       | 76       |
| pioglitazone                   | 42       |
| pioglitazone-glimepiride       | 42       |
| pioglitazone-metformin         | 42       |
| piperacillin-tazobactam        | 20       |
| pirmella                       | 92       |
| piroxicam                      | 9        |
| PLASMA-LYTE 148                | 137      |
| PLASMA-LYTE A                  | 137      |
| PLASMA-LYTE-56 IN 5 %          |          |
| DEXTROSE                       | 137      |
| PLEGRIDY                       | 86       |
| PLENAMINE                      | 71       |
| podofilox                      | 95       |
| polycin                        | 105      |
| polyethylene glycol 3350       | 110      |
| polymyxin b sulfate            | 14       |
| polymyxin b sulf-trimethoprim  | 105      |
| POMALYST                       | 29       |
| portia                         | 92       |
| PORTRAZZA                      | 29       |
| potassium acetate              | 137      |
| potassium chlorid-d5-0.45%nacl | 137      |
| potassium chloride             | 137, 138 |
| potassium chloride in 0.9%nacl |          |
| potassium chloride in 5 % dex  | 137      |
| potassium chloride in lr-d5    | 137      |
| potassium chloride in water    | 137      |
| potassium chloride-0.45 % nacl |          |
| potassium chloride-d5-0.2%nacl | 138      |
| potassium chloride-d5-0.3%nacl | 138      |
| potassium chloride-d5-0.9%nacl | 138      |
| potassium citrate              | 138      |
| potassium citrate-citric acid  | 138      |
| POTIGA                         | 36       |
| PRADAXA                        | 66       |
| PRALUENT PEN                   | 82       |
| pramipexole                    | 54       |
| prasugrel                      | 68       |
| pravastatin                    | 82       |
| prazosin                       | 72       |
| prednicarbate                  | 99       |
| prednisolone                   | 115      |
| prednisolone acetate           | 107      |
| prednisolone sodium phosphate  |          |
| prednisone                     | 107, 115 |
| PREMARIN                       | 115, 116 |
| PREMASOL 10 %                  | 114      |
| PREMASOL 6 %                   | 114      |
| PREMPHASE                      | 114      |
| PREMPRO                        | 114      |
| prenatal plus (calcium carb)   | 145      |
| prenatal vitamin plus low iron | 145      |
| PREPOPIK                       | 145      |
| prevalite                      | 82       |
| previfem                       | 92       |
| PREVYMIS                       | 62       |
| PREZCOBIX                      | 61       |
| PREZISTA                       | 61       |
| PRIFTIN                        | 50       |
| PRIMAQUINE                     | 53       |
| primidone                      | 36       |
| PRIVIGEN                       | 123      |
| PROAIR HFA                     | 141      |
| PROAIR RESPICLICK              | 141      |
| probenecid                     | 48       |
| probenecid-colchicine          | 48       |
| procainamide                   | 74       |
| PROCALAMINE 3%                 | 71       |
| prochlorperazine               | 52       |
| prochlorperazine edisylate     | 51       |
| prochlorperazine maleate       | 51       |
| PROCRT                         | 67       |
| procto-med hc                  | 99       |

|                                       |        |                         |     |                              |          |
|---------------------------------------|--------|-------------------------|-----|------------------------------|----------|
| <i>procto-pak</i>                     | 99     | QVAR REDIHALER          | 140 | <i>ribasphere ribapak</i>    | 64       |
| <i>proctosol hc</i>                   | 99     | RABAVERT (PF)           | 127 | <i>ribavirin</i>             | 64, 65   |
| <i>proctozone-hc</i>                  | 99     | rabeprazole             | 108 | RIDAURA                      | 123      |
| PROCYSBI                              | 102    | RADICAVA                | 86  | <i>rifabutin</i>             | 50       |
| <i>progesterone in oil</i>            | 119    | raloxifene              | 114 | <i>rifampin</i>              | 50       |
| <i>progesterone micronized</i>        | 119    | ramipril                | 74  | RIFATER                      | 50       |
| PROGLYCEM                             | 133    | RANEXA                  | 78  | <i>riluzole</i>              | 87       |
| PROGRAF                               | 123    | ranitidine hcl          | 108 | <i>rimantadine</i>           | 63       |
| PROLASTIN-C                           | 143    | RAPAMUNE                | 123 | <i>ringer's</i>              | 129, 138 |
| PROLENSA                              | 107    | rasagiline              | 54  | <i>risedronate</i>           | 131      |
| PROLEUKIN                             | 29     | RASUVO (PF)             | 123 | RISPERDAL CONSTA             | 58       |
| PROLIA                                | 131    | RAVICTI                 | 109 | <i>risperidone</i>           | 58       |
| PROMACTA                              | 67     | RAYALDEE                | 131 | <i>ritonavir</i>             | 61       |
| <i>promethazine</i>                   | 49, 52 | REBIF (WITH ALBUMIN) .. | 86  | RITUXAN                      | 30       |
| <i>promethazine vc</i>                | 49     | REBIF REBIDOSE          | 87  | RITUXAN HYCELA               | 30       |
| <i>promethegan</i>                    | 52     | REBIF TITRATION PACK    | 87  | <i>rivastigmine</i>          | 38       |
| <i>propafenone</i>                    | 74, 75 | reclipsen (28)          | 92  | <i>rivastigmine tartrate</i> | 38       |
| <i>propantheline</i>                  | 33     | RECOMBIVAX HB (PF)....  | 127 | <i>rizatriptan</i>           | 49       |
| <i>proparacaine</i>                   | 103    | REGRANEX                | 95  | <i>ropinirole</i>            | 54       |
| <i>propranolol</i>                    | 76     | RELENZA DISKHALER       | 63  | <i>rosadan</i>               | 96       |
| <i>propranolol-hydrochlorothiazid</i> | 76     | RELISTOR                | 109 | <i>rosuvastatin</i>          | 82       |
| <i>propylthiouracil</i>               | 119    | REMICADE                | 123 | ROTARIX                      | 127      |
| PROQUAD (PF)                          | 127    | REMODULIN               | 144 | ROTATEQ VACCINE              | 127      |
| PROSOL 20 %                           | 71     | RENAGEL                 | 111 | ROWEEPRA                     | 36       |
| <i>protamine</i>                      | 67     | RENFLEXIS               | 133 | RUBRACA                      | 30       |
| <i>protriptyline</i>                  | 40     | repaglinide             | 42  | RYDAPT                       | 30       |
| PULMOZYME                             | 102    | repaglinide-metformin   | 42  | SABRIL                       | 36       |
| PURIXAN                               | 29     | REPATHA PUSHTRONEX      | 82  | SAIZEN                       | 117      |
| <i>pyrazinamide</i>                   | 50     | REPATHA SURECLICK       | 82  | SAIZEN CLICK.EASY            | 117      |
| <i>pyridostigmine bromide</i>         | 133    | REPATHA SYRINGE         | 82  | SAIZEN SAIZENPREP            | 117      |
| QBRELIS                               | 74     | reprexain               | 7   | SANDOSTATIN LAR              |          |
| QUADRACEL (PF)                        | 127    | RESCRIPTOR              | 61  | DEPOT                        | 118      |
| <i>quasense</i>                       | 92     | RESTASIS                | 107 | SANTYL                       | 95       |
| <i>quetiapine</i>                     | 57     | RETROVIR                | 61  | SAPHRIS (BLACK               |          |
| <i>quinapril</i>                      | 74     | REVLIMID                | 30  | CHERRY)                      | 58       |
| <i>quinapril-hydrochlorothiazide</i>  | 74     | revonto                 | 143 | SAVAYSA                      | 66       |
| <i>quinidine gluconate</i>            | 75     | REXULTI                 | 57  | SAVELLA                      | 87       |
| <i>quinidine sulfate</i>              | 75     | REYATAZ                 | 61  | <i>scopolamine base</i>      | 52       |
| <i>quinine sulfate</i>                | 53     | RHOPRESSA               | 135 | <i>selegiline hcl</i>        | 54       |
| QVAR                                  | 140    | <i>ribasphere</i>       | 64  | <i>selenium sulfide</i>      | 96       |

|   |          |  |        |                                  |         |
|---|----------|--|--------|----------------------------------|---------|
| SELZENTRY .....                             | 61       | <i>sotalol af</i> .....                    | 76     | SUPRAX.....                      | 16, 17  |
| SENSIPAR .....                              | 131      | SOVALDI.....                               | 63     | SUPREP BOWEL PREP KIT .....      | 110     |
| SEREVENT DISKUS.....                        | 141      | <i>spinosalad</i> .....                    | 100    | SURMONTIL.....                   | 40      |
| SEROSTIM.....                               | 118      | SPIRIVA RESPIMAT.....                      | 141    | SUTENT.....                      | 30      |
| <i>sertraline</i> .....                     | 40       | SPIRIVA WITH<br>HANDIHALER.....            | 142    | <i>syeda</i> .....               | 92      |
| <i>setlakin</i> .....                       | 92       | <i>spironolactone</i> .....                | 80     | SYLATRON.....                    | 64      |
| <i>sevelamer carbonate</i> .....            | 111      | <i>spironolacton-hydrochlorothiaz</i> 80   | 80     | SYLVANT.....                     | 30      |
| <i>sharobel</i> .....                       | 92       | SPORANOX.....                              | 48     | SYMBICORT.....                   | 140     |
| SHINGRIX (PF).....                          | 127      | <i>sprintec (28)</i> .....                 | 92     | SYMDEKO.....                     | 143     |
| SIGNIFOR .....                              | 118      | SPRITAM.....                               | 36     | SYMFİ.....                       | 61      |
| <i>sildenafil (antihypertensive)</i> ..     | 145      | SPRYCEL.....                               | 30     | SYMFİ LO.....                    | 61      |
| SILENOR .....                               | 144      | <i>sps (with sorbitol)</i> .....           | 109    | SYMLINPEN 120.....               | 42      |
| SILIQ.....                                  | 95       | <i>sronyx</i> .....                        | 92     | SYMLINPEN 60.....                | 42      |
| <i>silver sulfadiazine</i> .....            | 96       | <i>ssd</i> .....                           | 96     | SYNAGIS.....                     | 63      |
| SIMBRINZA.....                              | 135      | <i>stavudine</i> .....                     | 61     | SYNAREL.....                     | 118     |
| SIMPONI.....                                | 123, 124 | STELARA.....                               | 124    | SYNDROS.....                     | 52      |
| SIMPONI ARIA.....                           | 123      | STERILE PADS.....                          | 100    | SYNERCID.....                    | 14      |
| <i>simvastatin</i> .....                    | 82       | STIMATE.....                               | 118    | SYNJARDY.....                    | 42      |
| <i>sirolimus</i> .....                      | 124      | STIOLTO RESPIMAT .....                     | 142    | SYNJARDY XR.....                 | 43      |
| SIRTURO.....                                | 50       | STIVARGA.....                              | 30     | SYNRIBO.....                     | 30      |
| <i>smoflipid</i> .....                      | 71       | STRENSIQ.....                              | 102    | TABLOID.....                     | 30      |
| <i>sodium acetate</i> .....                 | 138      | <i>streptomycin</i> .....                  | 13     | <i>tacrolimus</i> .....          | 99, 124 |
| <i>sodium chloride</i> .....                | 129, 138 | STRIBILD .....                             | 61     | TAFINLAR .....                   | 30      |
| <i>sodium chloride 0.45 %</i> .....         | 138      | STRIVERDI RESPIMAT .....                   | 142    | TAGRISSO .....                   | 30      |
| <i>sodium chloride 0.9 %</i> .....          | 138      | SUBLOCADE .....                            | 7      | TALTZ AUTOINJECTOR .....         | 95      |
| <i>sodium lactate</i> .....                 | 138      | SUBOXONE .....                             | 11     | TALTZ SYRINGE .....              | 95      |
| <i>sodium phenylbutyrate</i> .....          | 109      | <i>subvenite</i> .....                     | 36     | <i>tamoxifen</i> .....           | 30      |
| <i>sodium phosphate</i> .....               | 138      | <i>sucralfate</i> .....                    | 108    | <i>tamsulosin</i> .....          | 112     |
| <i>sodium polystyrene (sorb free)</i> ..... | 109      | <i>sulfacetamide sodium</i> .....          | 105    | TARCEVA .....                    | 30      |
| <i>sodium polystyrene sulfonate</i> ..      | 109      | <i>sulfacetamide sodium (acne)</i> .....   | 96     | TARGETIN .....                   | 30      |
| SOLIQUA 100/33 .....                        | 45       | <i>sulfacetamide-prednisolone</i> .....    | 105    | <i>tarina fe 1/20 (28)</i> ..... | 92      |
| SOLTAMOX .....                              | 30       | <i>sulfadiazine</i> .....                  | 21     | TASIGNA .....                    | 31      |
| SOLU-CORTEF (PF).....                       | 116      | <i>sulfamethoxazole-trimethoprim</i> ..... | 21     | TAVALISSE .....                  | 67      |
| SOMATULINE DEPOT .....                      | 118      | <i>sulfasalazine</i> .....                 | 129    | <i>tazarotene</i> .....          | 99      |
| SOMAVERT .....                              | 118      | <i>sulfatrim</i> .....                     | 21     | <i>tazicef</i> .....             | 17      |
| <i>sorbitol</i> .....                       | 129      | <i>sulindac</i> .....                      | 9      | TAZORAC .....                    | 99      |
| <i>sorbitol-mannitol</i> .....              | 129      | <i>sumatriptan</i> .....                   | 49     | <i>taztia xt</i> .....           | 77      |
| <i>sorine</i> .....                         | 76       | <i>sumatriptan succinate</i> .....         | 49, 50 | TECENTRIQ .....                  | 31      |
| <i>sotalol</i> .....                        | 76       | SUPPRELIN LA .....                         | 118    | TECFIDERA .....                  | 87      |

|                                       |         |                                   |     |                                       |             |
|---------------------------------------|---------|-----------------------------------|-----|---------------------------------------|-------------|
| TECHNIVIE                             | 63      | <i>tizanidine</i>                 | 143 | TREMFYA                               | 95          |
| TEFLARO                               | 17      | TOBI PODHALER                     | 13  | <i>tretinoïn</i>                      | 99          |
| TEKAMLO                               | 82      | TOBRADEX                          | 105 | <i>tretinoïn (chemotherapy)</i>       | 31          |
| TEKTURNA                              | 83      | TOBRADEX ST                       | 105 | TREXALL                               | 31          |
| TEKTURNA HCT                          | 83      | <i>tobramycin</i>                 | 105 | <i>tri-femynor</i>                    | 92          |
| <i>telmisartan</i>                    | 72      | <i>tobramycin in 0.225 % nacl</i> | 13  | <i>triamcinolone acetonide</i>        |             |
| <i>telmisartan-amlodipine</i>         | 72      | <i>tobramycin in 0.9 % nacl</i>   | 13  | .....                                 | 94, 99, 116 |
| <i>telmisartan-hydrochlorothiazid</i> | 73      | <i>tobramycin sulfate</i>         | 13  | <i>triamterene-hydrochlorothiazid</i> | 80          |
| <i>temazepam</i>                      | 13      | <i>tobramycin-dexamethasone</i>   | 106 | <i>triazolam</i>                      | 13          |
| TEMODAR                               | 31      | TOLAK                             | 95  | <i>tridesilon</i>                     | 99          |
| <i>tencon</i>                         | 7       | <i>tolazamide</i>                 | 46  | <i>trientine</i>                      | 112         |
| TENIVAC (PF)                          | 127     | <i>tolbutamide</i>                | 46  | <i>tri-estarrylla</i>                 | 93          |
| <i>tenofovir disoproxil fumarate</i>  | 61      | <i>tolmetin</i>                   | 9   | <i>trifluoperazine</i>                | 58          |
| <i>terazosin</i>                      | 112     | <i>tolterodine</i>                | 111 | <i>trifluridine</i>                   | 106         |
| <i>terbinafine hcl</i>                | 48      | <i>topiramate</i>                 | 36  | <i>trihexyphenidyl</i>                | 54          |
| <i>terbutaline</i>                    | 142     | <i>toposar</i>                    | 31  | <i>tri-legest fe</i>                  | 93          |
| <i>terconazole</i>                    | 49      | <i>topotecan</i>                  | 31  | <i>tri-linyah</i>                     | 93          |
| <i>testosterone</i>                   | 113     | TORISEL                           | 31  | <i>tri-lo-estarrylla</i>              | 93          |
| <i>testosterone cypionate</i>         | 113     | <i>torsemide</i>                  | 80  | <i>tri-lo-marzia</i>                  | 93          |
| <i>testosterone enanthate</i>         | 113     | TOTECT                            | 134 | <i>tri-lo-sprintec</i>                | 93          |
| TETANUS,DIPHTHERIA                    |         | TOUJEON MAX SOLOSTAR              | 45  | <i>trilyte with flavor packets</i>    | 110         |
| TOX PED(PF)                           | 128     | TOUJEON SOLOSTAR U-300            |     | <i>trimethoprim</i>                   | 14          |
| TETANUS-DIPHTHERIA                    |         | INSULIN                           | 45  | <i>tri-mili</i>                       | 93          |
| TOXOIDS-TD                            | 128     | TOVIAZ                            | 111 | <i>trimipramine</i>                   | 40          |
| <i>tetrabenazine</i>                  | 87      | TPN ELECTROLYTES                  | 139 | <i>trinessa (28)</i>                  | 93          |
| <i>tetracycline</i>                   | 22      | TPN ELECTROLYTES II               | 139 | TRINTELLIX                            | 40          |
| THALOMID                              | 134     | TRACLEER                          | 145 | <i>tri-previfem (28)</i>              | 93          |
| <i>theophylline</i>                   | 142     | TRADJENTA                         | 43  | TRIPTODUR                             | 118         |
| <i>theophylline in dextrose 5 %</i>   | 142     | <i>tramadol</i>                   | 7   | <i>tri-sprintec (28)</i>              | 93          |
| THIOLA                                | 134     | <i>tramadol-acetaminophen</i>     | 7   | TRIUMEQ                               | 61          |
| <i>thioridazine</i>                   | 58      | <i>trandolapril</i>               | 74  | <i>trivora (28)</i>                   | 93          |
| <i>thiotepa</i>                       | 31      | <i>tranexamic acid</i>            | 67  | <i>tri-vylibra</i>                    | 93          |
| <i>thiothixene</i>                    | 58      | <i>tranylcypromine</i>            | 40  | TROGARZO                              | 62          |
| <i>tiagabine</i>                      | 36      | TRAVASOL 10 %                     | 71  | TROKENDI XR                           | 36, 37      |
| TICE BCG                              | 128     | TRAVATAN Z                        | 135 | TROPHAMINE 10 %                       | 71          |
| <i>tigecycline</i>                    | 22      | <i>trazodone</i>                  | 40  | TROPHAMINE 6%                         | 71          |
| <i>tilia fe</i>                       | 92      | TREANDA                           | 31  | <i>trospium</i>                       | 111         |
| <i>timolol maleate</i>                | 76, 135 | TRECATOR                          | 50  | TRULICITY                             | 43          |
| <i>tinidazole</i>                     | 53      | TRELEGY ELLIPTA                   | 142 | TRUMENBA                              | 128         |
| TIVICAY                               | 61      | TRELSTAR                          | 31  | TRUVADA                               | 62          |

|                                       |          |                     |        |                                      |     |
|---------------------------------------|----------|---------------------|--------|--------------------------------------|-----|
| <i>tulana</i>                         | 93       | VEREGEN             | 95     | <i>vylbra</i>                        | 93  |
| TWINRIX (PF)                          | 128      | VERSACLOZ           | 58     | VYXEOS                               | 32  |
| TYBOST                                | 134      | VERZENIO            | 32     | <i>warfarin</i>                      | 66  |
| TYKERB                                | 31       | VESICARE            | 111    | <i>water for irrigation, sterile</i> | 129 |
| TYMLOS                                | 131      | <i>vestura</i> (28) | 93     | WELCHOL                              | 82  |
| TYPHIM VI                             | 128      | VGO 40              | 100    | <i>wera</i> (28)                     | 93  |
| TYSABRI                               | 124      | VIBERZI             | 110    | <i>wymzyafe</i>                      | 93  |
| TYVASO                                | 145      | <i>vicodin</i>      | 7      | XADAGO                               | 54  |
| TYZINE                                | 103      | <i>vicodin es</i>   | 7      | XALKORI                              | 32  |
| UCERIS                                | 129      | <i>vicodin hp</i>   | 7      | XARELTO                              | 66  |
| ULORIC                                | 48       | VICTOZA             | 43     | XARTEMIS XR                          | 7   |
| UNITUXIN                              | 31       | VIDEX 2 GRAM        |        | XATMEP                               | 32  |
| UPTRAVI                               | 145      | PEDIATRIC           | 62     | XELJANZ                              | 124 |
| <i>ursodiol</i>                       | 109, 110 | VIDEX 4 GRAM        |        | XELJANZ XR                           | 124 |
| <i>valacyclovir</i>                   | 65       | PEDIATRIC           | 62     | XERMELO                              | 110 |
| VALCHLOR                              | 95       | VIDEX EC            | 62     | XGEVA                                | 131 |
| <i>valganciclovir</i>                 | 65       | VIEKIRA PAK         | 63     | XIFAXAN                              | 15  |
| <i>valproate sodium</i>               | 37       | VIEKIRA XR          | 63     | IIDRA                                | 107 |
| <i>valproic acid</i>                  | 37       | <i>vienna</i>       | 93     | XOLAIR                               | 143 |
| <i>valproic acid (as sodium salt)</i> | 37       | <i>vigabatrin</i>   | 37     | XTAMPZA ER                           | 7   |
| <i>valsartan</i>                      | 73       | VIIBRYD             | 40, 41 | XTANDI                               | 32  |
| <i>valsartan-hydrochlorothiazide</i>  | 73       | VIMIZIM             | 102    | <i>xulane</i>                        | 93  |
| VALSTAR                               | 31       | VIMOVO              | 9      | XULTOPHY 100/3.6                     | 45  |
| <i>vancomycin</i>                     | 15       | VIMPAT              | 37     | XURIDEN                              | 134 |
| <i>vancomycin in dextrose 5 %</i>     | 14       | <i>vinblastine</i>  | 32     | <i>xylon</i> 10                      | 7   |
| VAQTA (PF)                            | 128      | <i>vincasar pfs</i> | 32     | XYREM                                | 144 |
| VARIVAX (PF)                          | 128      | <i>vincristine</i>  | 32     | YEROVY                               | 32  |
| VASCEPA                               | 82       | <i>vinorelbine</i>  | 32     | YF-VAX (PF)                          | 128 |
| VECTIBIX                              | 32       | <i>viorele</i> (28) | 93     | YONDELIS                             | 32  |
| VELCADE                               | 32       | VIRACEPT            | 62     | YONSA                                | 33  |
| <i>velvet triphasic regimen</i> (28)  | 93       | VIRAMUNE            | 62     | <i>yuvafem</i>                       | 114 |
| VELPHORO                              | 111      | VIREAD              | 62     | <i>zafirlukast</i>                   | 140 |
| VELTASSA                              | 110      | VISTOGARD           | 134    | <i>zaleplon</i>                      | 144 |
| VEMLIDY                               | 62       | VOLTAREN            | 95     | ZALTRAP                              | 33  |
| VENCLEXTA                             | 32       | <i>voriconazole</i> | 48     | <i>zarah</i>                         | 93  |
| VENCLEXTA STARTING<br>PACK            | 32       | VOSEVI              | 63     | ZARXIO                               | 67  |
| <i>venlafaxine</i>                    | 40       | VOTRIENT            | 32     | ZAVESCA                              | 102 |
| VENTOLIN HFA                          | 142      | VPRI                | 102    | <i>zebutal</i>                       | 7   |
| <i>verapamil</i>                      | 77       | VRAYLAR             | 58     | ZEJULA                               | 33  |
|                                       |          | <i>vyfemla</i> (28) | 93     | ZELBORAF                             | 33  |

|   |     |
|---|-----|
| <i>zenatane</i> .....                       | 96  |
| <i>zenchent</i> (28) .....                  | 93  |
| <i>zenchent fe</i> .....                    | 94  |
| ZENPEP .....                                | 102 |
| ZEPATIER .....                              | 63  |
| ZERIT .....                                 | 62  |
| <i>zidovudine</i> .....                     | 62  |
| ZIOPTAN (PF).....                           | 135 |
| <i>ziprasidone hcl</i> .....                | 58  |
| ZIRGAN .....                                | 106 |
| ZOHYDRO ER.....                             | 7   |
| ZOLADEX.....                                | 33  |
| <i>zoledronic acid</i> .....                | 131 |
| <i>zoledronic acid-mannitol-water</i> ..... | 131 |
| <i>zoledronic ac-mannitol-0.9nacl</i> ..... | 131 |
| ZOLINZA.....                                | 33  |
| <i>zolmitriptan</i> .....                   | 50  |
| <i>zolpidem</i> .....                       | 144 |
| ZOMACTON.....                               | 118 |
| ZOMETA.....                                 | 131 |
| <i>zonisamide</i> .....                     | 37  |
| ZORBTIVE .....                              | 118 |
| ZORTRESS .....                              | 124 |
| ZOSTAVAX (PF).....                          | 128 |
| <i>zovia 1/35e</i> (28) .....               | 94  |
| <i>zovia 1/50e</i> (28) .....               | 94  |
| ZOVIRAX.....                                | 96  |
| ZUBSOLV .....                               | 11  |
| ZURAMPIC.....                               | 48  |
| ZYDELIG .....                               | 33  |
| ZYKADIA .....                               | 33  |
| ZYLET .....                                 | 106 |
| ZYPREXA RELPREVV.....                       | 58  |
| ZYTIGA .....                                | 33  |

## **Discrimination is Against the Law**

Stanford Health Care Advantage (HMO) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact Member Care Services.

If you believe that Stanford Health Care Advantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Member Care Services  
P.O. 72530, Oakland, CA 94612-8730  
1- 855-996-8422  
[Advantage@stanfordhealthcare.org](mailto:Advantage@stanfordhealthcare.org)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Care Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**English:** ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711).

**Spanish:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711).

**Chinese:** 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)

**Vietnamese:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-996-8422 (TTY: 711).

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-996-8422 (TTY: 711).

**Korean:** 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-996-8422 (TTY: 711) 번으로 전화해 주십시오.

**Armenian:** ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Զանգահարեք 1-855-996-8422 (TTY (հեռախոս): 711):

**Persian:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با تماس بگیرید. 1-855-996-8422 (TTY: 711)

**Russian:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-996-8422 (телефон: 711).

**Japanese:** 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-996-8422 (TTY:711) まで、お電話にてご連絡ください。

**Arabic:**

ملحوظة: إذا كنت تتحدث لغتك، فإن خدمات المساعدة اللغوية متاحة لك بالمجان. اتصل برقم 855-996-8422 (رقم هاتف 711). الصم والبكم:

**Punjabi:** ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-855-996-8422 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

**Mon-Khmer, Cambodian:** ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាឌំឡូយផ្លូវភាសា ខោយមិនគិតគុណូល គើងអាចមានសំវាប់បំនើម្នាត់ ចូរ ទូរស័ព្ទ 1-855-996-8422 (TTY: 711)។

**Hmong:** LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-855-996-8422 (TTY: 711).

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-855-996-8422 (TTY: 711) पर कॉल करें।

**Thai:** ເຢິນ: ຕ້າຄຸນພູດກາຈາໄທຢູ່ມາລາມາດໄສໃຫ້ບໍລິການຊ່ວຍເຫຼືອທາງກາຈາໄດ້ພົກປະໂວຣ ໂທ 1-855-996-8422 (TTY: 711).



P.O. Box 72530  
Oakland, CA 94612  
[StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org)

Stanford Health Care Advantage is an HMO with a Medicare Contract. Enrollment in Stanford Health Care Advantage depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

ATTENTION: If you speak Spanish, language assistance services, free of charge, are available to you. Call 1-855-996-8422 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 o, para los usuarios de 711, de 8:00 a.m. a 8:00 p.m., los 7 días de la semana (excepto el Día de Acción de Gracias y Navidad) desde el 1 de Octubre hasta el 14 de Febrero, y de lunes a viernes (excepto los días feriados) desde el 15 de Febrero hasta el 30 de Septiembre.

00018031, 1

*This formulary was updated on 08/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit StanfordHealthCareAdvantage.org.*