

# Stanford Health Care Advantage 2018 Formulary List of Covered Drugs



**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

00018031, 1

This formulary was updated on 07/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit [StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org).

## 2018 Comprehensive Formulary

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Stanford Health Care Advantage (HMO). When it refers to “plan” or “our plan,” it means Stanford Health Care Advantage Platinum or Stanford Health Care Advantage Gold.

This document includes a list of the drugs (formulary) for our plan which is current as of July 1, 2018. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

## Table of Contents

<b>WHAT IS THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY? .....</b>	<b>III</b>
<b>CAN THE FORMULARY (DRUG LIST) CHANGE? .....</b>	<b>III</b>
<b>HOW DO I USE THE FORMULARY? .....</b>	<b>III</b>
Medical Condition .....	iv
Alphabetical Listing .....	iv
<b>WHAT ARE GENERIC DRUGS?.....</b>	<b>IV</b>
<b>ARE THERE ANY RESTRICTIONS ON MY COVERAGE? .....</b>	<b>IV</b>
<b>WHAT IF MY DRUG IS NOT ON THE FORMULARY? .....</b>	<b>V</b>
<b>HOW DO I REQUEST AN EXCEPTION TO THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY? .....</b>	<b>V</b>
<b>WHAT DO I DO BEFORE I CAN TALK TO MY DOCTOR ABOUT CHANGING MY DRUGS OR REQUESTING AN EXCEPTION? .....</b>	<b>VI</b>
<b>FOR MORE INFORMATION .....</b>	<b>VII</b>
<b>STANFORD HEALTH CARE ADVANTAGE (HMO)'S FORMULARY.....</b>	<b>VII</b>

## **What is the Stanford Health Care Advantage (HMO) Formulary?**

A formulary is a list of covered drugs selected by Stanford Health Care Advantage (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Stanford Health Care Advantage (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Stanford Health Care Advantage (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2018 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2018 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of 7/1/2018. To get updated information about the drugs covered by Stanford Health Care Advantage (HMO), please contact us. Our contact information appears on the front and back cover pages. In the event we make a non-maintenance change to the formulary, we will post an errata sheet to our website and mail a letter to members.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

## **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1 below. Then look under the category name for your drug.

## **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Stanford Health Care Advantage (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Stanford Health Care Advantage (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that our plan will cover. For example, our plan provides 30 per prescription for SILENOR. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Stanford Health Care Advantage (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior

authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Stanford Health Care Advantage (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Stanford Health Care Advantage (HMO) formulary?” on page vi for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Stanford Health Care Advantage (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Stanford Health Care Advantage (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Stanford Health Care Advantage (HMO).
- You can ask Stanford Health Care Advantage (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?**

You can ask Stanford Health Care Advantage (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Stanford Health Care Advantage limits the amount of the drug that we will

cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Stanford Health Care Advantage (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with at least a 91-day transition supply and may be as much as a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

In circumstances where you are changing from one treatment setting to another, Stanford Health Care Advantage (HMO) will ensure a transition process for approving non-formulary Part D drugs. This process shall also apply to formulary Part D drugs that require prior authorization or step-therapy.

Examples of level of care changes include: you are discharged from a hospital to a home; you end your skilled nursing facility Medicare Part A stay and need to revert to your Part D plan formulary; you end a long-term care facility stay and return to the community; and, you are discharged from psychiatric hospitals with medication regimens that are highly individualized.

The pharmacy benefit manager for Stanford Health Care Advantage (HMO) will provide pharmacies with access to representatives of the plan who have the ability to override pharmacy claims processing issues. This access will allow pharmacies to obtain prescription claims overrides at the point-of-sale and ensure that members receive reliable access to medications.

## For more information

For more detailed information about your Stanford Health Care Advantage (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Stanford Health Care Advantage (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Stanford Health Care Advantage (HMO)'s Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by Stanford Health Care Advantage (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *doxazosin*).

The information in the Requirements/Limits column tells you if Stanford Health Care Advantage (HMO) has any special requirements for coverage of your drug.

The second column of the chart lists the drug tier. Every drug on the plan's Drug List is in one of six cost-sharing tiers. The tables on the below provide an explanation of each tier.

## Network Retail Pharmacy Drug Tier Copayment Levels

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$15
Tier 2 (NON-Preferred Generic)	\$15	\$45
Tier 3 (Preferred Brand)	\$47	\$141
Tier 4 (NON-Preferred Brand Name)	\$100	\$300
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available

<b>Tier</b>	<b>Copay for up to a <i>one-month supply</i></b>	<b>Copay for up to a <i>three-month supply</i></b>
Tier 6 (Select Care)	\$2	\$6

**Network Mail Order Drug Tier Copayment Levels**

<b>Tier</b>	<b>Copay for up to a <i>one-month supply</i></b>	<b>Copay for up to a <i>three-month supply</i></b>
Tier 1 (Preferred Generic)	\$5	\$10
Tier 2 (NON-Preferred Generic)	\$15	\$30
Tier 3 (Preferred Brand)	\$47	\$94
Tier 4 (NON-Preferred Brand Name)	\$100	\$200
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$4

**The following Utilization Management abbreviations may be found within the body of this document**

#### **COVERAGE NOTES ABBREVIATIONS**

ABBREVIATION	DESCRIPTION	EXPLANATION
<b>Utilization Management Restrictions</b>		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
QL	Quantity Limit Restriction	Stanford Health Care Advantage (HMO) limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before Stanford Health Care Advantage (HMO) will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

**The following additional coverage note abbreviations may be found within the body of this document**

#### **OTHER SPECIAL REQUIREMENTS FOR COVERAGE**

<b>ABBREVIATION</b>	<b>DESCRIPTION</b>	<b>EXPLANATION</b>
EX	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.
GC	Gap Coverage	We provide coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via your mail order benefit are noted with "NM" in the Requirements/Limits column of your formulary.
HI	Home Infusion Drug	This prescription drug may be covered under our medical benefit. For more information, call Member Services 1-855-996-8422 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. Please dial 711 for TTY services.

## Table of Contents

Analgesics.....	3
Anesthetics.....	9
Anti-Addiction/Substance Abuse Treatment Agents.....	10
Antianxiety Agents.....	11
Antibacterials.....	13
Anticancer Agents.....	22
Anticholinergic Agents.....	33
Anticonvulsants.....	33
Antidementia Agents.....	37
Antidepressants.....	38
Antidiabetic Agents.....	40
Antifungals.....	46
Antigout Agents.....	48
Antihistamines.....	48
Anti-Infectives (Skin And Mucous Membrane).....	49
Antimigraine Agents.....	49
Antimycobacterials.....	50
Antinausea Agents.....	50
Antiparasite Agents.....	52
Antiparkinsonian Agents.....	53
Antipsychotic Agents.....	54
Antivirals (Systemic).....	58
Blood Products/Modifiers/Volume Expanders.....	65
Caloric Agents.....	68
Cardiovascular Agents.....	71
Central Nervous System Agents.....	83
Contraceptives.....	87
Dental And Oral Agents.....	93
Dermatological Agents.....	94
Devices.....	99
Enzyme Replacement/Modifiers.....	100
Eye, Ear, Nose, Throat Agents.....	102
Gastrointestinal Agents.....	106
Genitourinary Agents.....	110
Heavy Metal Antagonists.....	111
Hormonal Agents, Stimulant/Replacement/Modifying.....	112

Immunological Agents.....	119
Inflammatory Bowel Disease Agents.....	128
Irrigating Solutions.....	128
Metabolic Bone Disease Agents.....	129
Miscellaneous Therapeutic Agents.....	131
Ophthalmic Agents.....	133
Replacement Preparations.....	134
Respiratory Tract Agents.....	138
Skeletal Muscle Relaxants.....	142
Sleep Disorder Agents.....	143
Vasodilating Agents.....	143
Vitamins And Minerals.....	144

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
acetaminophen-codeine oral solution 120-12 mg/5 ml	2	QL (2700 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg	2	QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-30 (Tylenol-Codeine #3) mg	2	QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 (Tylenol-Codeine #4) mg	2	QL (180 per 30 days)
ascomp with codeine oral capsule 30-50-325-40 mg	2	QL (180 per 30 days)
BELBUCA Buccal Film 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG	3	QL (60 per 30 days)
buprenorphine hcl injection solution 0.3 mg/ml (Buprenex)	2	
buprenorphine hcl injection syringe 0.3 mg/ml	2	
buprenorphine transdermal patch weekly (Butrans) 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	2	QL (4 per 28 days)
butalbital compound w/codeine oral capsule 30-50-325-40 mg	2	QL (180 per 30 days)
butalbital-acetaminop-caff oral capsule 50-300-40-30 mg, 50-325-40-30 mg	2	QL (180 per 30 days)
butalbital-acetaminophen oral tablet 50-325 mg (Tencon)	2	QL (180 per 30 days)
butalbital-acetaminophen-caff oral capsule 50-325-40 mg (Capacet)	2	QL (180 per 30 days)
butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg	2	QL (180 per 30 days)
butorphanol tartrate nasal spray, non-aerosol 10 mg/ml	2	QL (5 per 28 days)
BUTRANS TRANSDERMAL PATCH WEEKLY 7.5 MCG/HOUR	3	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>capacet oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	QL (180 per 30 days)
<b>EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG</b>	4	QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	QL (240 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (300 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 2.5-167 mg/5 ml, 5-163 mg/7.5ml(7.5ml)</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	2	QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	2	QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	2	QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	2	QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydromorphone (pf) injection solution 10 mg/ml	2	
hydromorphone hcl 10 mg/ml vial pl/f, sdv 10 mg/ml	2	
hydromorphone injection solution 2 mg/ml, 4 mg/ml	2	
hydromorphone injection syringe 2 mg/ml, 4 mg/ml (Dilaudid)	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	QL (180 per 30 days)
HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	2	QL (360 per 30 days)
lorcet hd oral tablet 10-325 mg	2	QL (360 per 30 days)
lorcet plus oral tablet 7.5-325 mg	2	QL (360 per 30 days)
methadone injection solution 10 mg/ml	2	
methadone oral solution 10 mg/5 ml, 5 mg/5 ml	2	QL (1800 per 30 days)
methadone oral tablet 10 mg (Dolophine)	2	QL (360 per 30 days)
methadone oral tablet 5 mg (Dolophine)	2	QL (180 per 30 days)
methadose oral tablet,soluble 40 mg	2	QL (90 per 30 days)
morphine 2 mg/ml syringe pl/f, suv 2 mg/ml	2	
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	QL (180 per 30 days)
morphine injection solution 10 mg/ml	2	
morphine intravenous cartridge 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine oral solution 10 mg/5 ml	2	QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 (MS Contin) mg, 200 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 (MS Contin) mg, 30 mg</i>	2	QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 80 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10- 325 mg</i>	2	QL (240 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	QL (300 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG	3	QL (120 per 30 days)
<i>oxymorphone oral tablet 10 mg</i> (Opana)	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i> (Opana)	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release</i> 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg	2	QL (60 per 30 days)
<i>repxain oral tablet 10-200 mg, 2.5-200</i> <i>mg, 5-200 mg</i>	2	QL (150 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NM; NDS
<i>tencon oral tablet 50-325 mg</i>	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-</i> (Ultracet) 325 mg	2	QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	QL (390 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	QL (390 per 30 days)
XARTEMIS XR ORAL TAB,ORAL ONLY,IR - ER, BIPHASE 7.5-325 MG	3	QL (300 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	3	QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	2	QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg- mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg- mcg</i> (Arthrotec 75)	2	
<i>disflunisal oral tablet 500 mg</i>	2	
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (ProFeno)	2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	QL (60 per 30 days)
<i>indomethacin sodium intravenous recon soln 1 mg</i>	2	
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>kеторолак injection cartridge 15 mg/ml</i>	2	QL (40 per 30 days)
<i>kеторолак injection cartridge 30 mg/ml</i>	2	QL (20 per 30 days)
<i>kеторолак injection solution 15 mg/ml</i>	2	QL (40 per 30 days)
<i>kеторолак injection solution 30 mg/ml (1 ml)</i>	2	QL (20 per 30 days)
<i>kеторолак intramuscular cartridge 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>kеторолак intramuscular solution 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>kеторолак intramuscular syringe 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>kеторолак oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral suspension 125 mg/5 ml (Naprosyn)</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	2	
<i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
<b>VIMOVO ORAL TABLET,IR,DELAYED REL,BIPHASIC 375-20 MG, 500-20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (Xylocaine-MPF) (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	2	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	2	
<b>BUNAVAIL Buccal Film 2.1-0.3 MG</b>	3	QL (30 per 30 days)
<b>BUNAVAIL Buccal Film 4.2-0.7 MG, 6.3-1 MG</b>	3	QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet (Zyban) extended release 12 hr 150 mg</i>	2	
<b>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</b>	3	QL (168 per 84 days)
<b>CHANTIX ORAL TABLET 0.5 MG, 1 MG</b>	3	QL (168 per 84 days)
<b>CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)</b>	3	QL (53 per 28 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	2	
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NARCAN NASAL SPRAY, NON-AEROSOL 2 MG/ACTUATION, 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	GC; QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	GC; QL (150 per 30 days)
alprazolam oral tablet extended release (Xanax XR) 24 hr 0.5 mg, 1 mg, 2 mg	2	QL (120 per 30 days)
alprazolam oral tablet extended release (Xanax XR) 24 hr 3 mg	2	QL (90 per 30 days)
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	2	
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	GC; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	GC; QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	GC; QL (300 per 30 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	2	QL (90 per 30 days)
clonazepam oral tablet,disintegrating 2 mg	2	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg	2	QL (180 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	2	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	2	
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	2	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	QL (10 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	5	PA NSO; NM; NDS; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	2	QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NM; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	2	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiiM)	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> (Cleocin in 5 % dextrose)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> (Cleocin Pediatric)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	2	
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NM; NDS
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous parenteral solution 600 mg/300 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	5	NM; NDS
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	2	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrodantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	2	QL (2400 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg, 250 mg</i> (Vancocin)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin in 0.9% sod chloride intravenous solution 2 gram/100 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/100 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	2	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	2	
<b>CEFEPIME 1 GM INJECTION 1 GRAM/50 ML</b>	4	
<b>CEFEPIME INJECTION RECON SOLN 1 GRAM, 2 GRAM (Maxipime)</b>	4	
<b>CEFEPIME-DEXTROSE 2 GM/50 ML 2 GRAM/50 ML</b>	4	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Suprax)</i>	2	
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	2	
<i>cefotaxime injection recon soln 10 gram, 2 gram (Claforan)</i>	2	
<i>cefoxitin 2 gm piggyback bag 2 gram/50 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram</i>	2	
<i>cefoxitin intravenous recon soln 2 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 2 gram, 6 gram</i>	2	
<i>ceftibuten oral capsule 400 mg</i>	2	
<i>ceftibuten oral suspension for reconstitution 180 mg/5 ml</i>	2	
<i>ceftriaxone 1 gm piggyback llg, single use 1 gram/50 ml</i>	2	
<i>ceftriaxone 2 gm piggyback llf, single use 2 gram/50 ml</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 2 gram</i>	2	
<i>ceftriaxone injection recon soln 10 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cefuroxime-dextrose (iso-osm) intravenous piggyback 1.5 gram/50 ml</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg (Keflex)</i>	1	GC
<i>cephalexin oral capsule 750 mg (Keflex)</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
<b>MEFOXIN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML</b>	4	
<b>SUPRAX ORAL CAPSULE 400 MG</b>	4	
<b>SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	4	
tazicef injection recon soln 1 gram, 2 gram, 6 gram	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	4	
<b>Macrolides</b>		
azithromycin intravenous recon soln 500 mg (Zithromax)	2	
azithromycin oral packet 1 gram (Zithromax)	2	
azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml	2	
azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)	2	
azithromycin oral tablet 250 mg, 500 mg, 600 mg (Zithromax)	2	
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
clarithromycin oral tablet 250 mg, 500 mg	2	
clarithromycin oral tablet extended release 24 hr 500 mg	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
e.e.s. 400 oral tablet 400 mg	4	
E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	4	
ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION 400 MG/5 ML	4	
ery-tab oral tablet,delayed release (dr/lec) 250 mg, 500 mg	2	
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	
<b>ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG, 500 MG</b>	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	2	
<i>erythromycin ethylsuccinate oral tablet (E.E.S. 400) 400 mg</i>	2	
<i>erythromycin oral capsule, delayed release(dr/ec) 250 mg</i>	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram (Azactam)</i>	2	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>	5	NM; LA; NDS
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)</i>	2	
<b>INVANZ INJECTION RECON SOLN 1 GRAM</b>	4	
<i>meropenem intravenous recon soln 1 gram, 500 mg (Merrem)</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml (Augmentin)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin sodium intravenous recon soln 2 gram</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	2	
<b>BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)</b>	4	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin intravenous recon soln 2 gram</i>	5	NM; NDS
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	
<i>oxacillin injection recon soln 10 gram, 2 gram</i>	2	
<i>oxacillin intravenous recon soln 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	2	
<i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	
<i>pfiizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous (Zosyn) recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
<i>BAXDELA ORAL TABLET 450 MG</i>	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er (Cipro XR) multiphase 24 hr 1,000 mg, 500 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	2	
<i>ciprofloxacin in 5 % dextrose intravenous (Cipro in D5W) piggyback 400 mg/200 ml</i>	2	
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	2	
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levofloxacin oral tablet 250 mg, 500 mg, (Levaquin) 750 mg</i>	2	
<i>moxifloxacin oral tablet 400 mg (Avelox)</i>	2	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)</i>	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg (Bactrim)</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	2	
<b>Tetracyclines</b>		
<i>demecclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 100 mg, (Morgidox) 50 mg</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/lec) 100 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/lec) 150 mg (Soloxide)</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/lec) 200 mg, 50 mg (Doryx)</i>	2	
<i>doxycycline monohydrate oral capsule (Mondoxyne NL) 100 mg, 50 mg, 75 mg</i>	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	
<i>doxycycline monohydrate oral suspension (Vibramycin) for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 (Avidoxy) mg</i>	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<b>MINOCIN INTRAVENOUS RECON SOLN 100 MG</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg (Minocin)</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet extended release (CoreMino) 24 hr 135 mg, 45 mg, 90 mg</i>	2	
<i>monodoxine nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<b>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</b>	5	NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
<b>AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG</b>	5	PA NSO; NM; NDS; QL (112 per 28 days)
<b>AFINITOR ORAL TABLET 10 MG</b>	5	PA NSO; NM; NDS; QL (56 per 28 days)
<b>AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG</b>	5	PA NSO; NM; NDS; QL (28 per 28 days)
<b>ALECensa ORAL CAPSULE 150 MG</b>	5	PA NSO; NM; NDS; QL (240 per 30 days)
<b>ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG</b>	5	NM; NDS
<b>ALIQOPA INTRAVENOUS RECON SOLN 60 MG</b>	5	PA NSO; NM; NDS; QL (3 per 28 days)
<b>ALUNBRIG ORAL TABLET 180 MG, 90 MG</b>	5	PA NSO; NM; NDS; QL (30 per 30 days)
<b>ALUNBRIG ORAL TABLET 30 MG</b>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<b>ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)</b>	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML, 25 MG/ML (16 ML)	5	PA NSO; NM; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (50 ML)	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS
<i>docetaxel intravenous solution 140 mg/7 ml (20 mg/ml), 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml</i>	5	NM; NDS
<i>docetaxel intravenous solution 20 mg/ml (Taxotere) (1 ml), 80 mg/4 ml (20 mg/ml)</i>	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARESTON ORAL TABLET 60 MG	5	NM; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	NM; NDS
<i>flouxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	2	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> (Gemzar)	5	NM; NDS
<i>gemcitabine intravenous recon soln 2 gram</i>	5	NM; NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NM; NDS
GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	4	
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
HEXALEN ORAL CAPSULE 50 MG	5	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, (Ifex) 3 gram</i>	2	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	PA BvD; NM; NDS
<i>imatinib oral tablet 100 mg (Gleevec)</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg (Gleevec)</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	5	PA NSO; NM; NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml (Camptosar)</i>	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KEYTRUDA INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS; QL (4 per 21 days)
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 30 MG, 60 MG	5	PA NSO; NM; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML, 10 MG/ML (19 ML)	5	PA NSO; NM; LA; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NM; NDS; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml, 25 mg/ml (10 ml)</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	PA BvD; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML, 10 MG/ML (10 ML)	5	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	4	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARCEVA ORAL TABLET 100 MG, 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TARGETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	5	PA NSO; NM; NDS; QL (20 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	5	NM; NDS
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	5	NM; NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NM; NDS
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	5	PA BvD; NM; NDS; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	NM; NDS
TRELSTAR 11.25 MG VIAL INNER, SDV 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR 22.5 MG VIAL INNER, SDV 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR 3.75 MG VIAL INNER, SDV 3.75 MG	5	NM; NDS
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML	5	NM; NDS
<i>tretinooin (chemotherapy) oral capsule 10 mg</i>	5	NM; NDS
TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG	4	PA BvD; ST
TYKERB ORAL TABLET 250 MG	5	NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	5	NM; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinblastine intravenous recon soln 10 mg</i>	2	PA BvD
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, (Vincasar PFS) 2 mg/2 ml</i>	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml (Navelbine)</i>	2	
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NM; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (140 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	2	
<i>propantheline oral tablet 15 mg</i>	2	
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	5	NM; NDS
BANZEL ORAL SUSPENSION 40 MG/ML	5	NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	4	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol) 2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol) 2	
<i>carbamazepine oral tablet 200 mg</i>	(Epitol) 2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR) 2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CELONTIN ORAL CAPSULE 300 MG	3	
DILANTIN ORAL CAPSULE 30 MG	2	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	2
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	2
<i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	2
<i>epitol oral tablet 200 mg</i>		2
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	2
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	2
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	2
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	2
<i>fosphenytoin injection solution 100 mg pel/2 ml, 500 mg pel/10 ml</i>	(Cerebyx)	2
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	4	
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	(Neurontin)	2
<i>gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	2
<i>gabapentin oral tablet 600 mg, 800 mg</i>	(Neurontin)	2
GABITRIL ORAL TABLET 12 MG, 16 MG	3	
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Lamictal)	2
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i>	(Blue))	2
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i>	(Lamictal ODT Starter (Orange))	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i>	(Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	(Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>		2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	2	
<b>LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG</b>		3	QL (90 per 30 days)
<b>LYRICA ORAL SOLUTION 20 MG/ML</b>		3	QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	(Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	(Trileptal)	2	
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG</b>		4	
<b>PEGANONE ORAL TABLET 250 MG</b>		3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>		2	
<i>phenobarbital oral tablet 100 mg</i>		1	GC
<i>phenobarbital oral tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>		2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	(Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	(Dilantin Infatabs)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		2	
POTIGA ORAL TABLET 200 MG, 300 MG, 400 MG		5	NM; NDS; QL (90 per 30 days)
POTIGA ORAL TABLET 50 MG		5	NM; NDS; QL (270 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i>	(Mysoline)	2	
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG		2	
SABRIL ORAL TABLET 500 MG		5	NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG		4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG		4	ST; QL (120 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	(Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	(Topamax)	2	
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	(Qudexy XR)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 50 mg</i>	(Topamax)	2	
<i>topiramate oral tablet 25 mg</i>	(Topamax)	1	GC
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG		4	QL (30 per 30 days)
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG		5	NM; NDS; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	(Depacon)	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	(Depakene)	2	
<i>valproic acid oral capsule 250 mg</i>	(Depakene)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
vigabatrin oral powder in packet 500 mg (Sabril)	5	NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	2	
zonisamide oral capsule 50 mg	2	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
donepezil oral tablet 10 mg, 23 mg, 5 mg (Aricept)	2	QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg	2	QL (30 per 30 days)
galantamine oral capsule,ext rel. pellets (Razadyne ER) 24 hr 16 mg, 24 mg, 8 mg	2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml	2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg (Razadyne)	2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg	2	QL (30 per 30 days)
memantine oral solution 2 mg/ml	2	QL (360 per 30 days)
memantine oral tablet 10 mg, 5 mg (Namenda)	2	QL (60 per 30 days)
memantine oral tablets,dose pack 5-10 mg (Namenda Titration Pak)	2	QL (49 per 28 days)
NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7-14-21-28 MG	3	QL (28 per 28 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	QL (56 per 365 days)
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr (Exelon)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release (Wellbutrin SR) 12 hr 100 mg, 150 mg, 200 mg</i>	2	
<i>bupropion hcl oral tablet extended release (Wellbutrin XL) 24 hr 150 mg, 300 mg</i>	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg (Celexa)</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)</i>	2	
<i>desipramine oral tablet 10 mg, 25 mg (Norpramin)</i>	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet (Pristiq) extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 60 mg (Cymbalta)</i>	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 30 mg (Cymbalta)</i>	2	QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 40 mg</i>	2	QL (30 per 30 days)
<b>EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR</b>	5	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	4	ST; QL (56 per 365 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral capsule,delayed release(dr/lec) 90 mg</i>	2	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluoxetine oral tablet 10 mg, 20 mg</i> (Sarafem)	2	
FLUOXETINE ORAL TABLET 60 MG	4	
<i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg</i> (Remeron)	1	GC
<i>mirtazapine oral tablet 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PAXIL ORAL SUSPENSION 10 MG/5 ML <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	4	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG <i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 150 mg, 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Surmontil)	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG <i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	3	ST; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 225 mg</i>	4	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	ST; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	ST; QL (30 per 180 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
CYCLOSET ORAL TABLET 0.8 MG	4	QL (180 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION KIT 1 MG	4	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	4	QL (60 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>		
<i>(Glucophage)</i>	6	GC; QL (75 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metformin oral tablet 500 mg</i>	(Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	(Glucophage)	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	(Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	(Glucophage XR)	6	GC; QL (90 per 30 days)
<i> miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	(Glyset)	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	(Starlix)	2	QL (90 per 30 days)
<b>NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG</b>		4	QL (30 per 30 days)
<b>OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG</b>		4	QL (30 per 30 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	(Actos)	2	QL (30 per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	(DUETACT)	2	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i>	(Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>		2	QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i>	(Prandin)	2	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>		2	QL (150 per 30 days)
<b>SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML</b>		5	PA; NM; NDS; QL (10.8 per 28 days)
<b>SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML</b>		5	PA; NM; NDS; QL (10.8 per 28 days)
<b>SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG</b>		3	ST; QL (60 per 30 days)
<b>SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG</b>		3	ST; QL (30 per 30 days)
<b>SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG</b>		3	ST; QL (60 per 30 days)
<b>TRADJENTA ORAL TABLET 5 MG</b>		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMALOG JUNIOR KWIKPEN U- 100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	4	ST; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)	4	ST; QL (30 per 28 days)
HUMALOG MIX 50-50 INSULN U- 100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	4	ST; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	4	ST; QL (30 per 28 days)
HUMALOG MIX 75-25(U- 100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	4	ST; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	4	ST; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	4	ST; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	4	ST; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	4	ST; QL (30 per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	4	ST; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
<b>Sulfonylureas</b>		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg (Glucotrol XL)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg (Glucotrol XL)	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	2	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	2	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)	2	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
glyburide-metformin oral tablet 1.25-250 mg	2	
glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg (Glucovance)	2	
tolazamide oral tablet 250 mg	2	QL (120 per 30 days)
tolazamide oral tablet 500 mg	2	QL (60 per 30 days)
tolbutamide oral tablet 500 mg	2	QL (180 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
amphotericin b injection recon soln 50 mg	2	PA BvD
caspofungin intravenous recon soln 50 mg, 70 mg (Cancidas)	5	NM; NDS
ciclopirox topical cream 0.77% (Ciclodan)	2	
ciclopirox topical gel 0.77%	2	
ciclopirox topical shampoo 1% (Loprox)	2	
ciclopirox topical solution 8% (Ciclodan)	2	
ciclopirox topical suspension 0.77% (Loprox (as olamine))	2	
clotrimazole mucous membrane troche 10 mg	2	
clotrimazole topical cream 1% (Antifungal (clotrimazole))	2	
clotrimazole topical solution 1%	2	
clotrimazole-betamethasone topical cream 1-0.05% (Lotrisone)	2	
clotrimazole-betamethasone topical lotion 1-0.05%	2	
econazole topical cream 1%	2	
EXELDERM TOPICAL CREAM 1%	4	
EXELDERM TOPICAL SOLUTION 1%	4	
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml	2	
fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	2	
<i>fluconazole-dext 200 mg/100 ml inner, suv 200 mg/100 ml</i>		2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	
<i>griseofulvin microsize oral tablet 500 mg</i>		2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		2	
<i>ketoconazole topical cream 2 %</i>		2	
<i>ketoconazole topical shampoo 2 %</i>	(Nizoral)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>		2	
<b>NOXAFILE INTRAVENOUS SOLUTION 300 MG/16.7 ML</b>		5	NM; NDS
<b>NOXAFILE ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)</b>		5	NM; NDS
<b>NOXAFILE ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG</b>		5	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>		2	
<i>nyata topical powder 100,000 unit/gram</i>		2	
<i>nystatin oral suspension 100,000 unit/ml</i>		2	
<i>nystatin oral tablet 500,000 unit</i>		2	
<i>nystatin topical cream 100,000 unit/gram</i>		2	
<i>nystatin topical ointment 100,000 unit/gram</i>		2	
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>		2	
<i>nystop topical powder 100,000 unit/gram</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SPORANOX ORAL SOLUTION 10 MG/ML	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous solution 200 mg (Vfend IV)</i>	5	NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	5	NM; NDS
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>	1	GC
COLCRYS ORAL TABLET 0.6 MG	2	
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
ULORIC ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
ZURAMPIC ORAL TABLET 200 MG	3	ST; QL (30 per 30 days)
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Children's Allergy (diphenhyd))</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml</i>	2	
<i>hydroxyzine hcl intramuscular solution 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>	2	
<i>levocetirizine oral tablet 5 mg (Xyzal)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2		
<i>promethazine vc oral syrup 6.25-5 mg/5 ml</i>	2		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>			
<b>Anti-Infectives (Skin And Mucous Membrane)</b>			
<i>AVC VAGINAL VAGINAL CREAM 15 %</i>	3		
<i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>	2		
<i>metronidazole vaginal gel 0.75 % (Metrogel Vaginal)</i>	2		
<i>terconazole vaginal cream 0.4 % (Terazol 7)</i>	2		
<i>terconazole vaginal cream 0.8 %</i>	2		
<i>terconazole vaginal suppository 80 mg</i>	2		
<b>Antimigraine Agents</b>			
<b>Antimigraine Agents</b>			
<i>dihydroergotamine injection solution 1 mg/ml</i>	(D.H.E.45)	5	NM; NDS; QL (30 per 28 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal)	5	NM; NDS; QL (8 per 28 days)
<i>ERGOMAR SUBLINGUAL TABLET 2 MG</i>		3	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	(Amerge)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt)	2	QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>		2	QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	(Maxalt-MLT)	2	QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	(Imitrex)	2	QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	(Imitrex)	2	QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Kit Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	(Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>		2	QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	(Zomig)	2	QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>zolmitriptan oral tablet,disintegrating 2.5 (Zomig ZMT) mg, 5 mg</i>	2	QL (12 per 28 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg (Myambutol)</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg (Mycobutin)</i>	2	
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	2	
<i>rifampin oral capsule 150 mg, 300 mg (Rifadin)</i>	2	
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG	5	PA; NM; NDS; QL (188 per 168 days)
TRECATOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	3	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA BvD
<i>aprepitant oral capsule 125 mg (Emend)</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg (Emend)</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg (Emend)</i>	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule,dose pack 125 mg (Emend) (1)- 80 mg (2)</i>	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)</i>	2	PA
<b>EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG</b>	4	QL (2 per 28 days)
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.)</b>	4	PA BvD; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg (Dramamine Less Drowsy)</i>	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml (Zofran)</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg (Zofran)</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg (Zofran ODT)</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg (Compazine)</i>	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml (Phenergan)</i>	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	2	
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
<b>SYNDROS ORAL SOLUTION 5 MG/ML</b>	4	PA
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<b>ALBENZA ORAL TABLET 200 MG</b>	5	NM; NDS
<b>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</b>	4	
<b>ALINIA ORAL TABLET 500 MG</b>	4	
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<b>COARTEM ORAL TABLET 20-120 MG</b>	4	
<b>DARAPRIM ORAL TABLET 25 MG</b>	5	PA; NM; NDS
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<b>NEBUPENT INHALATION RECON SOLN 300 MG</b>	4	PA BvD
<i>paromomycin oral capsule 250 mg</i>	2	
<b>PENTAM INJECTION RECON SOLN 300 MG</b>	4	
<b>PRIMAQUINE ORAL TABLET 26.3 MG</b>	4	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tinidazole oral tablet 500 mg</i>	(Tindamax)	2	
<b>Antiparkinsonian Agents</b>			
<b>Antiparkinsonian Agents</b>			
<i>amantadine hcl oral capsule 100 mg</i>		2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>		2	
<i>amantadine hcl oral tablet 100 mg</i>		2	
<b>APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML</b>		5	NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)		2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	
<i>bromocriptine oral capsule 5 mg</i>	(Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i>	(Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>		2	
<i>carbidopa oral tablet 25 mg</i>	(Lodosyn)	5	NM; NDS
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	(Sinemet)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	(Sinemet CR)	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>		2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i>	(Stalevo 50)	2	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i>	(Stalevo 75)	2	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i>	(Stalevo 100)	2	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i>	(Stalevo 125)	2	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i>	(Stalevo 150)	2	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i>	(Stalevo 200)	2	
<i>entacapone oral tablet 200 mg</i>	(Comtan)	2	
<b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG</b>		5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	2	
<i>pramipexole oral tablet 0.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 10 mg</i>	2	QL (90 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 15 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)	2	ST; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	QL (6 per 28 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml (Haldol)</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	3	QL (30 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	5	NM; NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	5	NM; NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.5 mg</i> (Risperdal M-TAB)	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST; QL (7 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>abacavir oral tablet 300 mg</i>	(Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	(Epzicom)	5	NM; NDS
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	(Trizivir)	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG		5	NM; NDS
APTIVUS ORAL SOLUTION 100 MG/ML		4	
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	(Reyataz)	5	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG		5	NM; NDS
BIKTARVY ORAL TABLET 50-200-25 MG		5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG		5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG		4	
DESCOVY ORAL TABLET 200-25 MG		5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	(Videx EC)	2	
EDURANT ORAL TABLET 25 MG		5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	(Sustiva)	5	NM; NDS
<i>efavirenz oral capsule 50 mg</i>	(Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i>	(Sustiva)	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG		3	
EMTRIVA ORAL SOLUTION 10 MG/ML		3	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
EVOTAZ ORAL TABLET 300-150 MG		5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	(Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG		5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	3	
INVIRASE ORAL CAPSULE 200 MG	5	NM; NDS
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	3	
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	3	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	2	
NORVIR ORAL CAPSULE 100 MG	3	
NORVIR ORAL POWDER IN PACKET 100 MG	3	
NORVIR ORAL SOLUTION 80 MG/ML	3	
NORVIR ORAL TABLET 100 MG	3	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	4	
PREZISTA ORAL TABLET 150 MG, 75 MG	3	
PREZISTA ORAL TABLET 600 MG, 800 MG	5	NM; NDS
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit)	2	
<i>stavudine oral recon soln 1 mg/ml</i> (Zerit)	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFILLO ORAL TABLET 400-300-300 MG	5	NM; NDS
SYMFIL ORAL TABLET 600-300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	5	NM; NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	3	
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	4	
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
ZERIT ORAL RECON SOLN 1 MG/ML	3	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
rimantadine oral tablet 100 mg (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<b>Hcv Antivirals</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
OLYSIO ORAL CAPSULE 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75- 50 MG	5	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	5	PA; NM; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS CONVENIENCE PACK SUBCUTANEOUS KIT 180 MCG/0.5 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS; QL (4 per 28 days)
<b>Nucleosides And Nucleotides</b>		
acyclovir 1,000 mg/20 ml vial 10's, latex-free, sdv 50 mg/ml	5	PA BvD; NM; NDS
acyclovir oral capsule 200 mg (Zovirax)	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg (Zovirax)	2	
acyclovir sodium intravenous recon soln 500 mg	5	PA BvD; NM; NDS
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	5	NM; NDS
cidofovir intravenous solution 75 mg/ml	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	5	NM; NDS
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	2	PA BvD
ganciclovir sodium intravenous solution 50 mg/ml	2	PA BvD
ribasphere oral capsule 200 mg	2	
ribasphere oral tablet 200 mg, 400 mg, 600 mg	2	
ribasphere ribapak oral tablets, dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28)	5	NM; NDS
ribavirin inhalation recon soln 6 gram (Virazole)	5	PA BvD; NM; NDS
ribavirin oral capsule 200 mg (Ribasphere)	2	
ribavirin oral tablet 200 mg (Moderiba)	2	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
<b>Blood Products/Modifiers/Volume</b>		
<b>Expanders</b>		
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	5	NM; NDS
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
<i>enoxaparin subcutaneous solution 300</i> (Lovenox) <i>mg/3 ml</i>	2	
<i>enoxaparin subcutaneous syringe 100</i> (Lovenox) <i>mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30</i> <i>mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml,</i> <i>80 mg/0.8 ml</i>	2	
<i>fondaparinux subcutaneous syringe 10</i> (Arixtra) <i>mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5</i> (Arixtra) <i>mg/0.5 ml</i>	2	
<i>heparin (porcine) in 5 % dex intravenous</i> <i>parenteral solution 20,000 unit/500 ml</i> <i>(40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous</i> <i>parenteral solution 25,000 unit/250</i> <i>ml(100 unit/ml)</i>	2	
<i>heparin (porcine) injection cartridge</i> <i>5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000</i> <i>unit/ml, 10,000 unit/ml, 20,000 unit/ml,</i> <i>5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000</i> <i>unit/ml</i>	2	
<i>heparin 25,000 unit/250 ml (100</i> <i>unit/ml)-0.45% nacl bag l/f,inner,single-</i> <i>use 25,000 unit/250 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml	2	
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	2	
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	5	PA; NM; NDS; QL (24 per 28 days)
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	4	
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Coumadin)	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; NM; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	4	PA; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	ST; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>protamine intravenous solution 10 mg/ml</i>	2	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 300 mg</i> (Plavix)	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	2	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	2	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	2	PA BvD
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	2	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	2	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	2	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	2	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg (Catapres)	1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	QL (8 per 28 days)
clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg	2	
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	2	
guanfacine oral tablet 1 mg, 2 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartanamlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartanamlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)</i>	2	
<i>valsartan-hydrochlorothiazide oral tablet (Diovan HCT) 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 5 mg</i>	6	GC
<i>benazepril oral tablet 20 mg, 40 mg (Lotensin)</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)</i>	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)</i>	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	2	
<b>EPANED ORAL SOLUTION 1 MG/ML</b>	4	ST
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg (Prinivil)</i>	6	GC
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg (Zestril)</i>	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)</i>	6	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
QBRELIS ORAL SOLUTION 1 MG/ML	4	ST
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone intravenous solution 50 mg/ml</i>	2	
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	2	
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 (Tenoretic 100) mg</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 (Tenoretic 50) mg</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet (Ziac) 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	3	
<b>BYVALSON ORAL TABLET 5-80 MG</b>	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, (Coreg) 3.125 mg, 6.25 mg</i>	1	GC
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i>	5	PA BvD; NM; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg (Corgard)</i>	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release (Inderal LA) 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol 120 mg tablet 120 mg (Betapace)</i>	2	
<i>sotalol af oral tablet 120 mg</i>	2	
<i>sotalol oral tablet 160 mg, 240 mg, 80 mg (Betapace)</i>	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg (Taztia XT)</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg (Tiazac)</i>	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cardizem CD)</i>	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>	1	GC
<i>diltiazem hcl oral tablet 90 mg</i>	1	GC
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (Cardizem LA)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct (Verelan PM) 100 mg, 200 mg, 300 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 (Verelan) hr 120 mg, 180 mg, 240 mg, 360 mg</i>	2	
<i>verapamil oral tablet 120 mg, 80 mg (Calan)</i>	1	GC
<i>verapamil oral tablet 40 mg</i>	1	GC
<i>verapamil oral tablet extended release (Calan SR) 120 mg, 180 mg, 240 mg</i>	1	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>	3	PA; QL (60 per 30 days)
<i>DEM SER ORAL CAPSULE 250 MG</i>	5	NM; NDS
<i>digitek oral tablet 125 mcg, 250 mcg</i>	2	
<i>digox oral tablet 125 mcg, 250 mcg</i>	2	
<i>digoxin 0.25 mg/ml syringe 250 mcg/ml</i>	2	
<i>digoxin injection solution 250 mcg/ml (Lanoxin)</i>	2	
<i>DIGOXIN ORAL SOLUTION 50 MCG/ML</i>	3	
<i>digoxin oral tablet 125 mcg, 250 mcg (Digitek)</i>	2	
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	2	PA BvD
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	2	PA BvD
<i>dopamine in 5% dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>	2	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>	2	Mylan generic preferred; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml (Auvi-Q)</i>	2	Mylan generic preferred; QL (4 per 30 days)
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	2	QL (4 per 30 days)
EPIPEN INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	2	QL (4 per 30 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	2	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	5	NM; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
LANOXIN ORAL TABLET 187.5 MCG	4	QL (30 per 30 days)
LANOXIN ORAL TABLET 62.5 MCG	4	
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	5	PA BvD; NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml (Levophed (bitartrate))</i>	2	PA BvD
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	3	
<b>Dihydropyridines</b>		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	2	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-benazepril oral capsule 10-20 (Lotrel) mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	2	
<i>amlodipine-olmesartan oral tablet 10-20 (Azor) mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	
<i>amlodipine-valsartan oral tablet 10-160 (Exforge) mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	2	
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10- 320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	
<b>CLEVIPREX INTRAVENOUS EMULSION 25 MG/50 ML, 50 MG/100 ML</b>	4	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg (Procardia)</i>	2	
<i>nifedipine oral capsule 20 mg</i>	2	
<i>nifedipine oral tablet extended release (Procardia XL) 24hr 30 mg, 60 mg, 90 mg</i>	2	
<i>nifedipine oral tablet extended release 30 (Adalat CC) mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon (Diuril IV) soln 500 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<b>DYRENIUM ORAL CAPSULE 100 MG, 50 MG</b>	4	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	2	
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg (Microzide)	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
methyclothiazide oral tablet 5 mg	2	
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg (Aldactone)	2	
spironolactone oral tablet 25 mg, 50 mg (Aldactone)	1	GC
spironolactone-hydrochlorothiazide oral tablet 25-25 mg	2	
torsemide oral tablet 10 mg, 20 mg (Demadex)	2	
torsemide oral tablet 100 mg	2	
torsemide oral tablet 5 mg	1	GC
triamterene-hydrochlorothiazide oral capsule 37.5-25 mg	1	GC
triamterene-hydrochlorothiazide oral capsule 50-25 mg	2	
triamterene-hydrochlorothiazide oral tablet 37.5-25 mg	1	GC
triamterene-hydrochlorothiazide oral tablet 75-50 mg	1	GC
<b>Dyslipidemics</b>		
amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	6	GC
cholestyramine (with sugar) oral powder in packet 4 gram	2	
cholestyramine light oral powder 4 gram	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cholestyramine light packet 4 gram</i>		2	
<i>colestipol oral packet 5 gram</i>	(Colestid)	2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	2	
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	2	
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	2	
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	2	
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	(Trilipix)	2	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	(Lescol)	2	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
<b>JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>JUXTAPID ORAL CAPSULE 20 MG</b>		5	PA; NM; NDS; QL (90 per 30 days)
<b>JUXTAPID ORAL CAPSULE 5 MG</b>		5	PA; NM; NDS; QL (45 per 30 days)
<b>KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML</b>		5	PA; NM; NDS; QL (4 per 28 days)
<b>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</b>		3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		6	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	(Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>		2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	2	
<i>pravastatin oral tablet 20 mg, 40 mg, 80 mg</i> (Pravachol)	2	
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	5	PA; NM; NDS; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	2	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Zocor)	6	GC
<i>simvastatin oral tablet 80 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	
WELCHOL ORAL TABLET 625 MG	2	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	
TEKAMLO ORAL TABLET 150-10 MG, 150-5 MG, 300-10 MG, 300-5 MG	3	ST
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	ST
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg (ISOCHRON)</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg</i>	2	
<i>isosorbide mononitrate oral tablet 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 60 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 30 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	2	QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<b>NITRO-BID TRANSDERMAL OINTMENT 2 %</b>	2	
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr (Minitran)</i>	2	QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr (Minitran)</i>	2	QL (60 per 30 days)
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<b>AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg (Strattera)</i>	2	
<b>AUBAGIO ORAL TABLET 14 MG, 7 MG</b>	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> (Kapvay)	2	
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zeneddi)	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	
<b>INGREZZA ORAL CAPSULE 40 MG</b>		5	PA; NM; NDS; QL (60 per 30 days)
<b>INGREZZA ORAL CAPSULE 80 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML</b>		5	PA; NM; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg</i>		1	GC
<i>lithium carbonate oral capsule 600 mg</i>		2	
<i>lithium carbonate oral tablet 300 mg</i>		2	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>		2	
<i>lithium citrate oral solution 8 meq/5 ml</i>		2	
<i>methylphenidate er 18 mg tab 18 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i>	(Concerta)	2	QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i>	(Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>		2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>		2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	(Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>	(Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>		2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	(Methyltin)	2	QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg (Ritalin)</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg (Metadate ER)</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg (Concerta)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (Concerta)</i>	2	QL (60 per 30 days)
<b>NUEDEXTA ORAL CAPSULE 20-10 MG</b>	3	QL (60 per 30 days)
<b>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</b>	5	PA; NM; NDS; QL (20 per 180 days)
<b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS
<b>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; NM; NDS
<b>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</b>	5	PA; NM; NDS; QL (2800 per 28 days)
<b>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>	5	PA; NM; NDS
<b>REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)</b>	5	PA; NM; NDS
<b>REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)</b>	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg (Rilutek)</i>	2	
<b>SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG</b>	3	QL (60 per 30 days)
<b>SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)</b>	3	QL (60 per 30 days)
<b>TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG</b>	5	PA; NM; NDS; QL (14 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)</i>	5	PA; NM; NDS; QL (112 per 28 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>caziant</i> (28) oral tablet 0.11.125/.15-25 mg-mcg	2	
<i>cryselle</i> (28) oral tablet 0.3-30 mg-mcg	2	
<i>cyclafem</i> 1/35 (28) oral tablet 1-35 mg-mcg	2	
<i>cyclafem</i> 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
<i>cyred</i> oral tablet 0.15-0.03 mg	2	
<i>dasetta</i> 1/35 (28) oral tablet 1-35 mg-mcg	2	
<i>dasetta</i> 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
<i>daysee</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
<i>deblitane</i> oral tablet 0.35 mg	2	
<i>delyla</i> (28) oral tablet 0.1-20 mg-mcg	2	
<i>desog-e.estradiolle.estradiol</i> oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>desogestrel-ethinyl estradiol</i> oral tablet (Aprि) 0.15-0.03 mg	2	
<i>drospirenone-ethinyl estradiol</i> oral tablet (Gianvi (28)) 3-0.02 mg	2	
<i>drospirenone-ethinyl estradiol</i> oral tablet (Ocella) 3-0.03 mg	2	
<i>elinest</i> oral tablet 0.3-30 mg-mcg	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)
<i>emoquette</i> oral tablet 0.15-0.03 mg	2	
<i>enpresse</i> oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>enskyce</i> oral tablet 0.15-0.03 mg	2	
<i>errin</i> oral tablet 0.35 mg	2	
<i>estarrylla</i> oral tablet 0.25-35 mg-mcg	2	
<i>ethynodiol diac-eth estradiol</i> oral tablet (Kelnor 1/35 (28)) 1-35 mg-mcg	2	
<i>ethynodiol diac-eth estradiol</i> oral tablet (Kelnor 1-50) 1-50 mg-mcg	2	
<i>falmina</i> (28) oral tablet 0.1-20 mg-mcg	2	
<i>femynor</i> oral tablet 0.25-35 mg-mcg	2	
<i>gianvi</i> (28) oral tablet 3-0.02 mg	2	
<i>gildagia</i> oral tablet 0.4-35 mg-mcg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>heather oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>jolivette oral tablet 0.35 mg</i>	2	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kurvelo oral tablet 0.15-0.03 mg</i>	2	
<i>l norgestile.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>l norgestile.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	QL (91 per 84 days)
<i>l norgestile.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>larissa oral tablet 0.1-20 mg-mcg</i>	2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet (Aubra) 0.1-20 mg-mcg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet (Altavera (28)) 0.15-0.03 mg</i>	2	QL (91 per 84 days)
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet (Enpresse) 50-30 (6)/75-40 (5)/125-30(10)</i>	2	QL (91 per 84 days)
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow oral tablet 0.15-0.03 mg</i>	2	
<i>lomedia 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lутера (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>мили oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	
necon 1/50 (28) oral tablet 1-50 mg-mcg	2	
necon 10/11 (28) oral tablet 0.5-35/1-35 mg-mcg/mg-mcg	2	
necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
nikki (28) oral tablet 3-0.02 mg	2	
nora-be oral tablet 0.35 mg	2	
noreth-estradiol-fe 1-0.02(21)-75 1 mg-20 mcg (21)/75 mg (7) (Blisovi Fe 1/20 (28))	2	
noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7) (Wymzya Fe)	2	
norethindrone (contraceptive) oral tablet (Camila) 0.35 mg	2	
norethindrone ac-eth estradiol oral tablet (Junel 1/20 (21)) 1-20 mg-mcg	2	
norethindrone-e.estradiol-iron oral tablet (Blisovi 24 Fe) 1 mg-20 mcg (24)/75 mg (4)	2	
norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen LO 0.18/0.215/0.25 mg-25 mcg (28))	2	
norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen (28)) 0.18/0.215/0.25 mg-35 mcg (28)	2	
norgestimate-ethinyl estradiol oral tablet (Estarylla) 0.25-35 mg-mcg	2	
norlyda oral tablet 0.35 mg	2	
norlyroc oral tablet 0.35 mg	2	
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg	2	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	2	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	3	QL (1 per 28 days)
ocella oral tablet 3-0.03 mg	2	
ogestrel (28) oral tablet 0.5-50 mg-mcg	2	
orsythia oral tablet 0.1-20 mg-mcg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg- 35 mcg (28)</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>wymzya fe oral tablet, chewable 0.4mg- 35mcg(21) and 75 mg (7)</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>zenchent fe oral tablet, chewable 0.4mg- 35mcg(21) and 75 mg (7)</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	2	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline oral capsule 30 mg (Evoxac)</i>	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	2	
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	2	
<i>periogard mucous membrane mouthwash 0.12 %</i>	2	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))</i>	2	
<i>triamcinolone acetonide dental paste 0.1 % (Oralone)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Soriatane)	5	NM; NDS
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
ALCOHOL PREP PADS	1	GC
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	2	
<i>calcitrene topical ointment 0.005 %</i>	2	
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	2	
CONDYLOX TOPICAL GEL 0.5 %	4	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
DENAVIR TOPICAL CREAM 1 %	5	NM; NDS
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	5	PA; NM; NDS; QL (100 per 28 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; NM; NDS
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	3	PA
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	PA NSO; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TOLAK TOPICAL CREAM 4 %	4	
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NM; NDS
VOLTAREN TOPICAL GEL 1 %	2	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
ZOVIRAX TOPICAL CREAM 5 %	5	NM; NDS; QL (5 per 4 days)
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical foam 1 % (Evoclin)</i>	2	
<i>clindamycin phosphate topical gel 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical lotion 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical solution 1 % (Cleocin T)</i>	2	
<i>clindamycin phosphate topical swab 1 % (Cleocin T)</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 % (Duac)</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 % (Benzacllin)</i>	2	
<i>ery pads topical swab 2 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin with ethanol topical gel 2 % (Erygel)</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin with ethanol topical swab 2 % (Ery Pads)</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 % (Aktipak)</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	
<i>gentamicin topical ointment 0.1 %</i>	2	
<i>metronidazole topical cream 0.75 % (MetroCream)</i>	2	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 1 % (Metrogel)</i>	2	
<i>metronidazole topical lotion 0.75 % (MetroLotion)</i>	2	
<i>mupirocin calcium topical cream 2 % (Bactroban)</i>	2	
<i>mupirocin topical ointment 2 % (Centany)</i>	2	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>neuac topical gel 1.2 % (1 % base) -5 %</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 % (Silvadene)</i>	2	
<i>ssd topical cream 1 %</i>	2	
<i>sulfacetamide sodium (acne) topical suspension 10 % (Klaron)</i>	2	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	2	
<i>ala-cort topical cream 2.5 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 % (Luxiq)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene)</i>	2	
<i>clobetasol 0.05% cream 0.05 % (Temovate)</i>	2	
<i>clobetasol emollient 0.05% crm 0.05 %</i>	2	
<i>clobetasol scalp solution 0.05 % (Cormax)</i>	2	
<i>clobetasol topical foam 0.05 % (Olux)</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	2	
<i>clobetasol topical ointment 0.05 % (Temovate)</i>	2	
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>	2	
<i>clocortolone pivalate topical cream 0.1 % (Cloderm)</i>	2	
<i>cormax scalp solution 0.05 %</i>	2	
<i>desonide topical cream 0.05 % (DesOwen)</i>	2	
<i>desonide topical lotion 0.05 % (DesOwen)</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 % (Topicort)</i>	2	
<i>desoximetasone topical gel 0.05 % (Topicort)</i>	2	
<i>desoximetasone topical ointment 0.05 %, 0.25 % (Topicort)</i>	2	
<i>diflorasone topical cream 0.05 % (Psorcon)</i>	2	
<i>diflurasone topical ointment 0.05 %</i>	2	
<i>ELIDEL TOPICAL CREAM 1 %</i>	3	
<i>EUCRISA TOPICAL OINTMENT 2 %</i>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 % (Synalar)</i>	2	
<i>fluocinolone topical ointment 0.025 % (Synalar)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i> (Ultravate)	2	
<i>halobetasol propionate topical ointment 0.05 %</i> (Ultravate)	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i> (Locoid)	2	
<i>hydrocortisone butyrate topical ointment 0.1 %</i> (Locoid)	2	
<i>hydrocortisone butyrate topical solution 0.1 %</i> (Locoid)	2	
<i>hydrocortisone topical cream 1 %, 2.5 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i> (Elocon)	2	
<i>mometasone topical ointment 0.1 %</i> (Elocon)	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>prednicarbate topical cream 0.1 %</i> (Dermatop)	2	
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 (Triderm) %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
<i>tridesilon topical cream 0.05 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
<i>tazarotene topical cream 0.1 %</i> (Avage)	2	
<b>TAZORAC TOPICAL CREAM 0.05 %</b>	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
<i>spinosad topical suspension 0.9 %</i> (Natroba)	2	
<b>Devices</b>		
<b>Devices</b>		
<b>ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"</b>	2	
<b>BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"</b>	2	
<b>BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"</b>	2	
<b>BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"</b>	2	
<b>BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"</b>	2	
<b>GAUZE PAD TOPICAL BANDAGE 2 X 2 "</b>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin SYRINGE 1/2 ML 28 GAUGE Syringe)	2	
PEN NEEDLE, DIABETIC NEEDLE (1st Tier Unifine 29 GAUGE X 1/2" Pentips)	2	
STERILE PADS 2" X 2" 2 X 2 "	1	GC
VGO 40 DISPOSABLE DEVICE	2	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000- 19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	NM; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT	5	NM; NDS
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	4	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZAVESCA ORAL CAPSULE 100 MG	5	NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000- 63,000- 84,000 UNIT, 20,000-68,000 - 109,000 UNIT, 25,000-79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000- 10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 40,000-136,000- 218,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	4	
<i>apraclonidine ophthalmic (eye) drops 0.5% (Iopidine)</i>	2	
<i>atropine ophthalmic (eye) drops 1%</i>	2	
<i>azelastine nasal aerosol,spray 137 mcg (0.1%)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 0.15% (Astupro) (205.5 mcg)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05%</i>	2	
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST
<i>cromolyn ophthalmic (eye) drops 4%</i>	2	
<i>cyclopentolate ophthalmic (eye) drops (Cyclogyl)</i> <i>0.5%, 1%, 2%</i>	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05% (Elestat)</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03%</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06%)</i>	2	QL (15 per 10 days)
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	2	
<b>OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)</b>	3	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %</i>	1	GC
<i>phenylephrine hcl ophthalmic (eye) drops 2.5 %</i>	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	
<b>TYZINE NASAL DROPS 0.1 %</b>	4	
<b>TYZINE NASAL SPRAY, NON-AEROSOL 0.1 %</b>	4	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetasol hc otic (ear) drops 1-2 %</i>	2	
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<b>CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %</b>	4	
<b>CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %</b>	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	2	
<b>COLY-MYCIN S OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML</b>	4	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>gentamicin ophthalmic (eye) ointment (Gentak) 0.3 % (3 mg/gram)</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<b>MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %</b>	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 (Vigamox) %</i>	2	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin (Neo-Polycin) ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	
<i>neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflax)</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 % (Bleph-10)</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<b>TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %</b>	4	
<b>TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %</b>	3	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 % (Viroptic)</i>	2	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<b>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</b>	3	ST
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
<b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i>	1	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i>	2	(Acular LS)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	2	(Acular)
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	2	(Omnipred)
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	4	PA; QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antilulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
CARAFATE ORAL SUSPENSION 100 MG/ML	3	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i>	2	(Acid Reducer (cimetidine))

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cimetidine oral tablet 300 mg, 400 mg, 800 mg	2	
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG, 60 MG	3	ST
esomeprazole sodium intravenous recon soln 20 mg	2	
esomeprazole sodium intravenous recon (Nexium IV) soln 40 mg	2	
famotidine (pf) intravenous solution 20 mg/2 ml	2	
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml	2	
famotidine intravenous solution 10 mg/ml	2	
famotidine oral suspension 40 mg/5 ml (8 mg/ml) (Pepcid)	2	
famotidine oral tablet 20 mg (Acid Controller)	1	GC
famotidine oral tablet 40 mg (Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg (Heartburn Treatment 24 Hour)	2	
lansoprazole oral capsule,delayed release(dr/ec) 30 mg (Prevacid)	2	
misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)	2	
nizatidine oral capsule 150 mg, 300 mg	2	
nizatidine oral solution 150 mg/10 ml	2	
omeprazole oral capsule,delayed release(dr/ec) 10 mg	2	
omeprazole oral capsule,delayed release(dr/ec) 20 mg, 40 mg	1	GC
pantoprazole intravenous recon soln 40 mg (Protonix)	2	
pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg (Protonix)	1	GC
rabeprazole oral tablet,delayed release (dr/ec) 20 mg (Aciphex)	2	ST; QL (30 per 30 days)
ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml) (Zantac)	2	
ranitidine hcl oral syrup 15 mg/ml	2	
ranitidine hcl oral tablet 150 mg (Acid Control (ranitidine))	1	GC
ranitidine hcl oral tablet 300 mg (Zantac)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	
<b>Gastrointestinal Agents, Other</b>			
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG		3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG		5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>		2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	5	NM; NDS
<i>dicyclomine oral capsule 10 mg</i>		2	
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	
<i>dicyclomine oral tablet 20 mg</i>		2	
<i>diphenoxylate-atropine oral liquid 2.5- 0.025 mg/5 ml</i>		2	
<i>diphenoxylate-atropine oral tablet 2.5- 0.025 mg</i>	(Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i>		2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>		2	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	(Robinul)	2	
<i>glycopyrrolate oral tablet 1 mg</i>	(Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i>	(Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>		2	
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUTRESTORE ORAL POWDER IN PACKET 5 GRAM	4	
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	5	PA; NM; NDS; QL (28 per 28 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	2	
<i>sodium phenylbutyrate oral tablet 500 mg (Buphenyl)</i>	5	NM; NDS
<i>sodium polystyrene sulfonate oral powder (Kionex)</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg (Actigall)</i>	2	
<i>ursodiol oral tablet 250 mg (URSO 250)</i>	2	
<i>ursodiol oral tablet 500 mg (URSO Forte)</i>	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG- 3.5 GRAM -12 GRAM/160 ML	4	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
peg 3350-electrolytes oral recon soln 236- (GaviLyte-G) 22.74-6.74 -5.86 gram	2	
peg 3350-electrolytes oral recon soln 240- (Colyte with Flavor 22.72-6.72 -5.84 gram Packs)	1	GC
peg-electrolyte soln oral recon soln 420 (GaviLyte-N) gram	2	
polyethylene glycol 3350 oral powder 17 (ClearLax) gram/dose	2	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
trilyte with flavor packets oral recon soln 420 gram	2	
<b>Phosphate Binders</b>		
AURYXIA ORAL TABLET 210 MG IRON	4	
calcium acetate oral capsule 667 mg	2	
calcium acetate oral tablet 667 mg (Calphron)	2	
eliphos oral tablet 667 mg	2	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	4	
lanthanum oral tablet, chewable 1,000 mg, (Fosrenol) 500 mg, 750 mg	5	NM; NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
RENAGEL ORAL TABLET 400 MG, 800 MG	3	
sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram	2	
sevelamer carbonate oral tablet 800 mg (Renvela)	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
bethanechol chloride oral tablet 10 mg, (Urecholine) 25 mg, 5 mg, 50 mg	2	
flavoxate oral tablet 100 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i>	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
VESICARE ORAL TABLET 10 MG, 5 MG	3	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg (Uroxatral)</i>	2	
<i>dutasteride oral capsule 0.5 mg (Avodart)</i>	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg (Jalyn)</i>	2	QL (30 per 30 days)
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	GC
<i>tamsulosin oral capsule,extended release 24hr 0.4 mg (Flomax)</i>	2	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
CUPRIMINE ORAL CAPSULE 250 MG	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg (Desferal)</i>	2	PA
DEPEN TITRATABS ORAL TABLET 250 MG	5	PA; NM; NDS
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 500 MG	5	PA; NM; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	3	PA; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; QL (150 per 30 days)
<i>androxy oral tablet 10 mg</i>	2	
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	3	QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	2	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	2	QL (8 per 28 days)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Minivelle)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	2	
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	4	QL (1 per 84 days)
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	4	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Femhrt Low Dose)	2	
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection</i> (Celestone Soluspan) <i>suspension 6 mg/ml</i>	2	
<i>cortisone oral tablet 25 mg</i>	2	PA BvD
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg</i> (Decadron)	1	PA BvD; GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg</i>	1	PA BvD; GC
<i>dexamethasone oral tablet 2 mg</i>	2	PA BvD
<i>dexamethasone oral tablet 6 mg</i> (Decadron)	2	PA BvD
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (39 per 30 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	PA BvD
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML	4	
<i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 40 mg/ml, 80 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	PA BvD
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	2	PA BvD
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	(Solu-Medrol)	2
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone 10 mg tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg</i>	2	PA BvD
<i>prednisone oral tablet 10 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 20 mg</i>	(Deltasone)	1
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	PA BvD
<b>SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML</b>	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	(Kenalog)	2
<b>Pituitary</b>		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	(DDAVP)	2
<i>desmopressin injection solution 4 mcg/ml</i>	(DDAVP)	2
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>	(DDAVP)	2
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>		2
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	(DDAVP)	2
<b>GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML</b>	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acet 100 mcg/ml syr outer, single-dose, 10 100 mcg/ml (1 ml)</i>	2	
<i>octreotide acet 50 mcg/ml syr outer, single-dose, 10 50 mcg/ml (1 ml)</i>	2	
<i>octreotide acetate injection solution 1,000 (Sandostatin) mcg/ml, 500 mcg/ml</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml	2	
octreotide acetate injection solution 200 mcg/ml	2	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	NM; NDS
STIMATE NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	4	
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone caproate</i> <i>intramuscular oil 250 mg/ml</i>	2	PA NSO
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg,</i> (Provera) <i>2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml</i> <i>(40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone in oil intramuscular oil 50</i> <i>mg/ml</i>	2	
<i>progesterone micronized oral capsule 100</i> (Prometrium) <i>mg, 200 mg</i>	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine intravenous recon soln 100</i> <i>mcg, 200 mcg, 500 mcg</i>	5	NM; NDS
<i>levothyroxine oral tablet 100 mcg, 112</i> (Levo-T) <i>mcg, 125 mcg, 137 mcg, 150 mcg, 175</i> <i>mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg,</i> <i>75 mcg, 88 mcg</i>	1	GC
<i>liothyronine intravenous solution 10</i> (Triostat) <i>mcg/ml</i>	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50</i> (Cytomel) <i>mcg</i>	2	
<i>methimazole oral tablet 10 mg</i> (Tapazole)	2	
<i>methimazole oral tablet 5 mg</i> (Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
<i>azathioprine oral tablet 50 mg (Imuran)</i>	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 3 GRAM, 6 GRAM	5	PA BvD; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)</i>	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)</i>	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg (Gengraf)</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml (Gengraf)</i>	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)</i>	2	PA BvD
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	4	PA BvD
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15- 18 % RANGE, 15-18 % RANGE (10 ML), 15-18 % RANGE (2 ML)	3	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK), 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML, 150 UNIT/ML (10 ML)	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 180 MG/1.2 ML (150 MG/ML)	5	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
IMOGRAB RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
mycophenolate mofetil oral tablet 500 mg (CellCept)	2	PA BvD
mycophenolate sodium oral tablet, delayed release (dr/lec) 180 mg, 360 mg (Myfortic)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	3	
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 27.5 MG/0.55 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 5 MG	5	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	5	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	
CERVARIX VACCINE (PF) INTRAMUSCULAR SYRINGE 20-20 MCG/0.5 ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 10 MCG/0.5 ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL (PF) INTRAMUSCULAR SUSPENSION 20-40-40-20 MCG/0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN 5-2.5 MCG/0.5 ML	3	
MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN 50 MCG	3	
MENOMUNE - A/C/Y/W-135 SUBCUTANEOUS RECON SOLN 50 MCG	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TETANUS-DIPHTHERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SUSPENSION 720 ELISA UNIT- 20 MCG/ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS
<b>APRISO ORAL CAPSULE, EXTENDED RELEASE 24HR 0.375 GRAM</b>	3	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend.release 3 mg</i> (Entocort EC)	5	NM; NDS
<b>CANASA RECTAL SUPPOSITORY 1,000 MG</b>	3	
<i>cocolcort rectal enema 100 mg/60 ml</i>	2	
<b>DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG</b>	3	
<b>DIPENTUM ORAL CAPSULE 250 MG</b>	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	2	
<b>LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM</b>	2	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	
<b>UCERIS RECTAL FOAM 2 MG/ACTUATION</b>	3	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	2	
<b>LACTATED RINGERS IRRIGATION SOLUTION</b>	3	
<i>ringer's irrigation solution</i>	2	
<i>sodium chloride irrigation solution 0.9 %</i> (Sterile Saline)	2	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	2	
<i>sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml</i>	2	
<i>water for irrigation, sterile irrigation solution</i> (Curity Sterile Water)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	
<b>FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML</b>	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
<b>MIACALCIN INJECTION SOLUTION 200 UNIT/ML</b>	3	
<b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE</b>	5	PA; NM; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	
<i>paricalcitol intravenous solution 2 mcg/ml</i> (Zemplar)	2	
PARICALCITOL INTRAVENOUS (Zemplar) SOLUTION 5 MCG/ML	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i> (Actonel)	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
SENSIPAR ORAL TABLET 30 MG	3	QL (60 per 30 days)
SENSIPAR ORAL TABLET 60 MG	5	NM; NDS; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	5	NM; NDS; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i> (Zometa)	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	2	
ZOMETTA INTRAVENOUS PIGGYBACK 4 MG/100 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTHAR H.P. INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BOTOX INJECTION RECON SOLN 100 UNIT	4	PA; QL (4 per 90 days)
BOTOX INJECTION RECON SOLN 200 UNIT	4	PA; QL (1 per 90 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl))	2	
<i>droperidol injection solution 2.5 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML, 50 MG/ML (10 ML)	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
<i>guanidine oral tablet 125 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium 100 mg vial sdv,plf,latex-free 100 mg</i>	2	
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	2	
<i>leucovorin calcium injection solution 500 mg/50 ml</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution (Carnitor) 100 mg/ml</i>	2	
<i>levocarnitine intravenous solution 200 (Carnitor) mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg (Carnitor)</i>	2	
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin intravenous recon soln 50 (Fusilev) mg</i>	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml (Mesnex)</i>	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NM; NDS
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	2	
MYOBLOC INTRAMUSCULAR SOLUTION 10,000 UNIT/2 ML	4	PA; QL (2 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 2,500 UNIT/0.5 ML	4	PA; QL (0.5 per 90 days)
MYOBLOC INTRAMUSCULAR SOLUTION 5,000 UNIT/ML	4	PA; QL (1 per 90 days)
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; NM; NDS; QL (8 per 28 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral tablet 60 mg (Mestinon)</i>	2	
<i>pyridostigmine bromide oral tablet (Mestinon Timespan) extended release 180 mg</i>	2	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	5	NM; NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.15 (Alphagan P) %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 (Xalatan) %</i>	2	
<i>levobunolol ophthalmic (eye) drops 0.5 (Betagan) %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methazolamide oral tablet 25 mg</i>	(Neptazane)	2	
<i>methazolamide oral tablet 50 mg</i>		2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>		2	
<b>PHOSPHOLINE IODIDE OPTHALMIC (EYE) DROPS 0.125 %</b>		3	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	(Isopto Carpine)	2	
<b>RHOPRESSA OPTHALMIC (EYE) DROPS 0.02 %</b>		3	QL (2.5 per 25 days)
<b>SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</b>		3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	(Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i>	(Istalol)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	(Timoptic-XE)	2	
<b>TRAVATAN Z OPTHALMIC (EYE) DROPS 0.004 %</b>		3	QL (2.5 per 25 days)
<b>ZIOPTAN (PF) OPTHALMIC (EYE) DROPPERETTE 0.0015 %</b>		3	QL (30 per 30 days)
<b>Replacement Preparations</b>			
<b>Replacement Preparations</b>			
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>		2	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>		2	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>		2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>		2	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
dextrose 5%-0.2 % sod chloride intravenous parenteral solution	2	
dextrose 5%-0.3 % sod.chloride intravenous parenteral solution	2	
dextrose with sodium chloride intravenous parenteral solution 5-0.2 %	2	
electrolyte-48 in d5w intravenous parenteral solution	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
klor-con m10 oral tablet,er particles/crystals 10 meq	2	
klor-con m15 oral tablet,er particles/crystals 15 meq	2	
klor-con m20 oral tablet,er particles/crystals 20 meq	2	
klor-con sprinkle oral capsule, extended release 10 meq, 8 meq	2	
magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml	2	
magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)	2	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)	2	
magnesium sulfate injection solution 4 meq/ml (50 %)	2	
magnesium sulfate injection syringe 4 meq/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE-56 IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride oral capsule, extended (Klor-Con Sprinkle) release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended (K-Tab) release 10 meq, 20 meq, 8 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i>	(Klor-Con M10)	2	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i>	(Klor-Con M20)	2	
<i>potassium chloride-0.45% nacl intravenous parenteral solution 20 meq/l</i>		2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>		2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>		2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>		2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	(Urocit-K 5)	2	
<i>potassium citrate-citric acid oral packet 3,300-1,002 mg</i>	(Cytra K Crystals)	2	
<i>ringer's intravenous parenteral solution</i>		2	
<i>sodium acetate intravenous solution 2 meq/ml</i>		2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>		2	
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>		2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>		2	
<i>sodium chloride 0.9 % intravenous piggyback</i>		2	
<i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>		2	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>		2	
<i>sodium lactate intravenous solution 5 meq/ml</i>		2	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TPN ELECTROLYTES II IV SOLN 25'S,20ML/50ML FTV 18-18-5-4.5-35 MEQ/20 ML	4	
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	4	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled</b>		
<b>Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500- 50 MCG/DOSE	3	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization</i> 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	2	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	3	QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION	3	QL (17.4 per 25 days)
QVAR INHALATION AEROSOL 80 MCG/ACTUATION	3	QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	QL (21.2 per 25 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	QL (12 per 25 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (11 per 25 days)
<b>Antileukotrienes</b>		
montelukast oral granules in packet 4 mg (Singulair)	2	
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	2	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
<b>Bronchodilators</b>		
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml	2	PA BvD
albuterol sulfate oral syrup 2 mg/5 ml	2	
albuterol sulfate oral tablet 2 mg, 4 mg	2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	
FORADIL AEROLIZER INHALATION CAPSULE, W/INHALATION DEVICE 12 MCG	3	QL (60 per 30 days)
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>levalbuterol tartrate inhalation hfa (Xopenex HFA) aerosol inhaler 45 mcg/actuation</i>	2	QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	4	ST
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 (Acetadote) mg/ml (20 %)</i>	2	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>carisoprodol oral tablet 250 mg, 350 mg (Soma)</i>	2	QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>cyclobenzaprine oral tablet 7.5 mg (Fexmid)</i>	2	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i>	2	
<i>methocarbamol oral tablet 500 mg (Robaxin)</i>	2	
<i>methocarbamol oral tablet 750 mg (Robaxin-750)</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg (Zanaflex)</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	
<b>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</b>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
<b>HETLIOZ ORAL CAPSULE 20 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>SILENOR ORAL TABLET 3 MG, 6 MG</b>	3	QL (30 per 30 days)
<b>XYREM ORAL SOLUTION 500 MG/ML</b>	5	NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i> (Sonata)	2	QL (60 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	2	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
<b>ADCIRCA ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</b>	5	PA; NM; NDS; QL (90 per 30 days)
<b>CIALIS ORAL TABLET 2.5 MG, 5 MG</b>	3	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NM; NDS
<b>LETAIRIS ORAL TABLET 10 MG, 5 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>OPSUMIT ORAL TABLET 10 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG</b>	3	PA
<b>ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG</b>	5	PA; NM; NDS
<b>REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<b>TRACLEER ORAL TABLET 125 MG, 62.5 MG</b>	5	PA; NM; LA; NDS; QL (60 per 30 days)
<b>TRACLEER ORAL TABLET FOR SUSPENSION 32 MG</b>	5	PA; NM; NDS; QL (112 per 28 days)
<b>TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)</b>	5	PA; NM; NDS
<b>UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>UPTRAVI ORAL TABLET 200 MCG</b>	5	PA; NM; NDS; QL (240 per 30 days)
<b>UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)</b>	5	PA; NM; NDS; QL (400 per 365 days)
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	2	
<i>pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>sodium fluoride 0.5 mg/ml drop d/f, slf,gluten-free (otc) 0.5 mg (1.1 mg sod.fluorid)/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

<i>abacavir</i> .....	58, 59	AKYNZEO (FOSNETUPITANT).....	50	AMINOSYN 8.5 %-
<i>abacavir-lamivudine</i> .....	59	AKYNZEO (NETUPITANT)50		ELECTROLYTES..... 68
<i>abacavir-lamivudine-zidovudine</i>	59	<i>ala-cort</i> .....	96	AMINOSYN II 10 %..... 68
ABELCET.....	46	<i>ala-scalp</i> .....	96	AMINOSYN II 15 %..... 68
ABILIFY MAINTENA.....	54	ALBENZA.....	52	AMINOSYN II 7 %..... 68
ABRAXANE.....	22	<i>albuterol sulfate</i> .....	139	AMINOSYN II 8.5 %..... 68
<i>acamprosate</i> .....	10	<i>alclometasone</i> .....	96	AMINOSYN II 8.5 %-
<i>acarbose</i> .....	40	ALCOHOL PADS.....	94	ELECTROLYTES..... 68
<i>acebutolol</i> .....	75	ALCOHOL PREP PADS.....	94	AMINOSYN M 3.5 %..... 68
<i>acetaminophen-codeine</i> .....	3	ALDURAZYME.....	100	AMINOSYN-HBC 7%..... 68
<i>acetasol hc</i> .....	103	ALECENSA.....	22	AMINOSYN-PF 10 %..... 68
<i>acetazolamide</i> .....	133	<i>alendronate</i> .....	129	AMINOSYN-PF 7 %
<i>acetazolamide sodium</i> .....	133	<i>alfuzosin</i> .....	111	(SULFITE-FREE)..... 68
<i>acetic acid</i> .....	103, 128	ALIMTA.....	22	AMINOSYN-RF 5.2 %..... 68
<i>acetylcysteine</i> .....	141	ALINIA.....	52	amiodarone..... 74
<i>acitretin</i> .....	94	ALIQOPA.....	22	AMITIZA..... 108
ACTEMRA.....	119	<i>allopurinol</i> .....	48	<i>amitriptyline</i> ..... 38
ACTHAR H.P.....	131	<i>alosetron</i> .....	128	<i>amitriptyline-chlordiazepoxide</i> ..... 38
ACTHIB (PF).....	123	ALPHAGAN P.....	133	<i>amlodipine</i> ..... 78
ACTIMMUNE.....	131	<i>alprazolam</i> .....	11	<i>amlodipine-atorvastatin</i> ..... 80
<i>acyclovir</i> .....	64, 94	ALREX.....	105	<i>amlodipine-benazepril</i> ..... 79
<i>acyclovir sodium</i> .....	64	<i>altavera (28)</i> .....	87	<i>amlodipine-olmesartan</i> ..... 79
ADACEL(TDAP		ALUNBRIG.....	22	<i>amlodipine-valsartan</i> ..... 79
ADOLESN/ADULT)(PF)....	123	<i>alyacen 1/35 (28)</i> .....	87	<i>ammonium lactate</i> ..... 94
ADAGEN.....	100	<i>alyacen 7/7/7 (28)</i> .....	87	<i>amoxapine</i> ..... 38
<i>adapalene</i> .....	99	<i>amabelz</i> .....	112	<i>amoxicil-clarithromy-lansopraz</i>
ADCIRCA.....	143	<i>amantadine hcl</i> .....	53	..... 106
<i>adefovir</i> .....	64	AMBISOME.....	46	<i>amoxicillin</i> ..... 18
ADEMPAS.....	143	<i>amethia</i> .....	87	<i>amoxicillin-pot clavulanate</i> ..... 18, 19
<i>adriamycin</i> .....	22	<i>amethia lo</i> .....	87	<i>amphotericin b</i> ..... 46
<i>adrucil</i> .....	22	<i>amifostine crystalline</i> .....	131	<i>ampicillin</i> ..... 19
ADVAIR DISKUS.....	138	<i>amiloride</i> .....	79	<i>ampicillin sodium</i> ..... 19
ADVAIR HFA.....	138	<i>amiloride-hydrochlorothiazide</i> .....	79	<i>ampicillin-sulbactam</i> ..... 19
<i>afeditab cr</i> .....	78	AMINOSYN 10 %.....	68	AMPYRA..... 83
AFINITOR.....	22	AMINOSYN 7 % WITH		ANADROL-50..... 112
AFINITOR DISPERZ.....	22	ELECTROLYTES.....	68	<i>anagrelide</i> ..... 67
<i>a-hydrocort</i> .....	114	AMINOSYN 8.5 %.....	68	<i>anastrozole</i> ..... 22
AKTEN (PF).....	102			

ANDRODERM	112	AVONEX	84	<i>betamethasone, augmented</i>	97
ANDROGEL	112	AVONEX (WITH		BETASERON	84
<i>androxy</i>	112	ALBUMIN)	84	<i>betaxolol</i>	75, 133
ANORO ELLIPTA	140	<i>azacitidine</i>	23	<i>bethanechol chloride</i>	110
APOKYN	53	<i>azathioprine</i>	119	BETHKIS	13
<i>apraclonidine</i>	102	<i>azathioprine sodium</i>	119	BEVYXXA	65
<i>aprepitant</i>	50	<i>azelastine</i>	102	<i>bexarotene</i>	23
<i>apri</i>	87	<i>azithromycin</i>	17	BEXSERO	124
APRISO	128	AZOPT	133	<i>bicalutamide</i>	23
APTIOM	33	<i>aztreonam</i>	18	BICILLIN C-R	19
APTIVUS	59	<i>azurette (28)</i>	87	BICILLIN L-A	19
<i>aranelle (28)</i>	87	<i>baciim</i>	13	BIDIL	82
ARCALYST	119	<i>bacitracin</i>	13, 103	BIKTARVY	59
<i>aripiprazole</i>	54	<i>bacitracin-polymyxin b</i>	103	<i>bimatoprost</i>	133
ARISTADA	55	<i>baclofen</i>	142	<i>bisoprolol fumarate</i>	75
<i>armodafinil</i>	143	<i>balsalazide</i>	128	<i>bisoprolol-hydrochlorothiazide</i>	75
ARNUITY ELLIPTA	138	<i>balziva (28)</i>	87	<i>bleomycin</i>	23
<i>ascomp with codeine</i>	3	BANZEL	33	<i>bleph-10</i>	103
<i>ashlyna</i>	87	BAVENCIO	23	BLINCYTO	23
<i>aspirin-dipyridamole</i>	67	BAXDELA	20	<i>blisovi 24 fe</i>	87
ASSURE ID INSULIN		BCG VACCINE, LIVE (PF)	124	<i>blisovi fe 1.5/30 (28)</i>	87
SAFETY	99	BD ULTRA-FINE NANO		<i>blisovi fe 1/20 (28)</i>	87
ASTAGRAF XL	119	PEN NEEDLE	99	BOOSTRIX TDAP	124
<i>atazanavir</i>	59	BD VEO INSULIN		BORTEZOMIB	23
<i>atenolol</i>	75	SYRINGE UF	99	BOSULIF	23
<i>atenolol-chlorthalidone</i>	75	<i>bekyree (28)</i>	87	BOTOX	131
<i>atomoxetine</i>	83	BELBUCA	3	BREO ELLIPTA	138
<i>atorvastatin</i>	80	BELEODAQ	23	<i>briellyn</i>	87
<i>atovaquone</i>	52	BELSOMRA	143	BRILINTA	67
<i>atovaquone-proguanil</i>	52	<i>benazepril</i>	73	<i>brimonidine</i>	133
ATRIPLA	59	<i>benazepril-hydrochlorothiazide</i>	73	BRIVIACT	33
<i>atropine</i>	33, 102	BENDEKA	23	<i>bromfenac</i>	105
ATROVENT HFA	140	BENLYSTA	131	<i>bromocriptine</i>	53
AUBAGIO	83	<i>benznidazole</i>	52	BROMSITE	105
<i>aubra</i>	87	<i>benztropine</i>	53	<i>budesonide</i>	128, 138
AURYXIA	110	BEPREVE	102	<i>bumetanide</i>	79
AUSTEDO	84	BESPONSA	23	BUNAVAIL	10
AVASTIN	23	<i>betamethasone acet,sod phos</i>	114	<i>buprenorphine</i>	3
AVC VAGINAL	49	<i>betamethasone dipropionate</i>	96	<i>buprenorphine hcl</i>	3, 10
<i>aviane</i>	87	<i>betamethasone valerate</i>	96, 97	<i>buprenorphine-naloxone</i>	10

bupropion hcl.....	38	carbinoxamine maleate.....	48	CERDELGA.....	100
bupropion hcl ( <i>smoking deter</i> ) .....	10	carboplatin.....	23	CEREZYME.....	100
buspirone.....	11	CARIMUNE NF		CERVARIX VACCINE (PF)	
butalbital compound w/codeine ...	3	NANOFILTERED.....	119	.....	124
butalbital-acetaminop-caf-cod....	3	carisoprodol.....	142	CETYLEV.....	131
butalbital-acetaminophen.....	3	carteolol.....	133	cevimeline.....	93
butalbital-acetaminophen-caff....	3	cartia xt.....	76	CHANTIX.....	10
butalbital-aspirin-caffeine.....	3	carvedilol.....	75	CHANTIX CONTINUING	
butorphanol tartrate.....	3	caspofungin.....	46	MONTH BOX.....	10
BUTRANS.....	3	CAYSTON.....	18	CHANTIX STARTING	
BYSTOLIC.....	75	caziant (28).....	88	MONTH BOX.....	10
BYVALSON.....	75	cefaclor.....	15	chloramphenicol sod succinate ..	13
cabergoline.....	53	cefadroxil.....	15	chlordiazepoxide hcl.....	11
CABOMETYX.....	23	cefazolin.....	15	chlorhexidine gluconate.....	93
caffeine citrate.....	84	cefazolin in 0.9% sod chloride ...	15	chloroquine phosphate.....	52
calcipotriene.....	94	cefazolin in dextrose (iso-os) ...	15	chlorothiazide.....	79
calcitonin ( <i>salmon</i> ) .....	129	cefdinir.....	15	chlorothiazide sodium .....	79
calcitrene.....	94	cefditoren pivoxil.....	15	chlorpromazine.....	55
calcitriol.....	94, 129	CEFEPIME.....	15	chlorthalidone .....	79
calcium acetate.....	110	CEFEPIME IN DEXTROSE		chlorzoxazone .....	142
calcium chloride.....	134	5 %.....	15	cholestyramine (with sugar) ....	80
CALDOLOR.....	8	CEFEPIME IN		cholestyramine light .....	80, 81
CALQUENCE.....	23	DEXTROSE,ISO-OSM .....	15	CIALIS.....	143
camila.....	87	cefixime.....	15	ciclopirox .....	46
camrese.....	87	cefotaxime.....	15	cidofovir .....	64
camrese lo .....	87	cefoxitin.....	15	cilostazol.....	67
CANASA.....	128	cefoxitin in dextrose, iso-osm ...	15	CILOXAN.....	103
candesartan.....	72	cefpodoxime.....	16	CIMDUO.....	59
candesartan-hydrochlorothiazid	72	cefprozil.....	16	cimetidine .....	106, 107
capacet.....	4	ceftazidime.....	16	cimetidine hcl .....	106
CAPASTAT.....	50	ceftibuten.....	16	CIMZIA.....	119
CAPRELSA.....	23	ceftriaxone.....	16	CIMZIA POWDER FOR	
captopril.....	73	ceftriaxone in dextrose, iso-os ...	16	RECONST .....	119
captopril-hydrochlorothiazide ...	73	cefuroxime axetil .....	16	CINQAIR.....	141
CARAFATE.....	106	cefuroxime sodium.....	16	CINRYZE.....	66
CARBAGLU.....	108	cefuroxime-dextrose (iso-osm) ..	16	CINVANTI.....	50
carbamazepine.....	33	celecoxib.....	8	CIPRODEX.....	103
carbidopa.....	53	CELONTIN.....	34	ciprofloxacin .....	20
carbidopa-levodopa .....	53	cephalexin.....	16	ciprofloxacin (mixture) .....	20
carbidopa-levodopa-entacapone	53	CEPROTIN (BLUE BAR)....	65	ciprofloxacin hcl .....	20, 103

<i>ciprofloxacin in 5 % dextrose</i> ...	20	CLINIMIX E 5%/D15W		COSENTYX PEN (2 PENS) ..	94
<i>ciprofloxacin lactate</i> .....	20	SULFIT FREE .....	69	COTELLIC .....	24
<i>citalopram</i> .....	38	CLINIMIX E 5%/D20W		CREON .....	100
<i>cladribine</i> .....	23	SULFIT FREE .....	70	CRIXIVAN .....	59
<i>clarithromycin</i> .....	17	CLINIMIX E 5%/D25W		<i>cromolyn</i> .....	102, 108, 141
<i>clemastine</i> .....	48	SULFIT FREE .....	70	<i>cryselle</i> (28) .....	88
CLENPIQ .....	109	CLINISOL SF 15 %.....	70	CUPRIMINE .....	111
CLEVIPREX .....	79	<i>clobetasol</i> .....	97	<i>cyclafem</i> 1/35 (28) .....	88
<i>clindamycin hcl</i> .....	13	<i>clobetasol-emollient</i> .....	97	<i>cyclafem</i> 7/7/7 (28) .....	88
<i>clindamycin in 5 % dextrose</i> .....	13	<i>clocortolone pivalate</i> .....	97	<i>cyclobenzaprine</i> .....	142
<i>clindamycin palmitate hcl</i> .....	14	<i>clofarabine</i> .....	24	<i>cyclopentolate</i> .....	102
<i>clindamycin phosphate</i> ..	14, 49, 95	<i>clomipramine</i> .....	38	<i>cyclophosphamide</i> .....	24
<i>clindamycin-benzoyl peroxide</i> ..	95	<i>clonazepam</i> .....	11	CYCLOPHOSPHAMIDE .....	24
CLINIMIX 5%/D15W		<i>clonidine</i> .....	71	CYCLOSET .....	40
SULFITE FREE .....	69	<i>clonidine hcl</i> .....	71, 84	<i>cyclosporine</i> .....	119
CLINIMIX 5%/D25W		<i>clopидogrel</i> .....	67	<i>cyclosporine modified</i> .....	119
SULFITE-FREE .....	69	<i>clorazepate dipotassium</i> .....	11	<i>cyproheptadine</i> .....	48
CLINIMIX 2.75%/D5W		<i>clorpres</i> .....	71	CYRAMZA .....	24
SULFIT FREE .....	69	<i>clotrimazole</i> .....	46	<i>cyred</i> .....	88
CLINIMIX 4.25%/D10W		<i>clotrimazole-betamethasone</i> .....	46	CYSTADANE .....	131
SULF FREE .....	69	<i>clozapine</i> .....	55	CYSTARAN .....	102
CLINIMIX 4.25%/D5W		<i>COARTEM</i> .....	52	<i>d10 %-0.45 % sodium chloride</i> ..	134
SULFIT FREE .....	69	<i>codeine sulfate</i> .....	4	<i>d2.5 %-0.45 % sodium chloride</i> ..	134
CLINIMIX 4.25%-D20W		<i>COLCRYS</i> .....	48	<i>d5 % and 0.9 % sodium chloride</i> ..	134
SULF-FREE .....	69	<i>colestipol</i> .....	81	<i>d5 %-0.45 % sodium chloride</i> ..	134
CLINIMIX 4.25%-D25W		<i>colistin (colistimethate na)</i> .....	14	DAKLINZA .....	63
SULF-FREE .....	69	<i>colocort</i> .....	128	DALIRESP .....	141
CLINIMIX 5%-D20W(SULFITE-FREE).....	69	<i>COLY-MYCIN S</i> .....	103	<i>danazol</i> .....	112
CLINIMIX E 2.75%/D10W		<i>COMBIGAN</i> .....	133	<i>dantrolene</i> .....	142
SUL FREE .....	69	<i>COMBIPATCH</i> .....	112	<i>dapsone</i> .....	50
CLINIMIX E 2.75%/D5W		<i>COMBIVENT RESPIMAT.</i> ..	140	DAPTACEL (DTAP PEDIATRIC) (PF) .....	124
SULF FREE .....	69	<i>COMETRIQ</i> .....	24	<i>daptomycin</i> .....	14
CLINIMIX E 4.25%/D10W		<i>COMPLERA</i> .....	59	DARAPRIM .....	52
SUL FREE .....	69	<i>compro</i> .....	51	DARZALEX .....	24
CLINIMIX E 4.25%/D25W		<i>CONDYLOX</i> .....	94	<i>dasetta</i> 1/35 (28) .....	88
SUL FREE .....	69	<i>constulose</i> .....	108	<i>dasetta</i> 7/7/7 (28) .....	88
CLINIMIX E 4.25%/D5W		<i>CORLANOR</i> .....	77	<i>daysee</i> .....	88
SULF FREE .....	69	<i>cormax</i> .....	97		
COSENTYX (2 SYRINGES)	94	<i>cortisone</i> .....	114		

deblitane .....	88	dextrose 5%-0.3 % sod.chloride .....	135	dopamine in 5 % dextrose .....	77
decadron.....	114	dextrose 50 % in water (d50w) 70		dorzolamide .....	133
decitabine .....	24	dextrose 70 % in water (d70w) 70		dorzolamide-timolol .....	133
deferoxamine .....	111	dextrose with sodium chloride .135		doxazosin .....	71
delyla (28) .....	88	DIASTAT .....	12	doxepin .....	38
DELZICOL.....	128	DIASTAT ACUDIAL .....	12	doxercalciferol .....	129
demeclocycline.....	21	diazepam .....	12	doxorubicin .....	24
DEM SER .....	77	diazepam intensol .....	12	doxorubicin, peg-liposomal .....	24
DENAVIR .....	94	diclofenac potassium .....	8	doxy-100 .....	21
DEPEN TITRATABS.....	111	diclofenac sodium .....	8, 94, 105	doxycycline hyclate .....	21
DEPO-PROVERA.....	118	diclofenac-misoprostol .....	8	doxycycline monohydrate .....	21
DESCOVY .....	59	dicloxacillin .....	19	dronabinol .....	51
desipramine .....	38	dicyclomine .....	108	droperidol .....	131
desmopressin .....	115	didanosine .....	59	drospirenone-ethinyl estradiol..	88
desog-e.estradiolle.estradiol....	88	DIFICID .....	17	DROXIA.....	24
desogestrel-ethinyl estradiol....	88	diflorasone .....	97	DUAVEE.....	113
desonide .....	97	diflunisal .....	8	DUEXIS .....	8
desoximetasone .....	97	digitek .....	77	DULERA .....	138
desvenlafaxine succinate .....	38	digox .....	77	duloxetine .....	38
dexamethasone .....	114	digoxin .....	77	DUPIXENT .....	94
dexamethasone sodium phos (pf) .....	114	DIGOXIN .....	77	DUREZOL .....	106
dexamethasone sodium phosphate .....	105, 114	dihydroergotamine .....	49	dutasteride .....	111
DEXILANT .....	107	DILANTIN.....	34	dutasteride-tamsulosin .....	111
dexamethylphenidate .....	84	diltiazem hcl .....	76	DYRENIUM .....	79
dexrazoxane hcl .....	131	dilt-xr .....	77	e.e.s. 400 .....	17
dextroamphetamine .....	84	dimenhydrinate .....	51	E.E.S. GRANULES .....	17
dextroamphetamine- amphetamine .....	84	DIPENTUM.....	128	econazole .....	46
dextrose 10 % and 0.2 % nacl.	134	diphenhydramine hcl .....	48	EDARBI .....	72
dextrose 10 % in water (d10w)	70	diphenoxylate-atropine .....	108	EDARBYCLOR .....	72
dextrose 20 % in water (d20w)	70	dipyridamole .....	67	EDURANT .....	59
dextrose 25 % in water (d25w)	70	disopyramide phosphate .....	74	efavirenz .....	59
dextrose 40 % in water (d40w)	70	disulfiram .....	10	ELAPRASE .....	100
dextrose 5 % in ringer's.....	70	divalproex .....	34	electrolyte-48 in d5w .....	135
dextrose 5 % in water (d5w) ....	70	dobutamine .....	77	ELIDEL .....	97
dextrose 5 %-lactated ringers.	134	dobutamine in d5w .....	77	ELIGARD .....	24
dextrose 5%-0.2 % sod chloride .....	135	docetaxel.....	24	ELIGARD (3 MONTH).....	24
		dofetilide .....	74	ELIGARD (4 MONTH).....	24
		donepezil .....	37	ELIGARD (6 MONTH).....	24
		dopamine .....	78	elinet .....	88
				eliphos .....	110

ELIQUIS	65	<i>epitol</i>	34	<i>etoposide</i>	25
ELITEK	100	EPIVIR HBV	59	EUCRISA	97
<i>elixophyllin</i>	140	<i>eplerenone</i>	82	EVOTAZ	59
ELLA	88	EPOGEN	66	EXELDERM	46
ELMIRON	131	<i>epoprostenol (glycine)</i>	143	<i>exemestane</i>	25
EMBEDA	4	<i>eprosartan</i>	72	EXJADE	111
EMCYT	24	<i>ergoloid</i>	131	EXONDYS 51	131
EMEND	51	ERGOMAR	49	EXTAVIA	84
EMEND (FOSAPREPITANT)	51	ERIVEDGE	25	<i>ezetimibe</i>	81
EMFLAZA	114	ERLEADA	25	<i>ezetimibe-simvastatin</i>	81
<i>emoquette</i>	88	<i>errin</i>	88	FABRAZYME	100
EMPLICITI	25	ERYPED 200	17	<i>falmina (28)</i>	88
EMSAM	38	ERYPED 400	17	<i>famciclovir</i>	64
EMTRIVA	59	<i>ery-tab</i>	17	<i>famotidine</i>	107
<i>enalapril maleate</i>	73	ERY-TAB	17	<i>famotidine (pf)</i>	107
<i>enalaprilat</i>	73	ERYTHROCIN	18	<i>famotidine (pf)-nacl (iso-os)</i>	107
<i>enalapril-hydrochlorothiazide</i>	73	<i>erythrocin (as stearate)</i>	18	FANAPT	55
ENBREL	119	erythromycin	18, 103	FARESTON	25
ENBREL SURECLICK	119	erythromycin ethylsuccinate	18	FARYDAK	25
ENDARI	131	erythromycin with ethanol	96	FASENRA	142
<i>endocet</i>	4	erythromycin-benzoyl peroxide	96	FASLODEX	25
ENGERIX-B (PF)	124	ESBRIET	142	<i>felbamate</i>	34
ENGERIX-B PEDIATRIC (PF)	124	<i>escitalopram oxalate</i>	38	<i>felodipine</i>	79
<i>enoxaparin</i>	65	<i>esmolol</i>	75	FEMRING	113
<i>enpresse</i>	88	<i>esomeprazole sodium</i>	107	<i>femynor</i>	88
<i>enskyce</i>	88	<i>estarrylla</i>	88	<i>fenofibrate</i>	81
<i>entacapone</i>	53	<i>estazolam</i>	12	<i>fenofibrate micronized</i>	81
<i>entecavir</i>	64	<i>estradiol</i>	113	<i>fenofibrate nanocrystallized</i>	81
ENTRESTO	72	<i>estradiol valerate</i>	113	<i>fenofibric acid</i>	81
<i>enulose</i>	108	<i>estradiol-norethindrone acet</i>	113	<i>fenofibric acid (choline)</i>	81
ENVARSUS XR	120	ESTRING	113	<i>fenoprofen</i>	8
EPANED	73	<i>estropipate</i>	113	<i>fentanyl</i>	4
EPCLUSIA	63	<i>eszopiclone</i>	143	<i>fentanyl citrate</i>	4
<i>epinastine</i>	102	<i>ethambutol</i>	50	FERRIPROX	112
<i>epinephrine</i>	78	<i>ethosuximide</i>	34	FETZIMA	39
EPIPEN	78	<i>ethynodiol diac-eth estradiol</i>	88	FIASP FLEXTOUCH U-100	
EPIPEN 2-PAK	78	<i>etidronate disodium</i>	129	INSULIN	43
EPIPEN JR 2-PAK	78	<i>etodolac</i>	8	FIASP U-100 INSULIN	43
		ETOPOPHOS	25	<i>finasteride</i>	111
				FIRAZYR	78

<i>flavoxate</i>	110	<i>fosphenytoin</i>	34	<i>gentamicin sulfate (ped) (pf)</i>	13
FLEBOGAMMA DIF	120	FOSRENOL	110	<i>gentamicin sulfate (pf)</i>	13
<i>flecainide</i>	74	FREAMINE HBC 6.9 %	70	GENVOYA	59
FLECTOR	94	FREAMINE III 10 %	70	GEODON	56
FLOVENT DISKUS	138, 139	<i>furosemide</i>	79, 80	<i>gianvi (28)</i>	88
FLOVENT HFA	139	FUZEON	59	<i>gildagia</i>	88
<i>flouxuridine</i>	25	<i>fyavolv</i>	113	GILENYA	84
<i>fluconazole</i>	47	FYCOMPA	34	GIOTRIF	25
<i>fluconazole in dextrose(iso-o)</i>	47	<i>gabapentin</i>	34	<i>glatiramer</i>	84, 85
<i>fluconazole in nacl (iso-osm)</i>	46	GABITRIL	34	<i>glatopa</i>	85
<i>flucytosine</i>	47	<i>galantamine</i>	37	GLEOSTINE	25
<i>fludrocortisone</i>	114	GAMASTAN S/D	120	<i>glimepiride</i>	45
<i>flumazenil</i>	84	GAMMAGARD LIQUID	120	<i>glipizide</i>	45
<i>flunisolide</i>	106	GAMMAGARD S-D (IGA <		<i>glipizide-metformin</i>	45
<i>fluocinolone</i>	97	1 MCG/ML)	120	GLUCAGEN HYPOKIT	40
<i>fluocinolone acetonide oil</i>	106	GAMMAPLEX	120	GLUCAGON	
<i>fluocinonide</i>	98	GAMMAPLEX (WITH		EMERGENCY KIT	
<i>fluocinonide-e</i>	98	SORBITOL)	120	(HUMAN)	41
<i>fluoride (sodium)</i>	144	GAMUNEX	120	<i>glyburide</i>	45
<i>fluorometholone</i>	106	GAMUNEX-C	120	<i>glyburide micronized</i>	45
<i>fluorouracil</i>	25, 94	<i>ganciclovir sodium</i>	64	<i>glyburide-metformin</i>	46
<i>fluoxetine</i>	39	GARDASIL (PF)	124	<i>glycopyrrolate</i>	108
FLUOXETINE	39	GARDASIL 9 (PF)	124	<i>glydo</i>	9
<i>fluphenazine decanoate</i>	55	<i>gatifloxacin</i>	103	GLYXAMBI	41
<i>fluphenazine hcl</i>	55	GATTEX 30-VIAL	108	GOCOVRI	53, 54
<i>flurazepam</i>	12	GAUZE PAD	99	GRALISE	34
<i>flurbiprofen</i>	8	<i>gavilyte-c</i>	109	GRALISE 30-DAY	
<i>flurbiprofen sodium</i>	106	<i>gavilyte-g</i>	109	STARTER PACK	34
<i>flutamide</i>	25	<i>gavilyte-n</i>	109	<i>granisetron (pf)</i>	51
<i>fluticasone</i>	98, 106	GAZYVA	25	<i>granisetron hcl</i>	51
<i>fluvastatin</i>	81	<i>gemcitabine</i>	25	GRANIX	66
<i>fluvoxamine</i>	39	<i>gemfibrozil</i>	81	<i>griseofulvin microsize</i>	47
<i>fomepizole</i>	131	<i>generlac</i>	108	<i>griseofulvin ultramicrosize</i>	47
<i>fondaparinux</i>	65	<i>genraf</i>	120	<i>guanfacine</i>	71, 85
FORADIL AEROLIZER	140	GENOTROPIN	116	<i>guanidine</i>	131
FORTEO	129	GENOTROPIN		HAEGARDA	66
<i>fosamprenavir</i>	59	MINIQUICK	115, 116	<i>halobetasol propionate</i>	98
<i>foscarnet</i>	62	<i>gentak</i>	104	<i>haloperidol</i>	56
<i>fosinopril</i>	73	<i>gentamicin</i>	13, 96, 104	<i>haloperidol decanoate</i>	56
<i>fosinopril-hydrochlorothiazide</i>	73	<i>gentamicin in nacl (iso-osm)</i>	13	<i>haloperidol lactate</i>	56

HARVONI.....	63	HUMULIN N NPH.....		IMBRUVICA.....	26
HAVRIX (PF).....	124, 125	INSULIN KWIKPEN.....	44	IMFINZI.....	26
<i>heather</i> .....	89	HUMULIN N NPH U-100.....		<i>imipenem-cilastatin</i> .....	18
<i>heparin (porcine)</i> .....	65	INSULIN.....	44	<i>imipramine hcl</i> .....	39
<i>heparin (porcine) in 5 % dex</i> ....	65	HUMULIN R REGULAR.....		<i>imipramine pamoate</i> .....	39
<i>heparin (porcine) in 0.45% nacl</i> 65		U-100 INSULN.....	44	<i>imiquimod</i> .....	94
<i>heparin, porcine (pf)</i> .....	66	HUMULIN R U-500.....		IMLYGIC.....	26
HEPATAMINE 8%.....	70	(CONC) INSULIN.....	44	IMOGLAM RABIES-HT (PF).....	121
HERCEPTIN.....	25	HUMULIN R U-500.....		IMOVA X RABIES VACCINE (PF).....	125
HETLIOZ.....	143	(CONC) KWIKPEN.....	44	IMPAVIDO.....	52
HEXALEN.....	25	<i>hydralazine</i> .....	78	INCRELEX.....	116
HIBERIX (PF).....	125	<i>hydrochlorothiazide</i> .....	80	INCRUSE ELLIPTA.....	140
HUMALOG JUNIOR.....		<i>hydrocodone-acetaminophen</i> .....	4	<i>indapamide</i> .....	80
KWIKPEN U-100.....	43	<i>hydrocodone-ibuprofen</i> .....	4	<i>indomethacin</i> .....	8
HUMALOG KWIKPEN.....		<i>hydrocortisone</i> .....	98, 114, 128	<i>indomethacin sodium</i> .....	8
INSULIN.....	43	<i>hydrocortisone butyrate</i> .....	98	INFANRIX (DTAP) (PF)....	125
HUMALOG MIX 50-50.....		<i>hydrocortisone valerate</i> .....	98	INFLECTRA.....	121
INSULN U-100.....	43	<i>hydrocortisone-acetic acid</i> .....	104	INGREZZA.....	85
HUMALOG MIX 50-50.....		<i>hydromorphone</i> .....	5	INLYTA.....	26
KWIKPEN.....	43	<i>hydromorphone (pf)</i> .....	4, 5	INSULIN SYRINGE-NEEDLE U-100.....	100
HUMALOG MIX 75-25.....		<i>hydroxychloroquine</i> .....	52	INTELENCE.....	60
KWIKPEN.....	43	<i>hydroxyprogesterone caproate</i> .....	118	INTRALIPID.....	70
HUMALOG MIX 75-25(U-100)INSULN.....	43	<i>hydroxyurea</i> .....	25	INTRON A.....	63
HUMALOG U-100.....		<i>hydroxyzine hcl</i> .....	48	<i>introvale</i> .....	89
INSULIN.....	43	<i>hydroxyzine pamoate</i> .....	131	INVANZ.....	18
HUMATROPE.....	116	HYPERRAB (PF).....	121	INVEGA SUSTENNA.....	56
HUMIRA.....	121	HYPERRAB S/D (PF).....	121	INVEGA TRINZA.....	56, 57
HUMIRA PEDIATRIC.....		HYQVIA.....	121	INVIRASE.....	60
CROHN'S START.....	120	HYSINGLA ER.....	5	INVOKAMET.....	41
HUMIRA PEN.....	121	<i>ibandronate</i> .....	129	INVOKAMET XR.....	41
HUMIRA PEN CROHN'S-UC-HS START.....	120	IBRANCE.....	25	INVOKANA.....	41
HUMIRA PEN PSORIASIS-UVEITIS.....	120	<i>ibu</i> .....	8	IONOSOL-B IN D5W.....	135
HUMULIN 70/30 U-100.....		<i>ibuprofen</i> .....	8	IONOSOL-MB IN D5W.....	135
INSULIN.....	43	ICLUSIG.....	26	IPOP.....	125
HUMULIN 70/30 U-100.....		IDHIFA.....	26	<i>ipratropium bromide</i> .....	102, 140
KWIKPEN.....	44	<i>ifosfamide</i> .....	26	IPRIVASK.....	66
		<i>ifosfamide-mesna</i> .....	26	<i>irbesartan</i> .....	72
		ILARIS (PF).....	121		
		ILEVRO.....	106		
		<i>imatinib</i> .....	26		

<i>irbesartan-hydrochlorothiazide</i>	72	KABIVEN	70	LANOXIN	78
IRESSA	26	KALETRA	60	<i>lansoprazole</i>	107
<i>irinotecan</i>	26	KALYDECO	142	<i>lanthanum</i>	110
ISENTRESS	60	KANUMA	100	LANTUS SOLOSTAR U-100	
ISENTRESS HD	60	<i>kariva</i> (28)	89	INSULIN	44
<i>isibloom</i>	89	KAZANO	41	LANTUS U-100 INSULIN	44
ISOLYTE-P IN 5 %		<i>kelnor</i> 1/35 (28)	89	<i>larin</i> 1.5/30 (21)	89
DEXTROSE	135	<i>kelnor</i> 1-50	89	<i>larin</i> 1/20 (21)	89
ISOLYTE-S	135	KENALOG	114	<i>larin</i> 24 fe	89
<i>isoniazid</i>	50	<i>ketoconazole</i>	47	<i>larin</i> fe 1.5/30 (28)	89
<i>isosorbide dinitrate</i>	83	<i>ketoprofen</i>	8, 9	<i>larin</i> fe 1/20 (28)	90
<i>isosorbide mononitrate</i>	83	<i>ketorolac</i>	9, 106	<i>larissia</i>	90
<i>isradipine</i>	79	KEVEYIS	132	LARTRUVO	27
<i>itraconazole</i>	47	KEVZARA	121	<i>latanoprost</i>	133
<i>ivermectin</i>	52	KEYTRUDA	27	LATUDA	57
IXEMPRA	26	<i>kimidess</i> (28)	89	LAZANDA	5
IXIARO (PF)	125	KINERET	121	<i>leena</i> 28	90
JADENU	112	KINRIX (PF)	125	<i>leflunomide</i>	121
JADENU SPRINKLE	112	<i>kionex</i> (with sorbitol)	108	LEMTRADA	85
JAKAFI	27	KISQALI	27	LENVIMA	27
<i>jantoven</i>	66	KISQALI FEMARA CO-		<i>lessina</i>	90
JANUMET	41	PACK	27	LETAIRIS	143
JANUMET XR	41	<i>klor-con</i> m10	135	<i>letrozole</i>	27
JANUVIA	41	<i>klor-con</i> m15	135	<i>leucovorin calcium</i>	132
JARDIANCE	41	<i>klor-con</i> m20	135	LEUKERAN	27
<i>jencycla</i>	89	<i>klor-con</i> sprinkle	135	LEUKINE	66
JENTADUETO	41	KORLYM	41	<i>leuprolide</i>	27
JENTADUETO XR	41	KRYSTEXXA	100	<i>levalbuterol tartrate</i>	140
<i>jinteli</i>	113	<i>kurvelo</i>	89	<i>levetiracetam</i>	35
<i>jolessa</i>	89	KUVAN	100	<i>levetiracetam</i> in nacl (iso-os)	35
<i>jolivette</i>	89	KYNAMRO	81	<i>levobunolol</i>	133
<i>juleber</i>	89	KYPROLIS	27	<i>levocarnitine</i>	132
JULUCA	60	<i>l norgestle.estradiol-e.estrad</i>	89	<i>levocarnitine</i> (with sugar)	132
<i>junel</i> 1.5/30 (21)	89	<i>labetalol</i>	75	<i>levocetirizine</i>	48
<i>junel</i> 1/20 (21)	89	LACRISERT	102	<i>levofloxacin</i>	20, 21, 104
<i>junel</i> fe 1.5/30 (28)	89	LACTATED RINGERS	128	<i>levofloxacin</i> in d5w	20
<i>junel</i> fe 1/20 (28)	89	<i>lactulose</i>	108	LEVOLEUCOVORIN	132
<i>junel</i> fe 24	89	<i>lamivudine</i>	60	<i>levoleucovorin</i>	132
JUXTAPID	81	<i>lamivudine-zidovudine</i>	60	<i>levonest</i> (28)	90
JYNARQUE	80	<i>lamotrigine</i>	34, 35	<i>levonorgestrel-ethinyl estrad</i>	90

levonorg-eth estrad triphasic ....	90	LUMIGAN .....	133	MENHIBRIX (PF).....	125
levora-28 .....	90	LUPRON DEPOT .....	28	MENOMUNE - A/C/Y/W-	
levothyroxine .....	118	LUPRON DEPOT (3		135.....	125
LEXIVA .....	60	MONTH).....	27	MENOMUNE - A/C/Y/W-	
LIALDA .....	128	LUPRON DEPOT (4		135 (PF).....	125
lidocaine .....	10	MONTH).....	28	MENVEO A-C-Y-W-135-DIP	
lidocaine (pf) .....	9, 74	LUPRON DEPOT (6		(PF).....	125
lidocaine hcl .....	10	MONTH).....	28	mercaptopurine .....	28
lidocaine in 5 % dextrose (pf) ..	74	LUPRON DEPOT-PED .....	116	meropenem .....	18
lidocaine viscous .....	10	LUPRON DEPOT-PED (3		mesalamine .....	128
lidocaine-prilocaine .....	10	MONTH).....	116	mesna .....	132
lillow .....	90	lutera (28) .....	90	MESNEX .....	132
linezolid .....	14	LYNPARZA .....	28	MESTINON .....	132
linezolid in dextrose 5% .....	14	LYRICA .....	35	metaproterenol .....	140
linezolid-0.9% sodium chloride ..	14	LYSODREN .....	28	metformin .....	41, 42
LINZESS .....	108	lyza .....	90	methadone .....	5
liothyronine .....	118	magnesium sulfate .....	135	methadose .....	5
lisinopril .....	73	magnesium sulfate in d5w .....	135	methazolamide .....	134
lisinopril-hydrochlorothiazide ...	73	magnesium sulfate in water .....	135	methenamine hippurate .....	14
lithium carbonate .....	85	malathion .....	99	methimazole .....	118
lithium citrate .....	85	maprotiline .....	39	methocarbamol .....	142
LIVALO .....	81	marlissa .....	90	methotrexate sodium .....	28
lomedia 24 fe .....	90	MARPLAN .....	39	methotrexate sodium (pf) .....	28
LONHALA MAGNAIR		MARQIBO .....	28	methoxsalen .....	94
STARTER .....	140	MATULANE .....	28	methscopolamine .....	108
LONSURF .....	27	matzim la .....	77	methyclothiazide .....	80
loperamide .....	108	MAVYRET .....	63	methylergonovine .....	132
lopinavir-ritonavir .....	60	meclizine .....	51	methylphenidate hcl .....	85, 86
lopreeza .....	113	medroxyprogesterone .....	118	methylprednisolone .....	115
lorazepam .....	12	mefenamic acid .....	9	methylprednisolone acetate ....	114
loracet (hydrocodone) .....	5	mefloquine .....	52	methylprednisolone sodium	
loracet hd .....	5	MEFOXIN IN DEXTROSE		succ .....	115
loracet plus .....	5	(ISO-OSM) .....	16	metipranolol .....	134
loryna (28) .....	90	megestrol .....	28, 118	metoclopramide hcl .....	108
losartan .....	72	MEKINIST .....	28	metolazone .....	80
losartan-hydrochlorothiazide ...	72	meloxicam .....	9	metoprolol succinate .....	75
LOTEMAX .....	106	melphalan hcl .....	28	metoprolol ta-hydrochlorothiaz	75
lovastatin .....	81	memantine .....	37	metoprolol tartrate .....	75, 76
low-ogestrel (28) .....	90	MENACTRA (PF) .....	125	metronidazole .....	14, 49, 96
loxapine succinate .....	57	MENEST .....	113	metronidazole in nacl (iso-os) ..	14

<i>mexiletine</i>	74	MOZOBIL	66	<i>neomycin-polymyxin-hc</i>	104
MIACALCIN	129	MULTAQ	74	<i>neo-polycin</i>	105
<i>miconazole-3</i>	47	<i>mupirocin</i>	96	<i>neo-polycin hc</i>	104
<i>microgestin 1.5/30 (21)</i>	90	<i>mupirocin calcium</i>	96	NEPHRAMINE 5.4 %	71
<i>microgestin 1/20 (21)</i>	90	<i>mycophenolate mofetil</i>	121, 122	NERLYNX	29
<i>microgestin fe 1.5/30 (28)</i>	90	<i>mycophenolate mofetil hcl</i>	121	NESINA	42
<i>microgestin fe 1/20 (28)</i>	90	<i>mycophenolate sodium</i>	122	<i>neuac</i>	96
<i>midazolam</i>	12	MYLOTARG	28	NEULASTA	66
<i>midodrine</i>	72	MYOBLOC	132	NEUPOGEN	67
<i>miglitol</i>	42	MYRBETRIQ	111	NEUPRO	54
<i>miglustat</i>	100	<i>myzilra</i>	90	<i>nevirapine</i>	60
<i>mili</i>	90	<i>nabumetone</i>	9	NEXAVAR	29
<i>milrinone</i>	78	<i>nadolol</i>	76	<i>niacin</i>	81
<i>milrinone in 5 % dextrose</i>	78	<i>nafcillin</i>	19	<i>niacor</i>	81
<i>mimvey</i>	113	NAGLAZYME	101	<i>nicardipine</i>	79
<i>mimvey lo</i>	113	<i>naloxone</i>	10	NICOTROL	11
<i>minitran</i>	83	<i>naltrexone</i>	10	<i>nifedipine</i>	79
MINOCIN	21	NAMENDA XR	37	<i>nikki (28)</i>	91
<i>minocycline</i>	22	NAMZARIC	37	<i>nilutamide</i>	29
<i>minoxidil</i>	83	<i>naproxen</i>	9	NINLARO	29
MIRCERA	66	<i>naratriptan</i>	49	NITRO-BID	83
<i>mirtazapine</i>	39	NARCAN	11	<i>nitrofurantoin</i>	14
<i>misoprostol</i>	107	NATACYN	104	<i>nitrofurantoin macrocrystal</i>	14
<i>mitoxantrone</i>	28	<i>nateglinide</i>	42	<i>nitrofurantoin monohyd/m-cryst</i>	14
M-M-R II (PF)	125	NATPARA	129	<i>nitroglycerin</i>	83
<i>moexipril</i>	73	NEBUPENT	52	<i>nitroglycerin in 5 % dextrose</i>	83
<i>moexipril-hydrochlorothiazide</i>	73	<i>necon 0.5/35 (28)</i>	91	<i>nizatidine</i>	107
<i>molindone</i>	57	<i>necon 1/50 (28)</i>	91	<i>nora-be</i>	91
<i>mometasone</i>	98	<i>necon 10/11 (28)</i>	91	NORDITROPIN FLEXPRO	
<i>monodoxyne nl</i>	22	<i>necon 7/7/7 (28)</i>	91		116
<i>mono-linyah</i>	90	<i>nefazodone</i>	39	<i>norepinephrine bitartrate</i>	78
<i>mononessa (28)</i>	90	<i>neomycin</i>	13	<i>noreth-ethinyl estradiol-iron</i>	91
<i>montelukast</i>	139	<i>neomycin-bacitracin-poly-hc</i>	104	<i>norethindrone (contraceptive)</i>	91
<i>morphine</i>	5, 6	<i>neomycin-bacitracin-polymyxin</i>	104	<i>norethindrone acetate</i>	118
MORPHINE	6	<i>neomycin-polymyxin b gu</i>	96	<i>norethindrone ac-eth estradiol</i>	91, 113
<i>morphine concentrate</i>	5	<i>neomycin-polymyxin b-dexameth</i>	104	<i>norethindrone-e.estradiol-iron</i>	91
MOVANTIK	108	<i>neomycin-polymyxin-gramicidin</i>	104	<i>norgestimate-ethinyl estradiol</i>	91
MOVIPREP	109			<i>norlyda</i>	91
MOXEZA	104				
<i>moxifloxacin</i>	21, 104				

<i>norlyroc</i>	91	<i>nyata</i>	47	<i>oseltamivir</i>	62
NORMOSOL-M IN 5 %		<i>nystatin</i>	47	OSENI	42
DEXTROSE	136	<i>nystatin-triamcinolone</i>	47	OTEZLA	122
NORMOSOL-R PH 7.4	136	<i>nystop</i>	47	OTEZLA STARTER	122
NORTHERA	72	OCALIVA	109	OTOVEL	103
<i>nortrel 0.5/35 (28)</i>	91	<i>ocella</i>	91	OTREXUP (PF)	122
<i>nortrel 1/35 (21)</i>	91	OCREVUS	86	<i>oxacillin</i>	19
<i>nortrel 1/35 (28)</i>	91	OCTAGAM	122	<i>oxacillin in dextrose(iso-osm)</i>	19
<i>nortrel 7/7/7 (28)</i>	91	<i>octreotide acetate</i>	116, 117	oxaliplatin	29
<i>nortriptyline</i>	39	ODEFSEY	60	oxandrolone	112
NORVIR	60	ODOMZO	29	<i>oxazepam</i>	12
NOVOLIN 70/30 U-100		OFEV	142	oxcarbazepine	35
INSULIN	44	<i>ofloxacin</i>	21, 105	OXTELLAR XR	35
NOVOLIN N NPH U-100		<i>ogestrel (28)</i>	91	<i>oxybutynin chloride</i>	111
INSULIN	44	<i>olanzapine</i>	57	oxycodone	6
NOVOLIN R REGULAR U-		<i>olmesartan</i>	72	oxycodone-acetaminophen	6
100 INSULN	44	<i>olmesartanamlodipin-hcthiazid</i>	72	oxycodone-aspirin	6
NOVOLOG FLEXPEN U-		<i>olmesartan-hydrochlorothiazide</i>	72	OXYCONTIN	6, 7
100 INSULIN	44	<i>olopatadine</i>	103	<i>oxymorphone</i>	7
NOVOLOG MIX 70-30 U-		OLYSIO	63	pacerone	74
100 INSULN	44	<i>omega-3 acid ethyl esters</i>	81	paclitaxel	29
NOVOLOG MIX 70-		omeprazole	107	paliperidone	57
30FLEXPEN U-100	44	OMNITROPE	117	pamidronate	129
NOVOLOG PENFILL U-100		ONCASPAR	29	PANRETIN	94
INSULIN	45	<i>ondansetron</i>	51	pantoprazole	107
NOVOLOG U-100 INSULIN		<i>ondansetron hcl</i>	51	paricalcitol	129, 130
ASPART	45	<i>ondansetron hcl (pf)</i>	51	PARICALCITOL	130
NOXAFILE	47	ONFI	12	paroex oral rinse	93
NPLATE	132	ONIVYDE	29	paromomycin	52
NUCALA	142	OPDIVO	29	paroxetine hcl	39
NUCYNTA	6	OPSUMIT	143	PASER	50
NUCYNTA ER	6	<i>oralone</i>	93	PAXIL	40
NUEDEXTA	86	ORENCIA	122	PEDIARIX (PF)	126
NULOJIX	122	<i>ORENCIA (WITH</i>		PEDVAX HIB (PF)	126
NUPLAZID	57	MALTOSE)	122	<i>peg 3350-electrolytes</i>	110
NUTRESTORE	109	ORENCIA CLICKJECT	122	PEGANONE	35
NUTRILIPID	71	ORENITRAM	143	PEGASYS	64
NUTROPIN AQ NUSPIN	116	ORFADIN	101	PEGASYS CONVENIENCE	
NUVARING	91	ORKAMBI	142	PACK	63
<i>nyamyc</i>	47	<i>orsythia</i>	91	PEGASYS PROCLICK	64

<i>peg-electrolyte soln</i>	110	<i>piperacillin-tazobactam</i>	20	<i>prasugrel</i>	67
PEGINTRON	64	<i>pirmella</i>	92	<i>pravastatin</i>	82
PEN NEEDLE, DIABETIC	100	<i>piroxicam</i>	9	<i>prazosin</i>	72
<i>penicillin g pot in dextrose</i>	20	PLASMA-LYTE 148	136	<i>prednicarbate</i>	98
<i>penicillin g potassium</i>	20	PLASMA-LYTE A	136	<i>prednisolone</i>	115
<i>penicillin g procaine</i>	20	PLASMA-LYTE-56 IN 5 %		<i>prednisolone acetate</i>	106
<i>penicillin v potassium</i>	20	DEXTROSE	136	<i>prednisolone sodium phosphate</i>	
PENNSAID	95	PLEGRIDY	86		106, 115
PENTACEL (PF)	126	PLENAMINE	71	<i>prednisone</i>	115
PENTACEL DTAP-IPV		<i>podofilox</i>	95	PREMARIN	113, 114
COMPNT (PF)	126	<i>polycin</i>	105	PREMASOL 10 %	71
PENTAM	52	<i>polyethylene glycol 3350</i>	110	PREMASOL 6 %	71
<i>pentoxifylline</i>	67	<i>polymyxin b sulfate</i>	14	PREMPHASE	114
PERIKABIVEN	71	<i>polymyxin b sulf-trimethoprim</i>	105	PREMPRO	114
<i>perindopril erbumine</i>	73	POMALYST	29	<i>prenatal plus (calcium carb)</i>	144
<i>periogard</i>	93	<i>portia</i>	92	<i>prenatal vitamin plus low iron</i>	144
PERJETA	29	PORTRAZZA	29	PREPOPIK	110
<i>permethrin</i>	99	<i>potassium acetate</i>	136	<i>prevalite</i>	82
<i>perphenazine</i>	57	<i>potassium chlorid-d5-</i>		<i>previfem</i>	92
<i>perphenazine-amitriptyline</i>	40	<i>0.45%nacl</i>	136	PREVYMIS	62
PERTZYE	101	<i>potassium chloride</i>	136, 137	PREZCOBIX	61
<i>pfizerpen-g</i>	20	<i>potassium chloride in 0.9%nacl</i>		PREZISTA	61
<i>phenadoz</i>	51	<i>potassium chloride in 5 % dex</i>	136	PRIFTIN	50
<i>phenelzine</i>	40	<i>potassium chloride in lr-d5</i>	136	PRIMAQUINE	52
<i>phenobarbital</i>	35	<i>potassium chloride in water</i>	136	<i>primidone</i>	36
<i>phenylephrine hcl</i>	72, 103	<i>potassium chloride-0.45 % nacl</i>		PRIVIGEN	122
<i>phenytoin</i>	35	<i>potassium chloride-d5-</i>		PROAIR HFA	140
<i>phenytoin sodium</i>	36	<i>0.2%nacl</i>	137	PROAIR RESPCLICK	140
<i>phenytoin sodium extended</i>	36	<i>potassium chloride-d5-</i>		<i>probenecid</i>	48
<i>philith</i>	92	<i>0.3%nacl</i>	137	<i>probenecid-colchicine</i>	48
PHOSLYRA	110	<i>potassium chloride-d5-</i>		<i>procainamide</i>	74
PHOSPHOLINE IODIDE	134	<i>0.9%nacl</i>	137	PROCALAMINE 3%	71
PICATO	95	<i>potassium citrate</i>	137	<i>prochlorperazine</i>	51
<i>pilocarpine hcl</i>	93, 134	<i>potassium citrate-citric acid</i>	137	<i>prochlorperazine edisylate</i>	51
<i>pimozide</i>	57	POTIGA	36	<i>prochlorperazine maleate</i>	51
<i>pimtrea (28)</i>	92	PRADAXA	66	PROCRT	67
<i>pindolol</i>	76	PRALUENT PEN	82	<i>procto-med hc</i>	98
<i>pioglitazone</i>	42	pramipexole	54	<i>procto-pak</i>	98
<i>pioglitazone-glimepiride</i>	42			<i>proctosol hc</i>	98
<i>pioglitazone-metformin</i>	42			<i>protozone-hc</i>	98

PROCYSB.....	101	RADICAVA.....	86	rifabutin.....	50
<i>progesterone in oil</i> .....	118	<i>raloxifene</i> .....	114	<i>rifampin</i> .....	50
<i>progesterone micronized</i> .....	118	<i>ramipril</i> .....	74	RIFATER.....	50
PROGLYCEM.....	132	RANEXA.....	78	<i>riluzole</i> .....	86
PROGRAF.....	122	<i>ranitidine hcl</i> .....	107	<i>rimantadine</i> .....	63
PROLASTIN-C.....	142	RAPAMUNE.....	122	<i>ringer's</i> .....	128, 137
PROLENSA.....	106	<i>rasagiline</i> .....	54	<i>risedronate</i> .....	130
PROLEUKIN.....	29	RASUVO (PF).....	122	RISPERDAL CONSTA.....	57, 58
PROLIA.....	130	RAVICTI.....	109	<i>risperidone</i> .....	58
PROMACTA.....	67	RAYALDEE.....	130	<i>ritonavir</i> .....	61
<i>promethazine</i> .....	49, 51, 52	REBIF (WITH ALBUMIN).....	86	RITUXAN.....	30
<i>promethazine vc</i> .....	49	REBIF REBIDOSE.....	86	RITUXAN HYCELA.....	29
<i>promethegan</i> .....	52	REBIF TITRATION PACK.....	86	<i>rivastigmine</i> .....	37
<i>propafenone</i> .....	74	<i>reclipsen (28)</i> .....	92	<i>rivastigmine tartrate</i> .....	37
<i>propantheline</i> .....	33	RECOMBIVAX HB (PF).....	126	<i>rizatriptan</i> .....	49
<i>proparacaine</i> .....	103	REGRANEX.....	95	<i>ropinirole</i> .....	54
<i>propranolol</i> .....	76	RELENZA DISKHALER.....	62	<i>rosadan</i> .....	96
<i>propranolol-hydrochlorothiazid</i> .....	76	RELISTOR.....	109	<i>rosuvastatin</i> .....	82
<i>propylthiouracil</i> .....	118	REMICADE.....	123	ROTARIX.....	126
PROQUAD (PF).....	126	REMODULIN.....	143	ROTATEQ VACCINE.....	126
PROSOL 20 %.....	71	RENAGEL.....	110	ROWEEPRA.....	36
<i>protamine</i> .....	67	RENFLEXIS.....	132	RUBRACA.....	30
<i>protriptyline</i> .....	40	<i>repaglinide</i> .....	42	RYDAPT.....	30
PULMOZYME.....	101	<i>repaglinide-metformin</i> .....	42	SABRIL.....	36
PURIXAN.....	29	REPATHA PUSHTRONEX.....	82	SAIZEN.....	117
<i>pyrazinamide</i> .....	50	REPATHA SURECLICK.....	82	SAIZEN CLICK.EASY.....	117
<i>pyridostigmine bromide</i> .....	132	REPATHA SYRINGE.....	82	SANDOSTATIN LAR DEPOT.....	117
QBRELIS.....	74	<i>repxain</i> .....	7	SANTYL.....	95
QUADRACEL (PF).....	126	RESCRIPTOR.....	61	SAPHRIS (BLACK CHERRY).....	58
<i>quasense</i> .....	92	RESTASIS.....	106	SAVAYSA.....	66
<i>quetiapine</i> .....	57	RETROVIR.....	61	SAVELLA.....	86
<i>quinapril</i> .....	74	REVLIMID.....	29	<i>scopolamine base</i> .....	52
<i>quinapril-hydrochlorothiazide</i> .....	74	<i>revonto</i> .....	142	<i>selegiline hcl</i> .....	54
<i>quinidine gluconate</i> .....	75	REXULTI.....	57	<i>selenium sulfide</i> .....	96
<i>quinidine sulfate</i> .....	75	REYATAZ.....	61	SELZENTRY.....	61
<i>quinine sulfate</i> .....	52	RHOPRESSA.....	134	SENSIPAR.....	130
QVAR.....	139	<i>ribasphere</i> .....	64	SEREVENT DISKUS.....	140
QVAR REDIHALER.....	139	<i>ribasphere ribapak</i> .....	64	SEROSTIM.....	117
RABAVERT (PF).....	126	<i>ribavirin</i> .....	64		
<i>rabeprazole</i> .....	107	RIDAURA.....	123		

<i>sertraline</i> .....	40	SPIRIVA WITH HANDIHALER .....	141	<i>syeda</i> .....	92
<i>setlakin</i> .....	92	<i>spironolactone</i> .....	80	SYLATRON.....	64
<i>sevelamer carbonate</i> .....	110	<i>spironolacton-hydrochlorothiaz</i> 80		SYLVANT.....	30
<i>sharobel</i> .....	92	SPORANOX.....	48	SYMBICORT.....	139
SHINGRIX (PF).....	126	<i>sprintec (28)</i> .....	92	SYMDEKO.....	142
SIGNIFOR.....	117	SPRITAM.....	36	SYMFI.....	61
<i>sildenafil (antihypertensive)</i> ...144		SPRYCEL.....	30	SYMFI LO.....	61
SILENOR.....	143	<i>sps (with sorbitol)</i> .....	109	SYMLINPEN 120.....	42
SILIQ.....	95	<i>sronyx</i> .....	92	SYMLINPEN 60.....	42
<i>silver sulfadiazine</i> .....	96	<i>ssd</i> .....	96	SYNAGIS.....	63
SIMBRINZA.....	134	<i>stavudine</i> .....	61	SYNAREL.....	117
SIMPONI.....	123	STELARA.....	123	SYNDROS.....	52
SIMPONI ARIA.....	123	STERILE PADS.....	100	SYNERCID.....	14
<i>simvastatin</i> .....	82	STIMATE.....	117	SYNJARDY.....	42
<i>sirolimus</i> .....	123	STIOLTO RESPIMAT.....	141	SYNJARDY XR.....	42
SIRTURO.....	50	STIVARGA.....	30	SYNRIBO.....	30
<i>smoflipid</i> .....	71	STRENSIQ.....	101	TABLOID.....	30
<i>sodium acetate</i> .....	137	<i>streptomycin</i> .....	13	<i>tacrolimus</i> .....	98, 123
<i>sodium chloride</i> .....	128, 137	STRIBILD.....	61	TAFINLAR.....	30
<i>sodium chloride 0.45 %</i> .....	137	STRIVERDI RESPIMAT ..	141	TAGRISSO.....	30
<i>sodium chloride 0.9 %</i> .....	137	SUBLOCADE.....	7	TALTZ AUTOINJECTOR.....	95
<i>sodium lactate</i> .....	137	SUBOXONE.....	11	TALTZ SYRINGE.....	95
<i>sodium phenylbutyrate</i> .....	109	<i>sucralfate</i> .....	108	<i>tamoxifen</i> .....	30
<i>sodium phosphate</i> .....	137	<i>sulfacetamide sodium</i> .....	105	<i>tamsulosin</i> .....	111
<i>sodium polystyrene (sorb free)</i> .....	109	<i>sulfacetamide sodium (acne)</i> .....	96	TARCEVA.....	30
<i>sodium polystyrene sulfonate</i> ..109		<i>sulfacetamide-prednisolone</i> ....	105	TARGETIN.....	30
SOLIQUA 100/33.....	45	<i>sulfadiazine</i> .....	21	<i>tarina fe 1/20 (28)</i> .....	92
SOLTAMOX.....	30	<i>sulfamethoxazole-trimethoprim</i> 21		TASIGNA.....	30
SOLU-CORTEF (PF).....	115	<i>sulfasalazine</i> .....	128	TAVALISSE.....	67
SOMATULINE DEPOT .....	117	<i>sulfatrim</i> .....	21	<i>tazarotene</i> .....	99
SOMAVERT.....	117	<i>sulindac</i> .....	9	<i>tazicef</i> .....	17
<i>sorbitol</i> .....	128	<i>sumatriptan</i> .....	49	TAZORAC.....	99
<i>sorbitol-mannitol</i> .....	128	<i>sumatriptan succinate</i> .....	49	<i>taztia xt</i> .....	77
<i>sorine</i> .....	76	SUPPRELIN LA.....	117	TECENTRIQ.....	30
<i>sotalol</i> .....	76	SUPRAX.....	16, 17	TECFIDERA.....	86, 87
<i>sotalol af</i> .....	76	SUPREP BOWEL PREP KIT .....	110	TECHNIVIE.....	63
SOVALDI.....	63	<i>SURMONTIL</i> .....	40	TEFLARO.....	17
<i>spinosad</i> .....	99	<i>SUTENT</i> .....	30	TEKAMLO.....	82
SPIRIVA RESPIMAT.....	140			TEKTURNA.....	82
				TEKTURNA HCT .....	82

<i>telmisartan</i> .....	72	<i>tobramycin in 0.225 % nacl</i> .....	13	<i>triamcinolone acetonide</i> .....	
<i>telmisartanamlodipine</i> .....	72	<i>tobramycin in 0.9 % nacl</i> .....	13	.....	93, 99, 115
<i>telmisartanhydrochlorothiazid</i> .....	72	<i>tobramycin sulfate</i> .....	13	<i>triaterenehydrochlorothiazid</i> .....	80
<i>temazepam</i> .....	12	<i>tobramycin-dexamethasone</i> ....	105	<i>triazolam</i> .....	12
<b>TEMODAR</b> .....	31	<b>TOLAK</b> .....	95	<i>tridesilon</i> .....	99
<i>tencon</i> .....	7	<i>tolazamide</i> .....	46	<i>trientine</i> .....	112
<b>TENIVAC (PF)</b> .....	126, 127	<i>tolbutamide</i> .....	46	<i>tri-estarrylla</i> .....	92
<i>tenofovir disoproxil fumarate</i> ...	61	<i>tolmetin</i> .....	9	<i>trifluoperazine</i> .....	58
<i>terazosin</i> .....	111	<i>tolterodine</i> .....	111	<i>trifluridine</i> .....	105
<i>terbinafine hcl</i> .....	48	<i>topiramate</i> .....	36	<i>trihexyphenidyl</i> .....	54
<i>terbutaline</i> .....	141	<i>toposar</i> .....	31	<i>tri-legest fe</i> .....	92
<i>terconazole</i> .....	49	<i>topotecan</i> .....	31	<i>tri-linyah</i> .....	92
<i>testosterone</i> .....	112	<b>TORISEL</b> .....	31	<i>tri-lo-estarrylla</i> .....	92
<i>testosterone cypionate</i> .....	112	<i>torsemide</i> .....	80	<i>tri-lo-marzia</i> .....	92
<i>testosterone enanthate</i> .....	112	<b>TOTECT</b> .....	133	<i>tri-lo-sprintec</i> .....	92
<b>TETANUS,DIPHTHERIA</b>		<b>TOUJE MAX SOLOSTAR</b> .....	45	<i>trilyte with flavor packets</i> .....	110
<b>TOX PED(PF)</b> .....	127	<b>TOUJE SOLOSTAR U-300</b>		<i>trimethoprim</i> .....	14
<b>TETANUS-DIPHTHERIA</b>		<b>INSULIN</b> .....	45	<i>tri-mili</i> .....	92
<b>TOXOIDS-TD</b> .....	127	<b>TOVIAZ</b> .....	111	<i>trimipramine</i> .....	40
<i>tetrabenazine</i> .....	87	<b>TPN ELECTROLYTES</b> .....	138	<i>trinessa (28)</i> .....	92
<i>tetracycline</i> .....	22	<b>TPN ELECTROLYTES II</b> ... ..	138	<b>TRINTELLIX</b> .....	40
<b>THALOMID</b> .....	133	<b>TRACLEAR</b> .....	144	<i>tri-previfem (28)</i> .....	92
<i>theophylline</i> .....	141	<b>TRADJENTA</b> .....	42	<b>TRIPTODUR</b> .....	117
<i>theophylline in dextrose 5 %</i> ...	141	<i>tramadol</i> .....	7	<i>tri-sprintec (28)</i> .....	93
<b>THIOLA</b> .....	133	<i>tramadol-acetaminophen</i> .....	7	<b>TRIUMEQ</b> .....	61
<i>thioridazine</i> .....	58	<i>trandolapril</i> .....	74	<i>trivora (28)</i> .....	93
<i>thiotepa</i> .....	31	<i>tranexamic acid</i> .....	67	<i>tri-vylibra</i> .....	93
<i>thiothixene</i> .....	58	<i>tranylcypromine</i> .....	40	<b>TROGARZO</b> .....	61
<i>tiagabine</i> .....	36	<b>TRAVASOL 10 %</b> .....	71	<b>TROKENDI XR</b> .....	36
<b>TICE BCG</b> .....	127	<b>TRAVATAN Z</b> .....	134	<b>TROPHAMINE 10 %</b> .....	71
<i>tigecycline</i> .....	22	<i>trazodone</i> .....	40	<b>TROPHAMINE 6%</b> .....	71
<i>tilia fe</i> .....	92	<b>TREANDA</b> .....	31	<i>trospium</i> .....	111
<i>timolol maleate</i> .....	76, 134	<b>TRECATOR</b> .....	50	<b>TRULICITY</b> .....	43
<i>tinidazole</i> .....	52, 53	<b>TRELEGY ELLIPTA</b> .....	141	<b>TRUMENBA</b> .....	127
<b>TIVICAY</b> .....	61	<b>TRELSTAR</b> .....	31	<b>TRUVADA</b> .....	62
<i>tizanidine</i> .....	142	<b>TREMFYA</b> .....	95	<b>TWINRIX (PF)</b> .....	127
<b>TOBI PODHALER</b> .....	13	<i>tretinoin</i> .....	99	<b>TYBOST</b> .....	133
<b>TOBRADEX</b> .....	105	<i>tretinoin (chemotherapy)</i> .....	31	<b>TYKERB</b> .....	31
<b>TOBRADEX ST</b> .....	105	<b>TREXALL</b> .....	31	<b>TYMLOS</b> .....	130
<i>tobramycin</i> .....	105	<i>tri-femynor</i> .....	92	<b>TYPHIM VI</b> .....	127

TYSABRI	123	VIBERZI	109	wymzyafe	93
TYVASO	144	vicodin	7	XADAGO	54
TYZINE	103	vicodin es	7	XALKORI	32
UCERIS	128	vicodin hp	7	XARELTO	66
ULORIC	48	VICTOZA	43	XARTEMIS XR	7
UNITUXIN	31	VIDEX 2 GRAM		XATMEP	32
UPTRAVI	144	PEDIATRIC	62	XELJANZ	123
ursodiol	109	VIDEX 4 GRAM		XELJANZ XR	123
valacyclovir	64	PEDIATRIC	62	XERMELO	109
VALCHLOR	95	VIDEX EC	62	XGEVA	130
valganciclovir	65	VIEKIRA PAK	63	XIFAXAN	15
valproate sodium	36	VIEKIRA XR	63	XiIDRA	106
valproic acid	36	vienna	93	XOLAIR	142
valproic acid (as sodium salt)	36	vigabatrin	37	XTAMPZA ER	7
valsartan	73	VIIBRYD	40	XTANDI	32
valsartan-hydrochlorothiazide	73	VIMIZIM	101	xulane	93
VALSTAR	31	VIMOVO	9	XULTOPHY 100/3.6	45
vancomycin	14	VIMPAT	37	XURIDEN	133
vancomycin in dextrose 5 %	14	vinblastine	32	xylon 10	7
VAQTA (PF)	127	vincasar pfs	32	XYREM	143
VARIVAX (PF)	127	vincristine	32	YEROVY	32
VASCEPA	82	vinorelbine	32	YF-VAX (PF)	127
VECTIBIX	31	viorele (28)	93	YONDELIS	32
VELCADE	31	VIRACEPT	62	yuvafem	114
velvet triphasic regimen (28)	93	VIRAMUNE	62	zafirlukast	139
VELPHORO	110	VIREAD	62	zaleplon	143
VELTASSA	109	VISTOGARD	133	ZALTRAP	32
VEMLIDY	62	VOLTAREN	95	zarah	93
VENCLEXTA	31, 32	voriconazole	48	ZARXIO	67
VENCLEXTA STARTING PACK	32	VOSEVI	63	ZAVESCA	101
venlafaxine	40	VOTRIENT	32	zebutal	7
VENTOLIN HFA	141	VPRI	101	ZEJULA	32
verapamil	77	VRAYLAR	58	ZELBORAF	32
VEREGEN	95	vyfemla (28)	93	zenatane	95
VERSACLOZ	58	vylibra	93	zenchent (28)	93
VERZENIO	32	VYXEOS	32	zenchent fe	93
VESICARE	111	warfarin	66	ZENPEP	102
vestura (28)	93	water for irrigation, sterile	128	ZEPATIER	63
VGO 40	100	WELCHOL	82	ZERIT	62
		wnera (28)	93	zidovudine	62

ZIOPTAN (PF).....	134
ziprasidone hcl.....	58
ZIRGAN .....	105
ZOHYDRO ER.....	7
ZOLADEX.....	33
zoledronic acid.....	130
zoledronic acid-mannitol-water .....	130
zoledronic ac-mannitol-0.9nacl .....	130
ZOLINZA.....	33
zolmitriptan.....	49, 50
zolpidem.....	143
ZOMACTON.....	118
ZOMETA.....	130
zonisamide .....	37
ZORBTIVE.....	118
ZORTRESS.....	123
ZOSTAVAX (PF).....	127
zovia 1/35e (28) .....	93
zovia 1/50e (28) .....	93
ZOVIRAX.....	95
ZUBSOLV .....	11
ZURAMPIC.....	48
ZYDELIG .....	33
ZYKADIA .....	33
ZYLET.....	105
ZYPREXA RELPREVV .....	58
ZYTIGA .....	33

## **Discrimination is Against the Law**

Stanford Health Care Advantage (HMO) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact Member Care Services.

If you believe that Stanford Health Care Advantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Member Care Services  
P.O. 72530, Oakland, CA 94612-8730  
1- 855-996-8422  
[Advantage@stanfordhealthcare.org](mailto:Advantage@stanfordhealthcare.org)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Care Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

**English:** ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711).

**Spanish:** ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711).

**Chinese:** 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)

**Vietnamese:** CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-996-8422 (TTY: 711).

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-996-8422 (TTY: 711).

**Korean:** 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-996-8422 (TTY: 711) 번으로 전화해 주십시오.

**Armenian:** ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Զանգահարեք 1-855-996-8422 (TTY (հեռախոս): 711):

**Persian:** اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با تماس بگیرید. 1-855-996-8422 (TTY: 711)

**Russian:** ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-996-8422 (телефон: 711).

**Japanese:** 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-996-8422 (TTY:711) まで、お電話にてご連絡ください。

**Arabic:**

ملحوظة: إذا كنت تتحدث لغتك، فإن خدمات المساعدة اللغوية متاحة لك بالمجان. اتصل برقم 855-996-8422 (رقم هاتف 711). الصم والبكم:

**Punjabi:** ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-855-996-8422 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

**Mon-Khmer, Cambodian:** ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាឌំឡូយផ្លូវភាសា ខោយមិនគិតគុណូល គើងអាចមានសំវាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1-855-996-8422 (TTY: 711)។

**Hmong:** LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-855-996-8422 (TTY: 711).

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-855-996-8422 (TTY: 711) पर कॉल करें।

**Thai:** ເຢິນ: ຕ້າຄຸນພູດກາຈາໄທຢູ່ມາລາມາດໄສໃຫ້ບໍລິການຊ່ວຍເຫຼືອທາງກາຈາໄດ້ພົກປະໂວຣ ໂທ 1-855-996-8422 (TTY: 711).



P.O. Box 72530  
Oakland, CA 94612  
[StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org)

Stanford Health Care Advantage is an HMO with a Medicare Contract. Enrollment in Stanford Health Care Advantage depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

**ATTENTION:** If you speak Spanish, language assistance services, free of charge, are available to you. Call 1-855-996-8422 or, for TTY users, 711, 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30.

**ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 o, para los usuarios de 711, de 8:00 a.m. a 8:00 p.m., los 7 días de la semana (excepto el Día de Acción de Gracias y Navidad) desde el 1 de Octubre hasta el 14 de Febrero, y de lunes a viernes (excepto los días feriados) desde el 15 de Febrero hasta el 30 de Septiembre.

00018031, 1

This formulary was updated on 07/01/2018. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through February 14 and Monday through Friday (except holidays) from February 15 through September 30, or visit [StanfordHealthCareAdvantage.org](http://StanfordHealthCareAdvantage.org).