

Stanford Health Care Advantage

2020 Formulary

List of Covered Drugs



PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

00020019, 7

This formulary was updated on 01/01/2020. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through March 31 and Monday through Friday (except holidays) from April 1 through September 30, or visit StanfordHealthCareAdvantage.org.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Stanford Health Care Advantage (HMO). When it refers to “plan” or “our plan,” it means Stanford Health Care Advantage Platinum or Stanford Health Care Advantage Gold.

This document includes a list of the drugs (formulary) for our plan which is current as of January 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

TABLE OF CONTENTS

WHAT IS THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?	III
CAN THE FORMULARY (DRUG LIST) CHANGE?	III
HOW DO I USE THE FORMULARY?	IV
MEDICAL CONDITION	IV
ALPHABETICAL LISTING	IV
WHAT ARE GENERIC DRUGS?	IV
ARE THERE ANY RESTRICTIONS ON MY COVERAGE?	V
WHAT IF MY DRUG IS NOT ON THE FORMULARY?	V
HOW DO I REQUEST AN EXCEPTION TO THE STANFORD HEALTH CARE ADVANTAGE (HMO) FORMULARY?	VI
WHAT DO I DO BEFORE I CAN TALK TO MY DOCTOR ABOUT CHANGING MY DRUGS OR REQUESTING AN EXCEPTION?	VI
FOR MORE INFORMATION.....	VII
STANFORD HEALTH CARE ADVANTAGE (HMO)'S FORMULARY	VII

What is the Stanford Health Care Advantage (HMO) Formulary?

A formulary is a list of covered drugs selected by Stanford Health Care Advantage (HMO) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Stanford Health Care Advantage (HMO) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Stanford Health Care Advantage (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at

the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- o If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of 1/1/2020. To get updated information about the drugs covered by Stanford Health Care Advantage (HMO) please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1 below. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Stanford Health Care Advantage (HMO) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Stanford Health Care Advantage (HMO) requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Stanford Health Care Advantage (HMO) before you fill your prescriptions. If you don't get approval, Stanford Health Care Advantage (HMO) may not cover the drug.
- **Quantity Limits:** For certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that Stanford Health Care Advantage (HMO) will cover. For example, Stanford Health Care Advantage (HMO) provides 30 per prescription for SILENOR. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Stanford Health Care Advantage (HMO) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Stanford Health Care Advantage (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Stanford Health Care Advantage (HMO) will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Stanford Health Care Advantage (HMO) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Stanford Health Care Advantage (HMO) formulary?" on page VI for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Stanford Health Care Advantage (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Stanford Health Care Advantage (HMO). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Stanford Health Care Advantage (HMO).

- You can ask Stanford Health Care Advantage (HMO) to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Stanford Health Care Advantage (HMO) Formulary?

You can ask Stanford Health Care Advantage (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Stanford Health Care Advantage (HMO) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Stanford Health Care Advantage (HMO) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor

to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

In circumstances where you are changing from one treatment setting to another, Stanford Health Care Advantage (HMO) will ensure a transition process for approving non-formulary Part D drugs. This process shall also apply to formulary Part D drugs that require prior authorization or step-therapy.

Examples of level of care changes include: you are discharged from a hospital to a home; you end your skilled nursing facility Medicare Part A stay and need to revert to your Part D plan formulary; you end a long-term care facility stay and return to the community; and, you are discharged from psychiatric hospitals with medication regimens that are highly individualized.

The pharmacy benefit manager for Stanford Health Care Advantage (HMO) will provide pharmacies with access to representatives of the plan who have the ability to override pharmacy claims processing issues. This access will allow pharmacies to obtain prescription claims overrides at the point-of-sale and ensure that members receive reliable access to medications.

For more information

For more detailed information about your Stanford Health Care Advantage (HMO) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Stanford Health Care Advantage (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Stanford Health Care Advantage (HMO)'s Formulary

The formulary below provides coverage information about the drugs covered by Stanford Health Care Advantage (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *doxazosin*).

The information in the Requirements/Limits column tells you if Stanford Health Care Advantage (HMO) has any special requirements for coverage of your drug.

The second column of the chart lists the drug tier. Every drug on the plan's Drug List is in one of six cost-sharing tiers. The tables on the below provide an explanation of each tier.

Network Retail Pharmacy Drug Tier Copayment Levels

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$15
Tier 2 (NON-Preferred Generic)	\$15	\$45
Tier 3 (Preferred Brand)	\$47	\$141
Tier 4 (NON-Preferred Brand Name)	\$100	\$300
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$6

Network Mail Order Drug Tier Copayment Levels

Tier	Copay for up to a <i>one-month supply</i>	Copay for up to a <i>three-month supply</i>
Tier 1 (Preferred Generic)	\$5	\$10
Tier 2 (NON-Preferred Generic)	\$15	\$30
Tier 3 (Preferred Brand)	\$47	\$94
Tier 4 (NON-Preferred Brand Name)	\$100	\$200
Tier 5 (Specialty)	33% of cost (Platinum) 28% of cost (Gold)	Not available
Tier 6 (Select Care)	\$2	\$4

The following Utilization Management abbreviations may be found within the body of this document

COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION	EXPLANATION
Utilization Management Restrictions		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) to determine whether this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed by CMS to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from Stanford Health Care Advantage (HMO) before filling your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug previously, you (or your physician) are required to get prior authorization from Stanford Health Care Advantage (HMO) before you fill your prescription for this drug. Without prior approval, Stanford Health Care Advantage (HMO) may not cover this drug.
QL	Quantity Limit Restriction	Stanford Health Care Advantage (HMO) limits the amount of this drug that is covered per prescription, or within a specific time frame.

ABBREVIATION	DESCRIPTION	EXPLANATION
ST	Step Therapy Restriction	Before Stanford Health Care Advantage (HMO) will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

The following additional coverage note abbreviations may be found within the body of this document

OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
Other Coverage Abbreviations		
EX	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving <i>Extra Help</i> to pay for your prescriptions, <i>Extra Help</i> is not available to help pay for this drug
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1-855-996-8422, 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. Please dial 711 for TTY services.
GC	Gap Coverage	We provide coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs not available via your mail order benefit are noted with "NM" in the Requirements/Limits column of your formulary.

ABBREVIATION	DESCRIPTION	EXPLANATION
HI	Home Infusion Drug	This prescription drug may be covered under our medical benefit. For more information, call Member Services at 1-855-996-8422, 8a.m. to 8p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. Please dial 711 for TTY services.

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	10
Anticancer Agents	16
Anticholinergic Agents	27
Anticonvulsants	27
Antidementia Agents	31
Antidepressants	32
Antidiabetic Agents	34
Antifungals	38
Antigout Agents	40
Antihistamines	40
Anti-Infectives (Skin And Mucous Membrane)	40
Antimigraine Agents	41
Antimycobacterials	42
Antinausea Agents	42
Antiparasite Agents	44
Antiparkinsonian Agents	45
Antipsychotic Agents	46
Antivirals (Systemic)	51
Blood Products/Modifiers/Volume Expanders	57
Caloric Agents	60
Cardiovascular Agents	63
Central Nervous System Agents	72
Contraceptives	76
Dental And Oral Agents	82
Dermatological Agents	82
Devices	86
Enzyme Replacement/Modifiers	87
Eye, Ear, Nose, Throat Agents	88
Gastrointestinal Agents	92
Genitourinary Agents	95
Heavy Metal Antagonists	96
Hormonal Agents, Stimulant/Replacement/Modifying	97

Immunological Agents.....	103
Inflammatory Bowel Disease Agents.....	112
Irrigating Solutions.....	113
Metabolic Bone Disease Agents.....	113
Miscellaneous Therapeutic Agents.....	115
Ophthalmic Agents.....	116
Replacement Preparations.....	117
Respiratory Tract Agents.....	119
Skeletal Muscle Relaxants.....	124
Sleep Disorder Agents.....	124
Vasodilating Agents.....	124
Vitamins And Minerals.....	125

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	GC; NDS; NM; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg	2	NDS; NM; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-30 mg (Tylenol-Codeine #3)	2	NDS; NM; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg (Tylenol-Codeine #4)	2	NDS; NM; QL (180 per 30 days)
buprenorphine hcl injection solution 0.3 mg/ml (Buprenex)	2	
buprenorphine hcl injection syringe 0.3 mg/ml	2	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)	2	QL (180 per 30 days)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg	2	QL (180 per 30 days)
codeine sulfate oral tablet 15 mg, 30 mg, 60 mg	2	NDS; NM; QL (180 per 30 days)
endocet oral tablet 10-325 mg	2	NDS; NM; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	2	NDS; NM; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	2	NDS; NM; QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	5	PA; NM; NDS; NM; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	2	NDS; NM; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NDS; NM; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg (Lorcet HD)	2	NDS; NM; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg	2	NDS; NM; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydrocodone-acetaminophen oral tablet 5-325 mg (Lorcet (hydrocodone))	2	NDS; NM; QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 7.5-325 mg (Lorcet Plus)	2	NDS; NM; QL (180 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	2	NDS; NM; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	2	NDS; NM; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	NDS; NM; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; NM; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	2	NDS; NM; QL (240 per 30 days)
lorcet hd oral tablet 10-325 mg	2	NDS; NM; QL (180 per 30 days)
lorcet plus oral tablet 7.5-325 mg	2	NDS; NM; QL (180 per 30 days)
methadone injection solution 10 mg/ml	2	
methadone oral solution 10 mg/5 ml	2	NDS; NM; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	2	NDS; NM; QL (1200 per 30 days)
methadone oral tablet 10 mg (Dolophine)	2	NDS; NM; QL (120 per 30 days)
methadone oral tablet 5 mg (Dolophine)	2	NDS; NM; QL (180 per 30 days)
methadose oral tablet, soluble 40 mg	2	NDS; NM; QL (30 per 30 days)
morphine 10 mg/ml isecure syrg llf, plf, suv, inner 10 mg/ml	4	
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	NDS; NM; QL (180 per 30 days)
morphine injection syringe 10 mg/ml	4	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	2	
morphine oral solution 10 mg/5 ml	2	NDS; NM; QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; NM; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; NM; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; NM; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 (MS Contin) mg, 200 mg, 60 mg</i>	2	NDS; NM; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 (MS Contin) mg, 30 mg</i>	2	NDS; NM; QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	NDS; NM; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	NDS; NM; QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NDS; NM; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	NDS; NM; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NDS; NM; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	NDS; NM; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10- 325 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	NDS; NM; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	NDS; NM; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	NDS; NM; QL (360 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; NDS; NM; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5- 325 mg</i>	2	NDS; NM; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; NM; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; NM; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NDS; NM; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	2	PA
<i>diclofenac potassium oral tablet 50 mg</i>	2	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	
<i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	2	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	2	
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
VOLTAREN TOPICAL GEL 1 %	2	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (Xylocaine-MPF) (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %) (Xylocaine (Cardiac) (PF))</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (Xylocaine) (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	
<i>lidocaine topical adhesive patch, medicated 5 % (Lidoderm)</i>	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film (Suboxone) 12-3 mg, 8-2 mg</i>	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film (Suboxone) 2-0.5 mg, 4-1 mg</i>	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg (Antabuse)</i>	2	
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	NM; NDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; NDS; NM; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; NDS; NM; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; NDS; NM; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; NDS; NM; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; NDS; NM; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	NDS; NM; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	NDS; NM; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	NDS; NM; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	NDS; NM; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	NDS; NM; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; NDS; NM; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; NDS; NM; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lorazepam oral tablet 2 mg</i>	(Ativan)	1	GC; NDS; NM; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	(Restoril)	1	GC; NDS; NM; QL (30 per 30 days)
Antibacterials			
Aminoglycosides			
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML		5	PA BvD; NM; NDS
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>		2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>		2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>		2	
<i>neomycin oral tablet 500 mg</i>		1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>		2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG		5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	(Tobi)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>		2	
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i>	(Kitabis Pak)	5	PA BvD; NM; NDS
Antibacterials, Miscellaneous			
<i>bacium intramuscular recon soln 50,000 unit</i>		2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>		2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	(Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>		2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate injection solution (Cleocin) 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg (Coly-Mycin M Parenteral)</i>	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln 500 mg (Cubicin)</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	
<i>metronidazole oral tablet 250 mg, 500 mg (Flagyl)</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg (Macrodantin)</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	PA BvD
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	2	
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	4	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg (Suprax)</i>	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>ceprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>ceprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg (Keflex)</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	(Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>		2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>		2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>		2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	(Unasyn)	2	
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	(Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML		4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>		2	
<i>nafcillin 1 gml/50 ml inj 1 gram/50 ml</i>		2	
<i>nafcillin injection recon soln 1 gram</i>		2	
<i>nafcillin injection recon soln 10 gram</i>		5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>		2	
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>		2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>		2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>		1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>		2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	(Zosyn)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)	1	GC
ciprofloxacin hcl oral tablet 750 mg	1	GC
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml (Cipro)	2	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	
levofloxacin intravenous solution 25 mg/ml	2	
levofloxacin oral solution 250 mg/10 ml	2	
levofloxacin oral tablet 250 mg	1	GC
levofloxacin oral tablet 500 mg, 750 mg (Levaquin)	1	GC
moxifloxacin oral tablet 400 mg	2	
Sulfonamides		
sulfadiazine oral tablet 500 mg	2	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml	2	
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg (Bactrim)	1	GC
sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)	1	GC
sulfatrim oral suspension 200-40 mg/5 ml	4	
Tetracyclines		
doxy-100 intravenous recon soln 100 mg	2	
doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)	2	
doxycycline hyclate oral capsule 100 mg, 50 mg (Morgidox)	2	
doxycycline hyclate oral tablet 100 mg, 20 mg	2	
doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral capsule 50 (Monodox) mg</i>	2	
<i>doxycycline monohydrate oral suspension (Vibramycin) for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 (Avidoxy) mg</i>	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 75 mg</i>	2	
<i>minocycline oral capsule 50 mg (Minocin)</i>	2	
<i>monodoxine nl oral capsule 100 mg, 50 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECensa ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml (Adriamycin)</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml (Doxil)</i>	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>flouxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	2	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLEOSTINE ORAL CAPSULE 100 MG	5	NM; NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	NM; NDS
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i>	2	
LEUKERAN ORAL TABLET 2 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NM; NDS; QL (1 per 28 days)
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	5	NM; NDS
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NM; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 160 MG/WEEK (20 MG X 8)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	4	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	5	ST; NM; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	2
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	2
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	2
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	2
<i>carbamazepine oral tablet, chewable 100 mg</i>		2
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	2
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	2
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	
DIASTAT RECTAL KIT 2.5 MG	4	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	(Diastat AcuDial)	4
<i>diazepam rectal kit 2.5 mg</i>	(Diastat)	4
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i>	(Depakote Sprinkles)	2
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	2
<i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	2
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>		2
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	2
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	2
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	2
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	2
<i>fosphénytoïn injection solution 100 mg pel/2 ml, 500 mg pel/10 ml</i>	(Cerebyx)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	ST; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg (Neurontin)</i>	1	GC; QL (360 per 30 days)
<i> gabapentin oral capsule 400 mg (Neurontin)</i>	1	GC; QL (270 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml (Neurontin)</i>	2	QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg (Neurontin)</i>	2	QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg (Neurontin)</i>	2	QL (120 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Lamictal)</i>	1	GC
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)</i>	2	
<i> levetiracetam intravenous solution 500 mg/5 ml (Keppra)</i>	2	
<i> levetiracetam oral solution 100 mg/ml (Keppra)</i>	2	
<i> levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keppra)</i>	2	
<i> levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Keppra XR)</i>	2	
<i> oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml) (Trileptal)</i>	2	
<i> oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg (Trileptal)</i>	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	ST
PEGANONE ORAL TABLET 250 MG	4	
<i> phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i> phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i> phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>	2	
<i> phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i>	(Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	(Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i>	(Mysoline)	2	
SABRIL ORAL TABLET 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG		4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG		4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>		1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG		4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	(Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	(Topamax)	2	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	(Qudexy XR)	4	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	(Topamax)	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	(Depacon)	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>		2	
<i>valproic acid oral capsule 250 mg</i>	(Depakene)	2	
<i>vigabatrin oral powder in packet 500 mg</i>	(Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
vigabatrin oral tablet 500 mg	(Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadronne oral powder in packet 500 mg		5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML		3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML		3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG		3	QL (60 per 30 days)
zonisamide oral capsule 100 mg, 25 mg	(Zonegran)	2	
zonisamide oral capsule 50 mg		2	
Antidementia Agents			
Antidementia Agents			
donepezil oral tablet 10 mg, 5 mg	(Aricept)	1	GC; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg		2	QL (30 per 30 days)
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	(Razadyne ER)	2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml		2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg	(Razadyne)	2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg	(Namenda XR)	2	QL (30 per 30 days)
memantine oral solution 2 mg/ml		2	QL (360 per 30 days)
memantine oral tablet 10 mg, 5 mg	(Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG		3	
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14- 10 MG, 21-10 MG, 28-10 MG, 7-10 MG		3	QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg		2	QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr	(Exelon)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Antidepressants			
Antidepressants			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2		
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2		
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2		
<i>bupropion hcl oral tablet extended release (Wellbutrin XL) 24 hr 150 mg, 300 mg</i>	2		
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	(Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)	
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	(Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	(Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i>	(Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	
<i>doxepin oral concentrate 10 mg/ml</i>		1	GC
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 60 mg</i>	(Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i>	(Cymbalta)	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NM; NDS; QL (30 per 30 days)	
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2		
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	(Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT-REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	4	ST	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release (Effexor XR) 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release (Effexor XR) 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i>	2	QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	GC; QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	2	QL (240 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 28 days)
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg (Glucotrol XL)	2	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg (Glucotrol XL)	2	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	2	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	2	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)	2	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	2	
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	6	GC
tolazamide oral tablet 250 mg	2	QL (120 per 30 days)
tolazamide oral tablet 500 mg	2	QL (60 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	5	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
amphotericin b injection recon soln 50 mg	2	PA BvD
caspofungin intravenous recon soln 50 mg, 70 mg (Cancidas)	5	NM; NDS
ciclopirox topical cream 0.77 % (Ciclidan)	2	
ciclopirox topical solution 8 % (Ciclidan)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>clotrimazole mucous membrane troche 10 mg</i>		2	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	(Lotrisone)	2	
<i>econazole topical cream 1 %</i>		2	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		2	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	
<i>griseofulvin microsize oral tablet 500 mg</i>		2	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		2	
<i>ketoconazole topical cream 2 %</i>		2	
<i>ketoconazole topical shampoo 2 %</i>	(Nizoral)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>		2	
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		5	NM; NDS
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG		5	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>		2	
<i>nystatin oral suspension 100,000 unit/ml</i>		2	
<i>nystatin oral tablet 500,000 unit</i>		2	
<i>nystatin topical cream 100,000 unit/gram</i>		2	
<i>nystatin topical ointment 100,000 unit/gram</i>		2	
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	
<i>nystop topical powder 100,000 unit/gram</i>		2	
<i>posaconazole oral tablet,delayed release (dr/lec) 100 mg</i>	(Noxafil)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>terbinafine hcl oral tablet 250 mg</i>		1	GC
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA; BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	5	NM; NDS
Antigout Agents			
Antigout Agents, Other			
<i>allopurinol oral tablet 100 mg, 300 mg</i>	(Zyloprim)	1	GC
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	2	QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG		2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>		2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		2	
Antihistamines			
Antihistamines			
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>		2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	(Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i>	(24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>		1	GC
Anti-Infectives (Skin And Mucous Membrane)			
Anti-Infectives (Skin And Mucous Membrane)			
<i>clindamycin phosphate vaginal cream 2 %</i>	(Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i>	(Metrogel Vaginal)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act.</i> (4 mg/ml) (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	QL (20 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (8 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	(Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>		2	QL (4 per 28 days)
Antimycobacterials			
Antimycobacterials			
CAPASTAT INJECTION RECON SOLN 1 GRAM		4	
<i>dapsone oral tablet 100 mg, 25 mg</i>		2	
<i>ethambutol oral tablet 100 mg</i>		2	
<i>ethambutol oral tablet 400 mg</i>	(Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>		2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>		1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM		4	
PRIFTIN ORAL TABLET 150 MG		4	
<i>pyrazinamide oral tablet 500 mg</i>		2	
<i>rifabutin oral capsule 150 mg</i>	(Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i>	(Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	(Rifadin)	2	
SIRTURO ORAL TABLET 100 MG		5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG		4	
Antinausea Agents			
Antinausea Agents			
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG		4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG		4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	(Emend)	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	(Emend)	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	(Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	(Emend)	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML		4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	4	QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>gransetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>gransetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>gransetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, (Phenadoz) 25 mg</i>	2	
<i>promethazine rectal suppository 50 mg (Promethegan)</i>	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	
<i>scopolamine base transdermal patch 3 (Transderm-Scop) day 1 mg over 3 days</i>	2	QL (10 per 30 days)
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg (Albenza)</i>	5	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NM; NDS
ALINIA ORAL TABLET 500 MG	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 (Malarone) mg</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 (Malarone Pediatric) mg</i>	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
DARAPRIM ORAL TABLET 25 MG	5	PA; NM; NDS
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	2	
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
NEBUPENT INHALATION RECON SOLN 300 MG	4	PA BvD
<i>paromomycin oral capsule 250 mg</i>	2	
PENTAM INJECTION RECON SOLN 300 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
PRIMAQUINE ORAL TABLET 26.3 MG	2	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	5	PA; NM; NDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	2	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	5	NM; NDS; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	5	ST; NM; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	QL (6 per 28 days)
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>lozapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i> (Invega)	5	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	2	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
risperidone oral solution 1 mg/ml (Risperdal)	2	QL (480 per 30 days)
risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	1	GC; QL (60 per 30 days)
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg	2	QL (60 per 30 days)
risperidone oral tablet,disintegrating 3 mg, 4 mg	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; NM; NDS; QL (60 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	2	
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	2	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	2	
abacavir oral tablet 300 mg (Ziagen)	2	
abacavir-lamivudine oral tablet 600-300 mg (Epzicom)	2	
abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg (Trizivir)	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
APTIVUS ORAL SOLUTION 100 MG/ML	5	NM; NDS
atazanavir oral capsule 150 mg, 200 mg, 300 mg (Reyataz)	5	NM; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	NM; NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg (Videx EC)	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
efavirenz oral capsule 200 mg (Sustiva)	5	NM; NDS
efavirenz oral capsule 50 mg (Sustiva)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>efavirenz oral tablet 600 mg</i>	(Sustiva)	5	NM; NDS
EMTRIVA ORAL CAPSULE 200 MG		4	
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
EVOTAZ ORAL TABLET 300-150 MG		5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	(Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG		5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG		5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG		5	NM; NDS
INTELENCE ORAL TABLET 25 MG		4	
INVIRASE ORAL TABLET 500 MG		5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG		5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG		4	
ISENTRESS ORAL TABLET 400 MG		5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG		4	
JULUCA ORAL TABLET 50-25 MG		5	NM; NDS
KALETRA ORAL TABLET 100-25 MG		4	
KALETRA ORAL TABLET 200-50 MG		5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i>	(Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	(Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i>	(Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	(Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML		4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	(Kaletra)	2	
<i>nevirapine oral suspension 50 mg/5 ml</i>	(Viramune)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nevirapine oral tablet 200 mg (Viramune)	2	
nevirapine oral tablet extended release 24 hr 100 mg	2	
nevirapine oral tablet extended release 24 hr 400 mg (Viramune XR)	2	
NORVIR ORAL CAPSULE 100 MG	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
ritonavir oral tablet 100 mg (Norvir)	2	
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMFLO ORAL TABLET 400-300-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMFI ORAL TABLET 600-300-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet (Viread) 300 mg</i>	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg (Retrovir)</i>	2	
<i>zidovudine oral syrup 10 mg/ml (Retrovir)</i>	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml (Foscavir)</i>	2	PA BvD
<i>oseltamivir oral capsule 30 mg (Tamiflu)</i>	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg (Tamiflu)</i>	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg (Tamiflu)</i>	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	2	QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
Hcv Antivirals		
EPCLUSIA ORAL TABLET 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS, DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; NM; NDS
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg (Zovirax)	2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg (Zovirax)	2	
acyclovir sodium intravenous recon soln 500 mg	2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD
adefovir oral tablet 10 mg (Hepsera)	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	2	PA BvD
ganciclovir sodium intravenous solution 50 mg/ml	2	PA BvD
ribasphere oral capsule 200 mg	2	
ribasphere oral tablet 600 mg	5	NM; NDS
ribavirin inhalation recon soln 6 gram (Virazole)	5	PA BvD; NM; NDS
ribavirin oral capsule 200 mg (Ribasphere)	2	
ribavirin oral tablet 200 mg	2	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
Blood Products/Modifiers/Volume		
Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	2	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	GC
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (15 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; NM; NDS; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; NM; NDS; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (360 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROMACTA ORAL TABLET 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Platelet-Aggregation Inhibitors		
aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg BRILINTA ORAL TABLET 60 MG, 90 MG	2 3	QL (60 per 30 days)
cilostazol oral tablet 100 mg, 50 mg	2	
clopidogrel oral tablet 75 mg dipyridamole oral tablet 25 mg, 50 mg, 75 mg	1 2	GC
pentoxifylline oral tablet extended release 400 mg	2	
prasugrel oral tablet 10 mg, 5 mg (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	4	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	4	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4	PA BvD
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg (Catapres)	1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	2	
guanfacine oral tablet 1 mg, 2 mg	1	GC
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>phenylephrine hcl injection solution 10 mg/ml</i>	(Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	(Minipress)	2	
Angiotensin II Receptor Antagonists			
<i>EDARBI ORAL TABLET 40 MG, 80 MG</i>		3	
<i>EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG</i>		3	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i>		3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	(Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	(Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	(Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	(Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	(Benicar)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	(Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	(Micardis)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	(Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	(Diovan HCT)	2	
Angiotensin-Converting Enzyme Inhibitors			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	(Lotensin)	6	GC
<i>benazepril oral tablet 5 mg</i>		6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>		2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Vasotec)	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>		2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	(Vaseretic)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg (Prinivil)</i>	6	GC
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg (Zestril)</i>	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet (Zestoretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)</i>	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 (Altace) mg, 5 mg</i>	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg (Pacerone)</i>	1	GC
<i>amiodarone oral tablet 400 mg (Pacerone)</i>	2	
<i>disopyramide phosphate oral capsule 100 (Norpace) mg, 150 mg</i>	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, (Tikosyn) 500 mcg</i>	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet (Ziac) 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
BYVALSON ORAL TABLET 5-80 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg (Lopressor HCT)</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml (Lopressor)</i>	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Betapace)</i>	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg (Tiazac)</i>	2	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cardizem CD)</i>	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg (Verelan PM)</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg (Verelan)</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg (Verelan)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
verapamil oral tablet 120 mg	(Calan)	1	GC
verapamil oral tablet 40 mg, 80 mg		1	GC
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg	(Calan SR)	1	GC
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG		3	QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG		5	NM; NDS
digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)		2	
digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)		2	
digoxin injection syringe 250 mcg/ml (0.25 mg/ml)		2	
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)		4	
digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(Digitek)	2	
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	2	QL (4 per 30 days)
epinephrine injection auto-injector 0.3 mg/0.3 ml	(Auvi-Q)	2	QL (4 per 30 days)
hydralazine injection solution 20 mg/ml		2	
hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg		2	
icatibant subcutaneous syringe 30 mg/3 ml	(Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg	(Ranexa)	2	
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML		3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG		5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG		5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines			
afeditab cr oral tablet extended release 30 mg, 60 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<i>JYNARQUE ORAL TABLET 15 MG, 30 MG</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</i>	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methyclothiazide oral tablet 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, (Aldactone) 50 mg</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i>	1	GC
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder 4 gram</i>	2	
<i>cholestyramine light packet 4 gram</i>	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
<i>JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>JUXTAPID ORAL CAPSULE 20 MG</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>JUXTAPID ORAL CAPSULE 5 MG</i>	5	PA; NM; NDS; QL (45 per 30 days)
<i>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</i>	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>niacin oral tablet 500 mg</i> (Niacor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg	(Niaspan Extended-Release)	2	
niacor oral tablet 500 mg		2	
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		4	PA; QL (2 per 28 days)
pravastatin oral tablet 10 mg, 80 mg		6	GC
pravastatin oral tablet 20 mg, 40 mg	(Pravachol)	6	GC
prevalite oral powder in packet 4 gram		2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		4	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		4	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		4	PA; QL (3 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Crestor)	2	QL (30 per 30 days)
simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg	(Zocor)	6	GC; QL (30 per 30 days)
simvastatin oral tablet 5 mg		6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM		3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM		3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM		2	
WELCHOL ORAL TABLET 625 MG		2	
Renin-Angiotensin-Aldosterone System Inhibitors			
aliskiren oral tablet 150 mg, 300 mg	(Tekturna)	2	
eplerenone oral tablet 25 mg, 50 mg	(Inspira)	2	
TEKTURN A HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG		3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg (ISOCHRON)</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (Minitran)</i>	2	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)</i>	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>dextmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg (Ritalin LA)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg (Ritalin LA)</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml (Methylin)</i>	2	QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg (Ritalin)	2	QL (90 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
riluzole oral tablet 50 mg (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NM; NDS; QL (14 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	5	PA; NM; NDS
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)</i>	5	PA; NM; NDS; QL (112 per 28 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg- mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg- mcg</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>caziant (28) oral tablet 0.11.125/.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>desog-e.estradiolle.estradiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet (Aprि) 0.15-0.03 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet (Gianvi (28)) 3-0.02 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet (Ocella) 3-0.03 mg</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet (Kelnor 1/35 (28)) 1-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet (Kelnor 1-50) 1-50 mg-mcg</i>	2	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	2	
<i>incassia oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	GC
<i>jolivette oral tablet 0.35 mg</i>	4	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mg x 21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgestrel-estradiol-e.estradiol oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>Inorgest/e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Fayosim)	2	QL (91 per 84 days)
<i>Inorgest/e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>		2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>		2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>		2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>		2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>		2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>		4	
<i>lessina oral tablet 0.1-20 mg-mcg</i>		2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>		2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Introvale)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>		2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>		2	
<i>loryna (28) oral tablet 3-0.02 mg</i>		2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>		2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>		2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>		2	
<i>lyza oral tablet 0.35 mg</i>		2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>		2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	4	
<i>norethindrone (contraceptive) oral tablet (Camila) 0.35 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Aurovela 1/20 (21)) 1-20 mg-mcg</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Aurovela Fe 1-20 (28)) 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Aurovela 24 Fe) 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Tri-Lo-Estarylla) 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen (28)) 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Estarylla) 0.25-35 mg-mcg</i>	2	
<i>norlyda oral tablet 0.35 mg</i>	2	
<i>norlyroc oral tablet 0.35 mg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>portia</i> 28 oral tablet 0.15-0.03 mg	2	
<i>previfem</i> oral tablet 0.25-35 mg-mcg	2	
<i>reclipsen</i> (28) oral tablet 0.15-0.03 mg	2	
<i>setlakin</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)	2	QL (91 per 84 days)
<i>sharobel</i> oral tablet 0.35 mg	2	
<i>simliya</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>simpesse</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
<i>sprintec</i> (28) oral tablet 0.25-35 mg-mcg	2	
<i>sronyx</i> oral tablet 0.1-20 mg-mcg	2	
<i>syeda</i> oral tablet 3-0.03 mg	2	
<i>tarina</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
<i>tarina</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	
<i>tilia</i> fe oral tablet 1-20(5)/1-30(7) /1mg- 35mcg (9)	2	
<i>tri-femynor</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-estarrylla</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-legest</i> fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	
<i>tri-linyah</i> oral tablet 0.18/0.215/0.25 mg- 35 mcg (28)	2	
<i>tri-lo-estarrylla</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-lo-marzia</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-lo-mili</i> oral tablet 0.18/0.215/0.25 mg- 25 mcg	2	
<i>tri-lo-sprintec</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-mili</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-previfem</i> (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-sprintec</i> (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trivora</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>tri-vylibra lo</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-vylibra</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tulana</i> oral tablet 0.35 mg	2	
<i>velivet triphasic regimen</i> (28) oral tablet 0.1/.125/.15-25 mg-mcg	2	
<i>vienna</i> oral tablet 0.1-20 mg-mcg	2	
<i>viorele</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>vyfemla</i> (28) oral tablet 0.4-35 mg-mcg	2	
<i>vylibra</i> oral tablet 0.25-35 mg-mcg	2	
<i>wera</i> (28) oral tablet 0.5-35 mg-mcg	2	
<i>xulane transdermal patch</i> weekly 150-35 mcg/24 hr	2	QL (3 per 28 days)
<i>zarah</i> oral tablet 3-0.03 mg	2	
<i>zenchent</i> (28) oral tablet 0.4-35 mg-mcg	2	
<i>zovia 1/35e</i> (28) oral tablet 1-35 mg-mcg	2	
<i>zumandimine</i> (28) oral tablet 3-0.03 mg	2	

Dental And Oral Agents

Dental And Oral Agents

<i>chlorhexidine gluconate mucous membrane mouthwash</i> 0.12 %	(Paroex Oral Rinse)	1	GC
<i>oralone dental paste</i> 0.1 %		2	
<i>paroex oral rinse mucous membrane mouthwash</i> 0.12 %		1	GC
<i>periogard mucous membrane mouthwash</i> 0.12 %		1	GC
<i>pilocarpine hcl</i> oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste</i> 0.1 %	(Oralone)	2	

Dermatological Agents

Dermatological Agents, Other

<i>acitretin</i> oral capsule 10 mg, 25 mg	(Soriatane)	2	
<i>acitretin</i> oral capsule 17.5 mg		2	
<i>acyclovir topical ointment</i> 5 %	(Zovirax)	2	QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ammonium lactate topical cream 12 %</i>	(Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>		2	
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	2	
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i>	(Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>		2	
<i>imiquimod topical cream in packet 5 %</i>	(Aldara)	2	PA NSO; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i>	(Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS
PICATO TOPICAL GEL 0.015 %		3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %		3	QL (2 per 56 days)
<i>podoftlox topical solution 0.5 %</i>		2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	
TOLAK TOPICAL CREAM 4 %		4	
VALCHLOR TOPICAL GEL 0.016 %		5	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		2	
Dermatological Antibacterials			
<i>clindamycin phosphate topical solution 1 %</i>	(Cleocin T)	2	
<i>clindamycin phosphate topical swab 1 %</i>	(Clindacin ETZ)	2	
<i>ery pads topical swab 2 %</i>		2	
<i>erythromycin with ethanol topical gel 2 %</i>	(Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>		2	
<i>erythromycin with ethanol topical swab 2 %</i>	(Ery Pads)	2	
<i>gentamicin topical cream 0.1 %</i>		2	
<i>gentamicin topical ointment 0.1 %</i>		2	
<i>metronidazole topical cream 0.75 %</i>	(MetroCream)	2	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	2	
<i>metronidazole topical gel 1 %</i>	(Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	GC
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	2	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	4	
<i>cormax scalp solution 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	
<i>EUCRISA TOPICAL OINTMENT 2 %</i>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>		2	
<i>fluocinonide topical solution 0.05 %</i>		2	
<i>fluocinonide-e topical cream 0.05 %</i>		2	
<i>fluticasone propionate topical cream 0.05 %</i>	(Cutivate)	2	
<i>halobetasol propionate topical cream 0.05 %</i>		2	
<i>halobetasol propionate topical ointment 0.05 %</i>		2	
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	1	GC
<i>hydrocortisone topical cream 2.5 %</i>		1	GC
<i>hydrocortisone topical lotion 2.5 %</i>		2	
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>		1	GC
<i>mometasone topical cream 0.1 %</i>	(Elocon)	2	
<i>mometasone topical ointment 0.1 %</i>		2	
<i>mometasone topical solution 0.1 %</i>		2	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	2	
<i>prednicarbate topical cream 0.1 %</i>		4	
<i>prednicarbate topical ointment 0.1 %</i>	(Dermatop)	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>		2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>		2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>		2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	(Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>		1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	(Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dermatological Retinoids		
adapalene topical cream 0.1 % (Differin)	2	
adapalene topical gel 0.1 % (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
tazarotene topical cream 0.1 % (Avage)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
tretinoin topical cream 0.025 % (Avita)	2	PA
tretinoin topical cream 0.05 %, 0.1 % (Retin-A)	2	PA
tretinoin topical gel 0.01 % (Retin-A)	2	PA
tretinoin topical gel 0.025 % (Avita)	2	PA
tretinoin topical gel 0.05 % (Atralin)	2	PA
Scabicides And Pediculicides		
malathion topical lotion 0.5 % (Ovide)	2	
permethrin topical cream 5 % (Elimite)	2	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin Syringe) SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	2	
V-GO 40 DISPOSABLE DEVICE	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000- 10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
apraclonidine ophthalmic (eye) drops 0.5 %	2	
atropine ophthalmic (eye) drops 1 % (Isopto Atropine)	4	
azelastine nasal aerosol,spray 137 mcg (0.1 %)	2	QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	2	
cromolyn ophthalmic (eye) drops 4 %	2	
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 % (Patanol)</i>	2	
<i>olopatadine ophthalmic (eye) drops 0.2 % (Pataday)</i>	2	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	4	
<i>proparacaine ophthalmic (eye) drops 0.5 % (Alcaine)</i>	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<i>CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %</i>	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 % (Ciloxan)</i>	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 % (Cetraxal)</i>	4	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %</i>	3	
<i>moxifloxacin ophthalmic (eye) drops 0.5 % (Vigamox)</i>	2	
<i>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>		2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>		2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>		2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	(Polytrim)	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	(Bleph-10)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	2	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XiIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Heartburn Treatment 24 Hour)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (OmePPi)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
pantoprazole oral tablet, delayed release (Protonix) (dr/lec) 20 mg	1	GC; QL (30 per 30 days)
pantoprazole oral tablet, delayed release (Protonix) (dr/lec) 40 mg	1	GC; QL (60 per 30 days)
ranitidine hcl injection solution 25 mg/ml, (Zantac) 50 mg/2 ml (25 mg/ml)	2	
ranitidine hcl oral syrup 15 mg/ml	2	
ranitidine hcl oral tablet 150 mg (Acid Control (ranitidine))	1	GC
ranitidine hcl oral tablet 300 mg	1	GC
sucralfate oral tablet 1 gram (Carafate)	2	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NM; NDS
constulose oral solution 10 gram/15 ml	2	
cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)	2	
dicyclomine oral capsule 10 mg	2	
dicyclomine oral solution 10 mg/5 ml	2	
dicyclomine oral tablet 20 mg	2	
diphenoxylate-atropine oral liquid 2.5- 0.025 mg/5 ml	2	
diphenoxylate-atropine oral tablet 2.5- 0.025 mg (Lomotil)	2	
enulose oral solution 10 gram/15 ml	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
generlac oral solution 10 gram/15 ml	2	
glycopyrrolate injection solution 0.2 mg/ml	2	
glycopyrrolate oral tablet 1 mg, 2 mg	2	
kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml	2	
lactulose oral solution 10 gram/15 ml (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)		1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG		5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML		5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG		5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML		5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML		5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML		5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)		5	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>		2	
<i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>		2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>		2	
<i>ursodiol oral capsule 300 mg</i> (Actigall)		2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)		2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)		2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM		3	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG		5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
<i>peg 3350-electrolytes oral recon soln 240- (Colyte with Flavor 22.72-6.72 -5.84 gram Packs)</i>	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
Phosphate Binders		
<i>calcium acetate oral capsule 667 mg</i>	2	
<i>calcium acetate oral tablet 667 mg (Calphron)</i>	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram</i>	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg (Renvela)</i>	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
<i>sevelamer hcl oral tablet 800 mg (Renagel)</i>	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, (Urecholine) 25 mg, 5 mg, 50 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended (Ditropan XL) release 24hr 10 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>		2	
<i>tolterodine oral capsule,extended release (Detrol LA) 24hr 2 mg, 4 mg</i>		2	
<i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i>		2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG		3	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	(Uroxatral)	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	(Avodart)	2	
<i>finasteride oral tablet 5 mg</i>	(Proscar)	1	GC
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG		5	NM; NDS
<i>tamsulosin oral capsule 0.4 mg</i>	(Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG		5	PA; NM; NDS
THIOLA ORAL TABLET 100 MG		5	NM; NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	(Exjade)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	(Desferal)	2	PA
DEPEN TITRATABS ORAL TABLET 250 MG		5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG		5	PA; NM; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG		5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG		5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i>	(Cuprimine)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
ANADROL-50 ORAL TABLET 50 MG		5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5 gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	2	PA; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>		2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>		2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG		3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Alora)	2	QL (8 per 28 days)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i>	(Dotti)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal tablet 10 mcg</i>	(Vagifem)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol-norethindrone acet oral tablet (Activella) 0.5-0.1 mg</i>	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Femhrt Low Dose) 0.5-2.5 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Fyavolv) 1-5 mg-mcg</i>	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg (Evista)</i>	2	
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection (Celestone Soluspan) suspension 6 mg/ml</i>	2	
<i>cortisone oral tablet 25 mg</i>	2	
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 (Decadron) mg, 4 mg, 6 mg</i>	1	PA BvD; GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD; GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, (Cortef) 5 mg</i>	2	
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 (Medrol) mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack (Medrol (Pak)) 4 mg</i>	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ (Solu-Medrol) intravenous recon soln 1,000 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln alf, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	2	
Pituitary		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4 mcg/ml (DDAVP)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)</i>	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NM; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone caproate</i> <i>intramuscular oil 250 mg/ml</i>	5	PA NSO; NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg,</i> (Provera) <i>2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml</i> <i>(40 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone acetate oral tablet 5 mg (Aygestin)</i>	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)</i>	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg (Euthyrox)</i>	1	GC
<i>levothyroxine oral tablet 300 mcg (Levo-T)</i>	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg (Cytomel)</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg (Tapazole)</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
<i>ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML</i>	5	PA; NM; NDS
<i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)</i>	5	PA; NM; NDS
<i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML</i>	5	PA; NM; NDS
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>	5	NM; NDS
<i>azathioprine oral tablet 50 mg (Imuran)</i>	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
<i>CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)</i>	5	PA; NM; NDS
<i>CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)</i>	5	PA; NM; NDS
<i>COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML</i>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)	2	PA BvD
cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)	2	PA BvD
cyclosporine modified oral capsule 50 mg	2	PA BvD
cyclosporine modified oral solution 100 mg/ml (Gengraf)	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
gengraf oral capsule 100 mg, 25 mg	2	PA BvD
gengraf oral solution 100 mg/ml	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK)	5	PA; NM; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGLAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	
<i>mycophenolate mofetil hcl intravenous (CellCept Intravenous) recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg (CellCept)</i>	2	PA BvD
<i>mycophenolate mofetil oral suspension (CellCept) for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg (CellCept)</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENCIA (WITH MALTPOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ER ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS; QL (30 per 30 days)
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TREMFYA SUBCUTANEOUS AUTO-Injector 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NM; NDS
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVOX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	5	NM; NDS
APRISO ORAL CAPSULE, EXTENDED RELEASE 24HR 0.375 GRAM	3	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend.release 3 mg</i> (Entocort EC)	2	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral tablet,delayed release (dr/lec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (dr/lec) 500 mg</i> (Azulfidine EN-tabs)	2	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	4	
LACTATED RINGERS IRRIGATION SOLUTION	4	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	4	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	5	PA; NM; NDS; QL (2.34 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NM; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>droperidol injection solution 2.5 mg/ml</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3	
<i>guanidine oral tablet 125 mg</i>	4	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 25 mg, (Vistaril) 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	NM; NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	4	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 (Xalatan) %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % (Isopto Carpine)</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	ST; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 % (Timoptic-XE)</i>	4	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq</i>	2	
<i>potassium chloride oral capsule, extended release 8 meq (Klor-Con Sprinkle)</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 8 meq (K-Tab)</i>	2	
<i>potassium chloride oral tablet extended release 20 meq (K-Tab)</i>	4	
<i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)</i>	2	
<i>potassium citrate oral tablet extended release 15 meq (Urocit-K 15)</i>	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg) (Urocit-K 5)</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
<i>ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE</i>	2	QL (60 per 30 days)
<i>ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION</i>	3	QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 60 INHALATIONS 80-4.5 MCG/ACTUATION	3	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
Bronchodilators		
albuterol 5 mg/ml solution 5 mg/ml	2	PA BvD
albuterol sulfate inhalation hfa aerosol (ProAir HFA) inhaler 90 mcg/actuation	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	2	QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml	2	PA BvD
albuterol sulfate oral syrup 2 mg/5 ml	2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	QL (30 per 30 days)
ipratropium bromide inhalation solution 0.02 %	2	PA BvD
LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML	3	QL (60 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	QL (60 per 30 days)
metaproterenol oral syrup 10 mg/5 ml	1	GC
metaproterenol oral tablet 10 mg, 20 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	3	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	3	QL (2 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	2	PA
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg</i>	2	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostинil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg</i>	3	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	51	AIMOVIG	
<i>abacavir-lamivudine</i>	51	AUTOINJECTOR (2 PACK)	41
<i>abacavir-lamivudine-zidovudine</i>	51	AJOVY	41
ABELCET	38	AKYNZEO	
ABILIFY MAINTENA	46	(FOSNETUPITANT).....	42
ABRAXANE	16	AKYNZEO (NETUPITANT).....	42
<i>acamprosate</i>	8	<i>ala-cort</i>	84
<i>acarbose</i>	34	<i>albendazole</i>	44
<i>acebutolol</i>	66	<i>albuterol sulfate</i>	121
<i>acetaminophen-codeine</i>	3	<i>alclometasone</i>	84
<i>acetazolamide</i>	116	ALCOHOL PADS.....	82
<i>acetazolamide sodium</i>	116	ALDURAZYME.....	87
<i>acetic acid</i>	89, 113	ALECENSA.....	16
<i>acetylcysteine</i>	122	<i>alendronate</i>	113
<i>acitretin</i>	82	<i>alfuzosin</i>	96
ACTEMRA	103	ALIMTA.....	16
ACTEMRA ACTPEN	103	ALINIA.....	44
ACTHIB (PF).....	109	ALIQOPA.....	16
ACTIMMUNE	115	<i>aliskiren</i>	71
<i>acyclovir</i>	56, 82	<i>allopurinol</i>	40
<i>acyclovir sodium</i>	56	<i>alosetron</i>	112
ADACEL(TDAP		ALPHAGAN P.....	117
ADOLESN/ADULT)(PF)....	109	<i>alprazolam</i>	9
ADAGEN	87	ALREX.....	91
<i>adapalene</i>	86	<i>altavera</i> (28).....	76
<i>adefovir</i>	56	ALTRENO.....	86
ADEMPAS	124	ALUNBRIG.....	16, 17
<i>adriamycin</i>	16	<i>alyacen 1/35</i> (28).....	76
<i>adrucil</i>	16	<i>alyacen 7/7/7</i> (28).....	76
ADVAIR DISKUS	119	<i>alyq</i>	124
ADVAIR HFA	119	<i>amabelz</i>	97
<i>afeditab cr</i>	68	<i>amantadine hcl</i>	45
AFINITOR	16	AMBISOME.....	38
AFINITOR DISPERZ	16	<i>ambrisentan</i>	124
<i>afirmelle</i>	76	<i>amethia</i>	76
<i>a-hydrocort</i>	98	<i>amethia lo</i>	76
AIMOVIG		<i>amifostine crystalline</i>	115
AUTOINJECTOR	41	<i>amiloride</i>	69
		<i>amiloride-hydrochlorothiazide</i> ..	69
		AMINOSYN 10 %.....	60
		AMINOSYN 7 % WITH	
		ELECTROLYTES.....	60
		AMINOSYN 8.5 %.....	60
		AMINOSYN 8.5 %-	
		ELECTROLYTES.....	60
		AMINOSYN II 10 %.....	60
		AMINOSYN II 15 %.....	60
		AMINOSYN II 7 %.....	60
		AMINOSYN II 8.5 %.....	60
		AMINOSYN II 8.5 %-	
		ELECTROLYTES.....	60
		AMINOSYN M 3.5 %.....	60
		AMINOSYN-HBC 7%.....	61
		AMINOSYN-PF 10 %.....	61
		AMINOSYN-PF 7 %	
		(SULFITE-FREE).....	61
		AMINOSYN-RF 5.2 %.....	61
		<i>amiodarone</i>	65
		AMITIZA.....	93
		<i>amitriptyline</i>	32
		<i>amlodipine</i>	69
		<i>amlodipine-benazepril</i>	69
		<i>amlodipine-valsartan</i>	69
		<i>ammonium lactate</i>	83
		<i>amoxapine</i>	32
		<i>amoxicillin</i>	13
		<i>amoxicillin-pot clavulanate</i>	14
		<i>amphotericin b</i>	38
		<i>ampicillin</i>	14
		<i>ampicillin sodium</i>	14
		<i>ampicillin-sulbactam</i>	14
		ANADROL-50.....	97
		<i>anagrelide</i>	59
		<i>anastrozole</i>	17
		ANORO ELLIPTA.....	121
		APOKYN.....	45

apraclonidine	88	AVONEX (WITH ALBUMIN)	72	BETASERON	73
aprepitant	42	ayuna	76	betaxolol	66
apri	76	azacitidine	17	bethanechol chloride	95
APRISO	112	azathioprine	103	BETHKIS	10
APTIOM	27	azathioprine sodium	103	BEVYXXA	57
APTIVUS	51	azelastine	88	bexarotene	17
aranelle (28)	76	azithromycin	13	BEXSERO	109
ARCALYST	103	AZOPT	117	bicalutamide	17
ariPIPRAZOLE	46	aztreonam	13	BICILLIN L-A	14
ARISTADA	47	azurette (28)	76	BIDIL	72
ARISTADA INITIO	47	baciim	10	BIKTARVY	51
armodafinil	124	bacitracin	89	bisoprolol fumarate	66
ARNUITY ELLIPTA	120	bacitracin-polymyxin b	89	bisoprolol-hydrochlorothiazide	66
arsenic trioxide	17	baclofen	124	bleomycin	17
ashlyna	76	balsalazide	112	bleph-10	89
aspirin-dipyridamole	60	BALVERSA	17	BLINCYTO	17
ASSURE ID INSULIN SAFETY	86	balziva (28)	77	blisovi 24 fe	77
atazanavir	51	BANZEL	27	blisovi fe 1.5/30 (28)	77
atenolol	66	BAVENCIO	17	blisovi fe 1/20 (28)	77
atenolol-chlorthalidone	66	BAXDELA	15	BOOSTRIX TDAP	109
atomoxetine	72	BCG VACCINE, LIVE (PF)	109	BORTEZOMIB	17
atorvastatin	70	BD ULTRA-FINE NANO PEN NEEDLE	86	BOSULIF	17
atovaquone	44	BD VEO INSULIN SYR	86	BRAFTOVI	17
atovaquone-proguanil	44	HALF UNIT	86	BREO ELLIPTA	120
ATRIPLA	51	BD VEO INSULIN SYRINGE UF	86	briellyn	77
atropine	27, 88	bekyree (28)	77	BRILINTA	60
ATROVENT HFA	121	BELEODAQ	17	brimonidine	117
AUBAGIO	72	BELSOMRA	124	BRIVIACT	27, 28
aubra	76	benazepril	64	bromocriptine	45
aurovela 1.5/30 (21)	76	BENDEKA	17	BROMSITE	91
aurovela 1/20 (21)	76	BENLYSTA	115	budesonide	112, 120
aurovela 24 fe	76	benztropine	45	bumetanide	69
aurovela fe 1.5/30 (28)	76	BESPONSA	17	buprenorphine hcl	3, 8
aurovela fe 1-20 (28)	76	betamethasone acet,sod phos	98	buprenorphine-naloxone	8
AUSTEDO	72	betamethasone dipropionate	84	bupropion hcl	32
AVASTIN	17	betamethasone valerate	84	bupropion hcl (smoking deter)	8
aviane	76	betamethasone, augmented	84	buspirone	9
AVONEX	72			butalbital-acetaminophen-caff	3
				butalbital-aspirin-caffeine	3
				BYSTOLIC	66

BYVALSON	66	cefuroxime sodium	12	CLENPIQ	95
<i>cabergoline</i>	45	celecoxib	6	<i>clindamycin hcl</i>	10
CABLIVI	115	CELONTIN	28	<i>clindamycin in 5 % dextrose</i>	10
CABOMETYX	18	cephalexin	12	<i>clindamycin phosphate</i>	
<i>caffeine citrate</i>	73	CERDELGA	87		10, 11, 40, 83
<i>calcipotriene</i>	83	CEREZYME	87	CLINIMIX 5%/D15W	
<i>calcitonin (salmon)</i>	113	CETYLEV	115	SULFITE FREE	61
<i>calcitriol</i>	113	CHANTIX	8	CLINIMIX 5%/D25W	
<i>calcium acetate</i>	95	CHANTIX CONTINUING		SULFITE-FREE	61
<i>calcium chloride</i>	117	MONTH BOX	8	CLINIMIX 4.25%/D10W	
CALDOLOR	6	CHANTIX STARTING		SULF FREE	61
CALQUENCE	18	MONTH BOX	8	CLINIMIX 4.25%/D5W	
<i>camila</i>	77	<i>chloramphenicol sod succinate</i>	10	SULFIT FREE	61
CAPASTAT	42	<i>chlordiazepoxide hcl</i>	9	CLINIMIX 4.25%-D25W	
CAPRELSA	18	<i>chlorhexidine gluconate</i>	82	SULF-FREE	61
<i>captopril</i>	64	<i>chloroquine phosphate</i>	44	CLINIMIX 5%-	
CARBAGLU	93	<i>chlorothiazide</i>	69	D20W(SULFITE-FREE)	61
<i>carbamazepine</i>	28	<i>chlorothiazide sodium</i>	69	CLINIMIX E 2.75%/D10W	
<i>carbidopa-levodopa</i>	45	<i>chlorpromazine</i>	47	SUL FREE	61
<i>carbidopa-levodopa-entacapone</i>	45	<i>chlorthalidone</i>	69	CLINIMIX E 2.75%/D5W	
<i>carteolol</i>	117	<i>chlorzoxazone</i>	124	SULF FREE	61
<i>cartia xt</i>	67	<i>cholestyramine (with sugar)</i>	70	CLINIMIX E 4.25%/D10W	
<i>carvedilol</i>	66	<i>cholestyramine light</i>	70	SUL FREE	61
<i>caspofungin</i>	38	<i>ciclopirox</i>	38	CLINIMIX E 4.25%/D25W	
CAYSTON	13	<i>cilostazol</i>	60	SUL FREE	61
<i>caziant (28)</i>	77	CIMDUO	51	CLINIMIX E 4.25%/D5W	
<i>cefaclor</i>	11, 12	<i>cimetidine hcl</i>	92	SULF FREE	62
<i>cefadroxil</i>	12	CIMZIA	103	CLINIMIX E 5%/D15W	
<i>cefazolin</i>	12	CIMZIA POWDER FOR		SULFIT FREE	62
<i>cefdinir</i>	12	RECONST	103	CLINIMIX E 5%/D20W	
<i>cefditoren pivoxil</i>	12	<i>cinacalcet</i>	113	SULFIT FREE	62
<i>cefepime</i>	12	CINQAIR	122	CLINIMIX E 5%/D25W	
<i>cefixime</i>	12	CINRYZE	58	SULFIT FREE	62
<i>cefotaxime</i>	12	CINVANTI	42	CLINOLIPID	62
<i>cefoxitin</i>	12	CIPRODEX	89	<i>clobazam</i>	28
<i>cefpodoxime</i>	12	<i>ciprofloxacin</i>	15	<i>clobetasol</i>	84
<i>ceprozil</i>	12	<i>ciprofloxacin hcl</i>	15, 89	<i>clobetasol-emollient</i>	84
<i>ceftazidime</i>	12	<i>ciprofloxacin in 5 % dextrose</i>	15	<i>clo cortolone pivalate</i>	84
<i>ceftriaxone</i>	12	<i>citalopram</i>	32	<i>clofarabine</i>	18
<i>cefuroxime axetil</i>	12	<i>clarithromycin</i>	13	<i>clomipramine</i>	32

<i>clonazepam</i>	9	<i>cyproheptadine</i>	40	<i>dexamethasone sodium phosphate</i>	91, 98, 99
<i>clonidine</i>	63	CYRAMZA	18	<i>dexamylphenidate</i>	73
<i>clonidine hcl</i>	63	<i>cyred</i>	77	<i>dextroamphetamine</i>	73
<i>clopidogrel</i>	60	CYSTADANE	115	<i>dextroamphetamine-amphetamine</i>	73
<i>clorazepate dipotassium</i>	9	CYSTARAN	88	<i>dextrose 10 % in water (d10w)</i>	62
<i>clotrimazole</i>	39	<i>dalfampridine</i>	73	<i>dextrose 20 % in water (d20w)</i>	62
<i>clotrimazole-betamethasone</i>	39	DALIRESP	123	<i>dextrose 25 % in water (d25w)</i>	62
<i>clozapine</i>	47	<i>danazol</i>	97	<i>dextrose 30 % in water (d30w)</i>	62
COARTEM	44	<i>dantrolene</i>	124	<i>dextrose 40 % in water (d40w)</i>	62
<i>codeine sulfate</i>	3	<i>dapsone</i>	42	<i>dextrose 5 % in water (d5w)</i>	62
<i>colchicine</i>	40	DAPTACEL (DTAP PEDIATRIC) (PF)	109	<i>dextrose 50 % in water (d50w)</i>	62
<i>colestipol</i>	70	<i>daptomycin</i>	11	<i>dextrose 70 % in water (d70w)</i>	62
<i>colistin (colistimethate na)</i>	11	DARAPRIM	44	DIASTAT	28
<i>cocolort</i>	112	DARZALEX	18	DIASTAT ACUDIAL	28
COMBIGAN	117	<i>dasetta 1/35 (28)</i>	77	<i>diazepam</i>	9, 28
COMBIVENT RESPIMAT	121	<i>dasetta 7/7/7 (28)</i>	77	<i>diazepam intensol</i>	9
COMETRIQ	18	DAURISMO	18	<i>diclofenac epolamine</i>	6
COMPLERA	51	<i>daysee</i>	77	<i>diclofenac potassium</i>	6
<i>compro</i>	42	<i>deblitane</i>	77	<i>diclofenac sodium</i>	6, 91
<i>constulose</i>	93	<i>decadron</i>	98	<i>dicloxacillin</i>	14
COPIKTRA	18	<i>decitabine</i>	18	<i>dicyclomine</i>	93
CORLANOR	68	<i>deferasirox</i>	96	<i>didanosine</i>	51
<i>cormax</i>	84	<i>deferoxamine</i>	96	DIFCID	13
<i>cortisone</i>	98	DELSTRIGO	51	<i>digitek</i>	68
COSENTYX (2 SYRINGES)	103	<i>delyla (28)</i>	77	<i>digox</i>	68
COSENTYX PEN (2 PENS)	104	DEMSER	68	<i>digoxin</i>	68
COTELLIC	18	DEPEN TITRATABS	96	DIGOXIN	68
CREON	87	DEPO-PROVERA	102	<i>dihydroergotamine</i>	41
CRIXIVAN	51	DESCOVY	51	<i>diltiazem hcl</i>	67
<i>cromolyn</i>	88, 93, 123	<i>desipramine</i>	32	<i>dilt-xr</i>	67
<i>cryselle (28)</i>	77	<i>desmopressin</i>	99, 100	<i>dimenhydrinate</i>	43
<i>cyclafem 1/35 (28)</i>	77	<i>desog-e.estradiol/e.estriadiol</i>	77	DIPENTUM	112
<i>cyclafem 7/7/7 (28)</i>	77	<i>desogestrel-ethinyl estradiol</i>	77	<i>diphenhydramine hcl</i>	40
<i>cyclobenzaprine</i>	124	<i>desoximetasone</i>	84	<i>diphenoxylate-atropine</i>	93
<i>cyclopentolate</i>	88	<i>desvenlafaxine succinate</i>	32	<i>dipyridamole</i>	60
<i>cyclophosphamide</i>	18	<i>dexamethasone</i>	98	<i>disopyramide phosphate</i>	65
CYCLOPHOSPHAMIDE	18	<i>dexamethasone sodium phos (pf)</i>	98	<i>disulfiram</i>	8
<i>cyclosporine</i>	104			<i>divalproex</i>	28
<i>cyclosporine modified</i>	104				

<i>dofetilide</i>	65	ELLA	77	<i>ergoloid</i>	115
<i>donepezil</i>	31	ELMIRON	115	ERGOMAR	41
DOPOLELET (10 TAB PACK)	58	EMCYT	19	ERIVEDGE	19
DOPOLELET (15 TAB PACK)	58	EMEND	43	ERLEADA	19
DOPOLELET (30 TAB PACK)	58	EMEND (FOSAPREPITANT)	43	<i>erlotinib</i>	19
<i>dorzolamide</i>	117	EMFLAZA	99	<i>errin</i>	78
<i>dorzolamide-timolol</i>	117	EMGALITY PEN	41	<i>ertapenem</i>	13
<i>dotti</i>	97	EMGALITY SYRINGE	41	<i>ery pads</i>	83
DOVATO	51	<i>emoquette</i>	77	<i>erythromycin</i>	13, 89
doxazosin	63	EMPLICITI	19	<i>erythromycin ethylsuccinate</i>	13
doxepin	32	EMSAM	32	<i>erythromycin with ethanol</i>	83
doxercalciferol	113	EMTRIVA	52	ESBRIET	123
doxorubicin	18	<i>enalapril maleate</i>	64	<i>escitalopram oxalate</i>	32
doxorubicin, peg-liposomal	18	<i>enalaprilat</i>	64	<i>esomeprazole sodium</i>	92
doxy-100	15	<i>enalapril-hydrochlorothiazide</i>	64, 65	<i>estarrylla</i>	78
doxycycline hydiate	15	ENBREL	104	<i>estradiol</i>	97
doxycycline monohydrate	15, 16	ENBREL MINI	104	<i>estradiol valerate</i>	97
dronabinol	43	ENBREL SURECLICK	104	<i>estradiol-norethindrone acet</i>	98
droperidol	115	ENDARI	115	<i>eszopiclone</i>	124
<i>drospirenone-ethinyl estradiol</i>	77	<i>endocet</i>	3	<i>ethambutol</i>	42
DROXIA	18	ENGERIX-B (PF)	109	<i>ethosuximide</i>	28
DUAVEE	97	ENGERIX-B PEDIATRIC	109	<i>ethynodiol diac-eth estradiol</i>	78
<i>duloxetine</i>	32	(PF)	109	<i>etodolac</i>	6
DUPIXENT	104	<i>enoxaparin</i>	57	ETOPOPHOS	19
DUREZOL	91	<i>enpresse</i>	77	<i>etoposide</i>	19
<i>dutasteride</i>	96	<i>enskyce</i>	78	EUCRISA	84
econazole	39	<i>entacapone</i>	45	EVENITY	113, 114
EDARBI	64	<i>entecavir</i>	56	EVOTAZ	52
EDARBYCLOR	64	ENTRESTO	64	<i>exemestane</i>	19
EDURANT	51	<i>enulose</i>	93	EXONDYS 51	115
<i>efavirenz</i>	51, 52	EPCLUSA	55	EXTAVIA	73
EGRIFTA	100	EPIDIOLEX	28	<i>ezetimibe</i>	70
ELAPRASE	87	<i>epinastine</i>	89	FABRAZYME	87
ELIGARD	19	<i>epinephrine</i>	68	<i>falmina (28)</i>	78
ELIGARD (3 MONTH)	19	<i>epitol</i>	28	<i>famciclovir</i>	56
ELIGARD (4 MONTH)	19	EPIVIR HBV	52	<i>famotidine</i>	92
ELIGARD (6 MONTH)	19	<i>eplerenone</i>	71	<i>famotidine (pf)</i>	92
<i>elinest</i>	77	<i>epoprostenol (glycine)</i>	124	<i>famotidine (pf)-nacl (iso-os)</i>	92
ELIQUIS	57			FANAPT	47
ELITEK	87			FARYDAK	19

FASENRA	123	<i>fluvoxamine</i>	33	GENOTROPIN
<i>febuxostat</i>	40	<i>fomepizole</i>	115	MINIQUICK
<i>felbamate</i>	28	<i>fondaparinux</i>	57	<i>gentak</i>
FEMRING	98	FORTEO	114	<i>gentamicin</i>
<i>femynor</i>	78	<i>fosamprenavir</i>	52	<i>gentamicin sulfate (ped) (pf)</i>
<i>fenofibrate</i>	70	<i>fosaprepitant</i>	43	<i>gentamicin sulfate (pf)</i>
<i>fenofibrate micronized</i>	70	<i>foscarnet</i>	54	GENVOYA
<i>fenofibrate nanocrystallized</i>	70	<i>fosinopril</i>	65	GEODON
<i>fentanyl</i>	3	<i>fosphenytoin</i>	28	GILENYA
<i>fentanyl citrate</i>	3	FREAMINE HBC 6.9 %	62	GILOTRIF
FERRIPROX	96	FREAMINE III 10 %	62	<i>glatiramer</i>
FETZIMA	32, 33	FULPHILA	58	<i>glatopa</i>
FIASP FLEXTOUCH U-100		<i>fulvestrant</i>	19	GLEOSTINE
INSULIN	36	<i>furosemide</i>	69	<i>glimepiride</i>
FIASP U-100 INSULIN	36	FUZEON	52	<i>glipizide</i>
<i>finasteride</i>	96	<i>fyavolv</i>	98	<i>glipizide-metformin</i>
FIRVANQ	11	FYCOMPA	29	GLUCAGEN HYPOKIT
FLEBOGAMMA DIF	104	<i> gabapentin</i>	29	<i>glyburide</i>
<i>flecainide</i>	65	GALAFOLD	87	<i>glyburide micronized</i>
FLOVENT DISKUS	120	<i> galantamine</i>	31	<i>glyburide-metformin</i>
FLOVENT HFA	120	GAMASTAN	104	<i>glycopyrrolate</i>
<i>flouxuridine</i>	19	GAMMAGARD LIQUID	104	<i>glydo</i>
<i>fluconazole</i>	39	GAMMAGARD S-D (IGA <		GLYXAMBI
<i>fluconazole in nacl (iso-osm)</i>	39	1 MCG/ML)	104	GOCOVRI
<i>flucytosine</i>	39	GAMMAPLEX	104	<i>granisetron (pf)</i>
<i>fludrocortisone</i>	99	GAMMAPLEX (WITH		<i>granisetron hcl</i>
<i>flumazenil</i>	73	SORBITOL)	104	GRANIX
<i>flunisolide</i>	91	<i> ganciclovir sodium</i>	56	<i>griseofulvin microsize</i>
<i>fluocinolone</i>	84, 85	GARDASIL 9 (PF)	109	<i>guanfacine</i>
<i>fluocinonide</i>	85	GATTEX 30-VIAL	93	<i>guanidine</i>
<i>fluocinonide-e</i>	85	GAUZE PAD	86	HAEGARDA
<i>fluorometholone</i>	91	<i> gavilyte-c</i>	95	<i>hailey</i>
<i>fluorouracil</i>	19, 83	<i> gavilyte-g</i>	95	<i>hailey 24 fe</i>
<i>fluoxetine</i>	33	<i> gavilyte-n</i>	95	<i>halobetasol propionate</i>
<i>fluphenazine decanoate</i>	47	GAZYVA	19	<i>haloperidol</i>
<i>fluphenazine hcl</i>	47, 48	<i> gemfibrozil</i>	70	<i>haloperidol decanoate</i>
<i>flurbiprofen</i>	6	<i> generlac</i>	93	<i>haloperidol lactate</i>
<i>flurbiprofen sodium</i>	91	<i> gengraf</i>	104	HARVONI
<i>flutamide</i>	19	GENOTROPIN	100	HAVRIX (PF)
<i>fluticasone propionate</i>	85, 91			<i>heather</i>

heparin (porcine)	57	HYPERRAB (PF).....	105	INSULIN SYRINGE-
heparin, porcine (pf)	57	HYPERRAB S/D (PF).....	105	NEEDLE U-100.....
HEPATAMINE 8%.....	62	HYQVIA	106	INTELENCE
HERCEPTIN.....	20	<i>ibandronate</i>	114	INTRALIPID
HERCEPTIN HYLECTA....	20	IBRANCE.....	20	INTRON A
HETLIOZ.....	124	<i>ibu</i>	6	<i>introvale</i>
HIBERIX (PF).....	110	<i>ibuprofen</i>	6	INVEGA SUSTENNA
HUMATROPE.....	100	<i>icatibant</i>	68	INVEGA TRINZA
HUMIRA.....	105	ICLUSIG.....	20	INVELTYS
HUMIRA PEDIATRIC		IDHIFA.....	20	INVIRASE
CROHNS START.....	105	<i>ifosfamide</i>	20	INVOKAMET
HUMIRA PEN.....	105	<i>ifosfamide-mesna</i>	20	INVOKAMET XR
HUMIRA PEN CROHNS-		ILARIS (PF).....	106	INVOKANA
UC-HS START.....	105	ILEVRO.....	91	IONOSOL-B IN D5W
HUMIRA PEN PSOR-		ILUMYA.....	106	IONOSOL-MB IN D5W
UVEITS-ADOL HS.....	105	<i>imatinib</i>	20	IPOP
HUMIRA(CF).....	105	IMBRUVICA.....	20	<i>ipratropium bromide</i>
HUMIRA(CF) PEDI		IMFINZI.....	20	irbesartan
CROHNS STARTER.....	105	<i>imipenem-cilastatin</i>	13	irbesartan-hydrochlorothiazide
HUMIRA(CF) PEN.....	105	<i>imipramine hcl</i>	33	IRESSA
HUMIRA(CF) PEN		<i>imiquimod</i>	83	ISENTRESS
CROHNS-UC-HS.....	105	IMLYGIC	20	ISENTRESS HD
HUMIRA(CF) PEN PSOR-		IMO GAM RABIES-HT (PF)		<i>isibloom</i>
UV-ADOL HS.....	105	106	ISOLYTE-P IN 5 %
HUMULIN R U-500		IMO VAX RABIES		DEXTROSE
(CONC) INSULIN.....	36	VACCINE (PF).....	110	ISOLYTE-S
HUMULIN R U-500		IMPAVIDO	44	<i>isoniazid</i>
(CONC) KWIKPEN.....	36	INBRIJA	45, 46	<i>isosorbide dinitrate</i>
<i>hydralazine</i>	68	<i>incassia</i>	78	<i>isosorbide mononitrate</i>
<i>hydrochlorothiazide</i>	69	INCRELEX	100	<i>itraconazole</i>
<i>hydrocodone-acetaminophen</i> ..	3, 4	INCRUSE ELLIPTA	121	<i>ivermectin</i>
<i>hydrocodone-ibuprofen</i>	4	<i>indapamide</i>	69	IXEMPRA
<i>hydrocortisone</i>	85, 99, 112	<i>indomethacin</i>	6	IXIARO (PF)
<i>hydromorphone</i>	4	INFANRIX (DTAP) (PF)....	110	JADENU
<i>hydromorphone (pf)</i>	4	INFLECTRA.....	106	JADENU SPRINKLE
<i>hydroxychloroquine</i>	44	INGREZZA	73	JAKAFI
<i>hydroxyprogesterone caproate</i>	102	INGREZZA INITIATION		<i>jantoven</i>
<i>hydroxyurea</i>	20	PACK	73	JANUMET
<i>hydroxyzine hcl</i>	40	INLYTA	20, 21	JANUMET XR
<i>hydroxyzine pamoate</i>	115	INREBIC.....	21	JANUVIA

JARDIANCE	35	<i>klor-con sprinkle</i>	118	<i>levobunolol</i>	117
<i>jasmiel (28)</i>	78	KORLYM	35	<i>levocarnitine</i>	116
<i>jencycla</i>	78	KRINTAFEL	44	<i>levocarnitine (with sugar)</i>	116
JENTADUETO	35	KRYSTEXXA	87	<i>levocetirizine</i>	40
JENTADUETO XR	35	<i>kurvelo (28)</i>	78	<i>levofloxacin</i>	15, 89
<i>jinteli</i>	98	KUVAN	87	<i>levofloxacin in d5w</i>	15
<i>jolivette</i>	78	KYPROLIS	21	LEVOLEUCOVORIN	
<i>juleber</i>	78	<i>l norgestle.estradiol-e.estrad</i>	78, 79	CALCIUM	116
JULUCA	52	<i>labetalol</i>	66	<i>levoleucovorin calcium</i>	116
<i>junel 1.5/30 (21)</i>	78	LACTATED RINGERS	113	<i>levonest (28)</i>	79
<i>junel 1/20 (21)</i>	78	<i>lactulose</i>	93	<i>levonorgestrel-ethinyl estrad</i>	79
<i>junel fe 1.5/30 (28)</i>	78	<i>lamivudine</i>	52	<i>levonorg-eth estrad triphasic</i>	79
<i>junel fe 1/20 (28)</i>	78	<i>lamivudine-zidovudine</i>	52	<i>levora-28</i>	79
<i>junel fe 24</i>	78	<i>lamotrigine</i>	29	<i>levothyroxine</i>	103
JUXTAPIID	70	<i>lansoprazole</i>	92	LEXIVA	52
JYNARQUE	69	LANTUS SOLOSTAR U-100		LIALDA	113
KABIVEN	63	INSULIN	36	LIBTAYO	22
KALETRA	52	LANTUS U-100 INSULIN	36	<i>lidocaine</i>	7
<i>kalliga</i>	78	<i>larin 1.5/30 (21)</i>	79	<i>lidocaine (pf)</i>	7, 65
KALYDECO	123	<i>larin 1/20 (21)</i>	79	<i>lidocaine hcl</i>	7
KANJINTI	21	<i>larin 24 fe</i>	79	<i>lidocaine viscous</i>	7
KANUMA	87	<i>larin fe 1.5/30 (28)</i>	79	<i>lidocaine-prilocaine</i>	7
<i>kariva (28)</i>	78	<i>larin fe 1/20 (28)</i>	79	<i>lillow (28)</i>	79
KEDRAB (PF)	106	<i>larissia</i>	79	<i>linezolid</i>	11
<i>kelnor 1/35 (28)</i>	78	<i>latanoprost</i>	117	<i>linezolid in dextrose 5%</i>	11
<i>kelnor 1-50</i>	78	LATUDA	49	<i>linezolid-0.9% sodium chloride</i>	11
<i>ketoconazole</i>	39	LAZANDA	4	LINZESS	93
<i>ketorolac</i>	6, 91	<i>ledipasvir-sofosbuvir</i>	55	<i>liothyronine</i>	103
KEVEYIS	115	<i>leena 28</i>	79	<i>lisinopril</i>	65
KEVZARA	106	<i>leflunomide</i>	106	<i>lisinopril-hydrochlorothiazide</i>	65
KEYTRUDA	21	LEMTRADA	74	<i>lithium carbonate</i>	74
KINERET	106	LENVIMA	21	<i>lithium citrate</i>	74
KINRIX (PF)	110	<i>lessina</i>	79	LIVALO	70
<i>kionex (with sorbitol)</i>	93	<i>letrozole</i>	21	LOKELMA	93
KISQALI	21	<i>leucovorin calcium</i>	115, 116	LONHALA MAGNAIR	
KISQALI FEMARA CO-		LEUKERAN	21	REFILL	121
PACK	21	LEUKINE	58	LONHALA MAGNAIR	
<i>klor-con m10</i>	118	<i>leuprolide</i>	22	STARTER	121
<i>klor-con m15</i>	118	<i>levetiracetam</i>	29	LONSURF	22
<i>klor-con m20</i>	118			<i>loperamide</i>	94

<i>lopinavir-ritonavir</i>	52	MAVENCLAD (10 TABLET PACK).....	74	<i>methimazole</i>	103
<i>lorazepam</i>	9, 10	MAVENCLAD (4 TABLET PACK).....	74	<i>methocarbamol</i>	124
LORBRENA	22	MAVENCLAD (5 TABLET PACK).....	74	<i>methotrexate sodium</i>	23
<i>loracet (hydrocodone)</i>	4	MAVENCLAD (6 TABLET PACK).....	74	<i>methotrexate sodium (pf)</i> ..	22, 23
<i>loracet hd</i>	4	MAVENCLAD (7 TABLET PACK).....	74	<i>methoxsalen</i>	83
<i>loracet plus</i>	4	MAVENCLAD (8 TABLET PACK).....	74	<i>methscopolamine</i>	94
<i>loryna (28)</i>	79	MAVENCLAD (9 TABLET PACK).....	74	<i>methyclothiazide</i>	70
<i>losartan</i>	64	MAVYRET.....	55	<i>methylphenidate hcl</i>	74, 75
<i>losartan-hydrochlorothiazide</i>	64	MAYZENT.....	74	<i>methylprednisolone</i>	99
LOTEMAX	91	<i>meclizine</i>	43	<i>methylprednisolone acetate</i>	99
LOTEMAX SM	91	<i>medroxyprogesterone</i>	102	<i>methylprednisolone sodium succ</i>	99
<i>lovastatin</i>	70	<i>mefenamic acid</i>	6	<i>metipranolol</i>	117
<i>low-ogestrel (28)</i>	79	<i>mefloquine</i>	44	<i>metoclopramide hcl</i>	94
<i>loxapine succinate</i>	49	<i>megestrol</i>	22, 102	<i>metoprolol succinate</i>	66
<i>lo-zumandimine (28)</i>	79	MEKINIST	22	<i>metoprolol ta-hydrochlorothiaz</i>	66
LUCEMYRA	8	MEKTOVI	22	<i>metoprolol tartrate</i>	66
LUMIGAN	117	<i>meloxicam</i>	6, 7	<i>metronidazole</i>	11, 40, 83
LUMOXITI	22	<i>memantine</i>	31	<i>metronidazole in nacl (iso-os)</i> ..	11
LUPRON DEPOT	22, 100	MENACTRA (PF)	110	<i>mexiletine</i>	65
LUPRON DEPOT (3 MONTH)	22, 100	MENVEO A-C-Y-W-135-DIP (PF)	110	MIACALCIN	114
LUPRON DEPOT (4 MONTH)	22	MEPSEVII	87	<i>miconazole-3</i>	39
LUPRON DEPOT (6 MONTH)	22	<i>mercaptopurine</i>	22	<i>microgestin fe 1/20 (28)</i>	79
LUPRON DEPOT-PED	100	<i>meropenem</i>	13	<i>midodrine</i>	63
LUPRON DEPOT-PED (3 MONTH)	100	<i>mesalamine</i>	113	<i> miglustat</i>	87
<i>lутера (28)</i>	79	<i>mesna</i>	116	<i> mili</i>	80
LYNPARZA	22	MESNEX	116	<i> mimvey</i>	98
LYSODREN	22	MESTINON	116	<i> mimvey lo</i>	98
<i>lyza</i>	79	<i>metaproterenol</i>	121	<i> minitran</i>	72
<i>magnesium sulfate</i>	118	<i>metformin</i>	35	<i> minocycline</i>	16
<i>magnesium sulfate in d5w</i>	118	<i>methadone</i>	4	<i> minoxidil</i>	72
<i>magnesium sulfate in water</i>	118	<i>methadose</i>	4	<i> mirtazapine</i>	33
<i>malathion</i>	86	<i>methenamine hippurate</i> ..	11	<i> misoprostol</i>	92
<i>maprotiline</i>	33			MITIGARE	40
<i>marlissa (28)</i>	79			<i> mitoxantrone</i>	23
MARPLAN	33			M-M-R II (PF)	110
MATULANE	22			<i> molindone</i>	49

<i>mononessa</i> (28)	80	<i>neo-polycin</i>	90	NORMOSOL-R PH 7.4.....	118
<i>montelukast</i>	121	<i>neo-polycin hc</i>	90	NORTHERA.....	63
<i>morpheine</i>	4, 5	NEPHRAMINE 5.4 %.....	63	<i>nortrel 0.5/35</i> (28).....	80
MORPHINE.....	5	NERLYNX.....	23	<i>nortrel 1/35</i> (21).....	80
<i>morpheine concentrate</i>	4	NEULASTA.....	58	<i>nortrel 1/35</i> (28).....	80
MOVANTIK.....	94	NEUPOGEN.....	58	<i>nortrel 7/7/7</i> (28).....	80
MOXEZA.....	89	NEUPRO.....	46	<i>nortriptyline</i>	33
<i>moxifloxacin</i>	15, 89	<i>nevirapine</i>	52, 53	NORVIR.....	53
MOZOBIL.....	58	NEXAVAR.....	23	NOVOLIN 70/30 U-100	
MULPLETA.....	58	<i>niacin</i>	70, 71	INSULIN.....	36
MULTAQ.....	65	<i>niacor</i>	71	NOVOLIN 70-30 FLEXPEN	
<i>mupirocin</i>	83	<i>nicardipine</i>	69	U-100.....	36
<i>mycophenolate mofetil</i>	106	NICOTROL.....	8	NOVOLIN N NPH U-100	
<i>mycophenolate mofetil hcl</i>	106	<i>nifedipine</i>	69	INSULIN.....	37
MYLOTARG.....	23	<i>nikki</i> (28).....	80	NOVOLIN R REGULAR U-	
MYRBETRIQ.....	95	<i>nilutamide</i>	23	100 INSULN.....	37
<i>myzilra</i>	80	NINLARO.....	23	NOVOLOG FLEXPEN U-	
<i>nabumetone</i>	7	<i>nitrofurantoin macrocrystal</i>	11	100 INSULIN.....	37
<i>nafcillin</i>	14	<i>nitrofurantoin monohyd/m-</i> <i>cryst</i>	11	NOVOLOG MIX 70-30 FLEXPEN U-100.....	37
<i>nafcillin in dextrose iso-osm</i>	14	<i>nitroglycerin</i>	72	NOVOLOG MIX 70-30 FLEXPEN U-100.....	37
NAGLAZYME.....	87	NITYR.....	87	NOVOLOG PENFILL U-100	
<i>naloxone</i>	8	NIVESTYM.....	58, 59	INSULIN.....	37
<i>naltrexone</i>	8	<i>nizatidine</i>	92	NOVOLOG U-100 INSULIN	
NAMZARIC.....	31	NOCDURNA (MEN).....	100	ASPART.....	37
<i>naproxen</i>	7	NOCDURNA (WOMEN)....	101	NOXAFIL.....	39
NARCAN.....	8	<i>nora-be</i>	80	NUBEQA.....	23
NATACYN.....	89	NORDITROPIN FLEXPRO		NUCALA.....	123
NATPARA.....	114	101	NUCYNTA.....	5
NEBUPENT.....	44	<i>norethindrone (contraceptive)</i> ..	80	NUCYNTA ER.....	5
<i>necon 0.5/35</i> (28)	80	<i>norethindrone acetate</i>	103	NUEDEXTA.....	75
<i>nefazodone</i>	33	<i>norethindrone ac-eth estradiol</i>		NULOJIX.....	106
<i>neomycin</i>	10	80, 98	NUPLAZID.....	49
<i>neomycin-bacitracin-poly-hc</i>	90	<i>norethindrone-e.estradiol-iron</i> ..	80	NUTRILIPID.....	63
<i>neomycin-bacitracin-polymyxin</i> 90		<i>norgestimate-ethinyl estradiol</i> ..	80	NUTROPIN AQ NUSPIN...101	
<i>neomycin-polymyxin b gu</i>	83	<i>norlyda</i>	80	<i>nyamyc</i>	39
<i>neomycin-polymyxin b-</i> <i>dexameth</i>	90	<i>norlyroc</i>	80	<i>nystatin</i>	39
<i>neomycin-polymyxin-</i> <i>gramicidin</i>	90	NORMOSOL-M IN 5 %		<i>nystop</i>	39
<i>neomycin-polymyxin-hc</i>	90	DEXTROSE.....	118	OCALIVA.....	94
		NORMOSOL-R	118		

OCREVUS	75	<i>oxybutynin chloride</i>	95, 96	PERSERIS	49
OCTAGAM	106	<i>oxycodone</i>	5	<i>pfizerpen-g</i>	14
<i>octreotide acetate</i>	101	<i>oxycodone-acetaminophen</i>	5	<i>phenadoz</i>	43
ODEFSEY	53	<i>oxycodone-aspirin</i>	5	<i>phenelzine</i>	33
ODOMZO	23	OZEMPIC	35	<i>phenobarbital</i>	29
OFEV	123	<i>pacerone</i>	65	<i>phenylephrine hcl</i>	64, 89
<i>ofloxacin</i>	90	<i>paliperidone</i>	49	<i>phenytoin</i>	29
<i>ogestrel (28)</i>	80	PALYNZIQ	88	<i>phenytoin sodium</i>	30
<i>olanzapine</i>	49	PANRETIN	83	<i>phenytoin sodium extended</i>	30
<i>olmesartan</i>	64	<i>pantoprazole</i>	92, 93	<i>philith</i>	80
<i>olmesartan-hydrochlorothiazide</i>	64	<i>paricalcitol</i>	114	PHOSLYRA	95
<i>olopatadine</i>	89	PARICALCITOL	114	PICATO	83
OLUMIANT	106	<i>paroex oral rinse</i>	82	PIFELTRO	53
<i>omega-3 acid ethyl esters</i>	71	<i>paromomycin</i>	44	<i>pilocarpine hcl</i>	82, 117
omeprazole	92	<i>paroxetine hcl</i>	33	<i>pimecrolimus</i>	85
<i>omeprazole-sodium bicarbonate</i>	92	PASER	42	<i>pimozide</i>	49
OMNITROPE	101	PAXIL	33	<i>pimtrea (28)</i>	80
ONCASPAR	23	PEDIARIX (PF)	110	<i>pioglitazone</i>	35
<i>ondansetron</i>	43	PEDVAX HIB (PF)	111	<i>piperacillin-tazobactam</i>	14
<i>ondansetron hcl</i>	43	<i>peg 3350-electrolytes</i>	95	PIQRAY	23
<i>ondansetron hcl (pf)</i>	43	PEGANONE	29	<i>pirmella</i>	80
ONIVYDE	23	PEGASYS	56	PLASMA-LYTE 148	118
OPDIVO	23	PEGASYS PROCLICK	56	PLASMA-LYTE A	118
OPSUMIT	125	PEGINTRON	56	PLEGRIDY	75
<i>oralone</i>	82	PEN NEEDLE, DIABETIC	86	<i>podofilox</i>	83
ORENCIA	107	<i>penicillamine</i>	96	POLIVY	23
ORENCIA (WITH MALTOSA)	107	<i>penicillin g potassium</i>	14	<i>polycin</i>	90
ORENCIA CLICKJECT	107	<i>penicillin g procaine</i>	14	<i>polymyxin b sulfate</i>	11
ORENITRAM	125	<i>penicillin v potassium</i>	14	<i>polymyxin b sulf-trimethoprim</i>	90
ORFADIN	87, 88	PENNSAID	7	POMALYST	23
ORILISSA	101	PENTACEL (PF)	111	<i>portia 28</i>	81
ORKAMBI	123	PENTAM	44	PORTRAZZA	23
<i>orsythia</i>	80	<i>pentamidine</i>	45	<i>posaconazole</i>	39
<i>oseltamivir</i>	54	<i>pentoxifylline</i>	60	<i>potassium chloride</i>	119
OSMOLEX ER	46	PERIKABIVEN	63	<i>potassium chloride-0.45 % nacl</i>	119
OTEZLA	107	<i>perindopril erbumine</i>	65	<i>potassium citrate</i>	119
OTEZLA STARTER	107	<i>periogard</i>	82	PRADAXA	57
<i>oxcarbazepine</i>	29	<i>permethrin</i>	86	PRALUENT PEN	71
OXTELLAR XR	29	<i>perphenazine</i>	49	<i>pramipexole</i>	46
		<i>perphenazine-amitriptyline</i>	33		

<i>prasugrel</i>	60	PROGRAF	107	RECTIV	116
<i>pravastatin</i>	71	PROLASTIN-C	123	RELENZA DISKHALER	55
<i>prazosin</i>	64	PROLENSA	92	RELISTOR	94
<i>prednicarbate</i>	85	PROLEUKIN	24	REMICADE	107
<i>prednisolone</i>	99	PROLIA	114	RENFLEXIS	107
<i>prednisolone acetate</i>	92	PROMACTA	59	<i>repaglinide</i>	35
<i>prednisolone sodium phosphate</i>		<i>promethazine</i>	40, 43, 44	REPATHA PUSHTRONEX	71
	92, 99	<i>promethegan</i>	44	REPATHA SURECLICK	71
<i>prednisone</i>	99	<i>propafenone</i>	65	REPATHA SYRINGE	71
<i>pregabalin</i>	30	<i>proparacaine</i>	89	SCRIPTOR	53
PREMARIN	98	<i>propranolol</i>	66, 67	RESTASIS	92
PREMPHASE	98	<i>propranolol-hydrochlorothiazid</i>	67	RETACRIT	59
PREMPRO	98	<i>propylthiouracil</i>	103	RETROVIR	53
<i>prenatal plus (calcium carb)</i>	125	PROQUAD (PF)	111	REVCovi	88
<i>prenatal vitamin plus low iron</i>	125	PROSOL 20 %	63	REVIMID	24
<i>prevalite</i>	71	<i>protamine</i>	59	<i>revonto</i>	124
<i>previfem</i>	81	<i>protriptyline</i>	33	REXULTI	50
PREVYMIS	55	PULMOZYME	88	REYATAZ	53
PREZCOBIX	53	PURIXAN	24	RHOPRESSA	117
PREZISTA	53	<i>pyrazinamide</i>	42	<i>ribasphere</i>	56
PRIFTIN	42	<i>pyridostigmine bromide</i>	116	<i>ribavirin</i>	56
PRIMAQUINE	45	QUADRACEL (PF)	111	RIDAURA	107
<i>primidone</i>	30	<i>quetiapine</i>	50	<i>rifabutin</i>	42
PRIVIGEN	107	<i>quinapril</i>	65	<i>rifampin</i>	42
PROAIR RESPICLICK	122	<i>quinidine sulfate</i>	65	<i>riluzole</i>	75
<i>probencid</i>	40	RABAVERT (PF)	111	<i>rimantadine</i>	55
<i>probencid-colchicine</i>	40	RADICAVA	75	RINVOQ ER	107
<i>procainamide</i>	65	<i>raloxifene</i>	98	RISPERDAL CONSTA	50
PROCALAMINE 3%	63	<i>ramipril</i>	65	<i>risperidone</i>	50
<i>prochlorperazine</i>	43	<i>ranitidine hcl</i>	93	<i>ritonavir</i>	53
<i>prochlorperazine edisylate</i>	43	<i>ranolazine</i>	68	RITUXAN	24
<i>prochlorperazine maleate</i>	43	<i>rasagiline</i>	46	RITUXAN HYCELA	24
PROCRT	59	RASUVO (PF)	107	<i>rivastigmine</i>	31
<i>procto-med hc</i>	85	RAVICTI	94	<i>rivastigmine tartrate</i>	31
<i>proctosol hc</i>	85	RAYALDEE	114	<i>rizatriptan</i>	41
<i>protozozone-hc</i>	85	REBIF (WITH ALBUMIN)	75	ROCKLATAN	117
PROCYSB	96	REBIF REBIDOSE	75	<i>ropinirole</i>	46
<i>progesterone</i>	103	REBIF TITRATION PACK	75	<i>rosadan</i>	84
<i>progesterone micronized</i>	103	<i>reclipsen (28)</i>	81	<i>rosuvastatin</i>	71
PROGLYCEM	116	RECOMBIVAX HB (PF)	111	ROTARIX	111

ROTATEQ VACCINE	111	sodium chloride 0.9 %	119	sumatriptan	41
RUBRACA	24	sodium phenylbutyrate	94	sumatriptan succinate	41, 42
RYDAPT	24	sodium polystyrene sulfonate	94	SUPPRELIN LA	102
SABRIL	30	sofosbuvir-velpatasvir	55	SUPREP BOWEL PREP KIT	95
SAIZEN	101	SOLIQUA 100/33	37	SUTENT	24
SAIZEN SAIZENPREP	101	SOLTAMOX	24	syeda	81
SANDOSTATIN LAR		SOLU-CORTEF (PF)	99	SYLATRON	56
DEPOT	101	SOMATULINE DEPOT	102	SYLVANT	24
SANTYL	83	SOMAVERT	102	SYMBICORT	120
SAPHRIS	50	sorine	67	SYMDEKO	123
SAVELLA	75	sotalol	67	SYMFPI	54
scopolamine base	44	sotalol af	67	SYMFPI LO	53
selegiline hcl	46	SOVALDI	55	SYMJEPI	68
selenium sulfide	84	SPIRIVA RESPIMAT	122	SYMLINPEN 120	35
SELZENTRY	53	spironolactone	70	SYMLINPEN 60	35
SEREVENT DISKUS	122	SPRAVATO	33	SYMPAZAN	30
SEROSTIM	102	sprintec (28)	81	SYMTUZA	54
sertraline	33	SPRITAM	30	SYNAGIS	55
setlakin	81	SPRYCEL	24	SYNAREL	102
sevelamer carbonate	95	sps (with sorbitol)	94	SYNERCID	11
sevelamer hcl	95	sronyx	81	SYNJARDY	36
sharobel	81	ssd	84	SYNJARDY XR	36
SHINGRIX (PF)	111	stavudine	53	SYNRIBO	24
SIGNIFOR	102	STELARA	108	TABLOID	24
SIKLOS	59	STIVARGA	24	tacrolimus	85, 108
sildenafil (antihypertensive)	125	STRENSIQ	88	tadalafil (antihypertensive)	125
SILENOR	124	streptomycin	10	TAFINLAR	24
SILIQ	107	STRIBILD	53	TAGRISSO	24
silver sulfadiazine	84	STRIVERDI RESPIMAT	122	TAKHZYRO	116
SIMBRINZA	117	SUBLOCADE	8	TALTZ AUTOINJECTOR	108
simliya (28)	81	subvenite	30	TALTZ SYRINGE	108
simpesse	81	sucralfate	93	TALZENNA	24
SIMPONI	107, 108	sulfacetamide sodium	90	tamoxifen	25
SIMPONI ARIA	107	sulfacetamide sodium (acne)	84	tamsulosin	96
simvastatin	71	sulfacetamide-prednisolone	90	TARGETIN	25
sirolimus	108	sulfadiazine	15	tarina 24 fe	81
SIRTURO	42	sulfamethoxazole-trimethoprim	15	tarina fe 1/20 (28)	81
SKYRIZI	108	sulfasalazine	113	TASIGNA	25
smoflipid	63	sulfatrim	15	TAVALISSE	59
sodium chloride	113	sulindac	7	tazarotene	86

TAZORAC	86	tobramycin	91	tretinoïn	86
<i>taztia xt</i>	67	<i>tobramycin in 0.225 % nacl</i>	10	<i>tretinoïn (chemotherapy)</i>	25
TDVAX	111	<i>tobramycin sulfate</i>	10	<i>tri-femynor</i>	81
TECENTRIQ	25	<i>tobramycin with nebulizer</i>	10	<i>triamcinolone acetonide</i>	82, 85, 99
TECFIDERA	75, 76	<i>tobramycin-dexamethasone</i>	91	<i>triamterene-hydrochlorothiazid</i>	70
TECHNIVIE	55	TOLAK	83	<i>trientine</i>	97
TEFLARO	12	<i>tolazamide</i>	38	<i>tri-estarrylla</i>	81
TEKTURNA HCT	71	<i>tolterodine</i>	96	<i>trifluoperazine</i>	50
<i>telmisartan</i>	64	<i>topiramate</i>	30	<i>trifluridine</i>	91
<i>temazepam</i>	10	<i>toposar</i>	25	<i>trihexyphenidyl</i>	46
TEMODAR	25	<i>toremifene</i>	25	<i>tri-legest fe</i>	81
TENIVAC (PF)	111	<i>torsemide</i>	70	<i>tri-linyah</i>	81
<i>tenofovir disoproxil fumarate</i>	54	TOTECT	116	<i>tri-lo-estarrylla</i>	81
<i>terazosin</i>	96	TOUJEON MAX U-300		<i>tri-lo-marzia</i>	81
<i>terbinafine hcl</i>	40	SOLOSTAR	37	<i>tri-lo-mili</i>	81
<i>terbutaline</i>	122	TOUJEON SOLOSTAR U-300		<i>tri-lo-sprintec</i>	81
<i>terconazole</i>	41	INSULIN	37	<i>trilyte with flavor packets</i>	95
<i>testosterone</i>	97	TOVIAZ	96	<i>trimethoprim</i>	11
<i>testosterone cypionate</i>	97	TRACLEER	125	<i>tri-mili</i>	81
<i>testosterone enanthate</i>	97	TRADJENTA	36	<i>trimipramine</i>	34
TETANUS,DIPHTHERIA		<i>tramadol</i>	5	TRINTELLIX	34
TOX PED(PF)	111	<i>tramadol-acetaminophen</i>	5	<i>tri-previfem (28)</i>	81
<i>tetrabenazine</i>	76	<i>trandolapril</i>	65	TRIPTODUR	102
<i>tetracycline</i>	16	<i>tranexamic acid</i>	59	<i>tri-sprintec (28)</i>	81
THALOMID	116	TRANSDERM-SCOP	44	TRIUMEQ	54
<i>theophylline</i>	122	<i>tranylcypromine</i>	33	<i>trivora (28)</i>	82
THIOLA	96	TRAVASOL 10 %	63	<i>tri-vylibra</i>	82
THIOLA EC	96	TRAVATAN Z	117	<i>tri-vylibra lo</i>	82
<i>thioridazine</i>	50	<i>trazodone</i>	33, 34	TROGARZO	54
<i>thiotepa</i>	25	TREANDA	25	TROPHAMINE 10 %	63
<i>thiothixene</i>	50	TRECATOR	42	TROPHAMINE 6%	63
<i>tiagabine</i>	30	TRELEGY ELLIPTA	122	TRULICITY	36
TIBSOVO	25	TRELSTAR	25	TRUMENBA	112
TICE BCG	108	TREMFYA	108	TRUVADA	54
<i>tigecycline</i>	16	<i>treprostinil sodium</i>	125	TUDORZA PRESSAIR	122
<i>tilia fe</i>	81	TRESIBA FLEXTOUCH U-		<i>tulana</i>	82
<i>timolol maleate</i>	67, 117	100	37	TURALIO	25
TIVICAY	54	TRESIBA FLEXTOUCH U-		TWINRIX (PF)	112
<i>tizanidine</i>	124	200	37	TYBOST	116
TOBI PODHALER	10	TRESIBA U-100 INSULIN	37	TYKERB	25

TYMLOS	114	VIEKIRA PAK	55	XOLAIR	123
TYPHIM VI	112	vienna	82	XOSPATA	26
TYSABRI	108	vigabatrin	30, 31	XPOVIO	26
TYVASO	125	vigadrone	31	XTAMPZA ER	6
UCERIS	113	VIIBRYD	34	XTANDI	26
UDENYCA	59	VIMIZIM	88	xulane	82
UNITUXIN	25	VIMPAT	31	XULTOPHY 100/3.6	38
UPTRAVI	125	vinorelbine	26	XURIDEN	116
<i>ursodiol</i>	94	viorele (28)	82	XYOSTED	97
<i>valacyclovir</i>	56	VIRACEPT	54	XYREM	124
VALCHLOR	83	VIREAD	54	YERVOY	27
<i>valganciclovir</i>	57	VISTOGARD	116	YF-VAX (PF)	112
<i>valproate sodium</i>	30	VITRAKVI	26	YONDELIS	27
<i>valproic acid</i>	30	VIZIMPRO	26	YONSA	27
<i>valproic acid (as sodium salt)</i>	30	VOLTAREN	7	zafirlukast	121
<i>valrubicin</i>	25	voriconazole	40	zaleplon	124
<i>valsartan</i>	64	VOSEVI	55	zarah	82
<i>valsartan-hydrochlorothiazide</i>	64	VOTRIENT	26	ZARXIO	59
<i>vancomycin</i>	11	VPRIV	88	ZEJULA	27
VAQTA (PF)	112	VRAYLAR	50	ZELBORA F	27
VARIVAX (PF)	112	<i>vyfemla</i> (28)	82	zenatane	83
VASCEPA	71	<i>vylibra</i>	82	zenchent (28)	82
VELCADE	25	VYNDAMAX	68	ZENPEP	88
<i>velivet triphasic regimen</i> (28)	82	VYNDAQEL	68	ZEPATIER	55
VELPHORO	95	VYXEOS	26	zidovudine	54
VELTASSA	94	warfarin	57	ziprasidone hcl	50
VEMLIDY	54	water for irrigation, sterile	113	ZIRGAN	91
VENCLEXTA	25, 26	WELCHOL	71	ZOLADEX	27
VENCLEXTA STARTING PACK	26	<i>wera</i> (28)	82	zoledronic acid	114
<i>venlafaxine</i>	34	XADAGO	46	zoledronic acid-mannitol-water	
<i>verapamil</i>	67, 68	XALKORI	26		114
VERSACLOZ	50	XARELTO	57, 58	ZOLINZA	27
VERZENIO	26	XATMEP	26	zolpidem	124
V-GO 40	86	XELJANZ	108	ZOMACTON	102
VIBERZI	94	XELJANZ XR	108	zonisamide	31
VICTOZA	36	XERMELO	95	ZORBTIVE	102
VIDEX 2 GRAM		XHANCE	92	ZORTRESS	108
PEDIATRIC	54	XIFAXAN	11	ZOSTAVAX (PF)	112
VIDEX EC	54	XiIDRA	92	zovia 1/35e (28)	82
		XOFLUZA	55	ZTLIDO	7

ZUBSOLV.....	8, 9
ZULRESSO	34
<i>zumandimine (28)</i>	82
ZYDELIG	27
ZYKADIA	27
ZYLET.....	91
ZYPREXA RELPREVV..	50, 51
ZYTIGA.....	27

Discrimination is Against the Law

Stanford Health Care Advantage (HMO) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Stanford Health Care Advantage does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Stanford Health Care Advantage:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Member Care Services.

If you believe that Stanford Health Care Advantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Member Care Services
P.O. Box 2336, Dublin, CA 94568-9802
1- 855-996-8422 (TTY:711)
Advantage@stanfordhealthcare.org

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Care Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

English: ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711).

Spanish: ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711).

Chinese: 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)

Vietnamese: CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-996-8422 (TTY: 711).

Tagalog: PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-996-8422 (TTY: 711).

Korean: 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-996-8422 (TTY: 711) 번으로 전화해 주십시오.

Armenian: ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Զանգահարեք 1-855-996-8422 (TTY (հեռատիպ)՝ 711):

Persian: گریزب افلوسی گنگو مکانی مفسی زبانی بصورت ریگ انبرایش مهر ام میبلش دبیا (TTY: 711) تماشگی دید.

Russian: ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-996-8422 (телефайп: 711).

Japanese: 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-996-8422 (TTY:711)まで、お電話にてご連絡ください。

Arabic:

ملحوظة: إذا كنت تتحدث الإنجليزية، فسوف يتم تقديم خدمات الترجمة المجانية. يرجى الاتصال بالرقم 855-996-8422 (اللائن: 711).

Punjabi: ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-855-996-8422 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

Mon-Khmer, Cambodian: ប្រយ័ត្តុ៖ ពីសិនជាមួកកិច្ចយោ តាសាដំឡើ, សភាជំនួយខ្មែរតាសា ដោយមិនគិតល្អូណាត គិតមានសំរាប់បំផើត្រូវ។ ចូរ ទូរស័ព្ទ 1-855-996-8422 (TTY: 711)។

Hmong: LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-855-996-8422 (TTY: 711).

Hindi: ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-855-996-8422 (TTY: 711) पर कॉल करें।

Thai: เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-855-996-8422 (TTY: 711).



P.O. Box 2336
Dublin, CA 94568-9802
StanfordHealthCareAdvantage.org

Stanford Health Care Advantage is an HMO with a Medicare Contract. Enrollment in Stanford Health Care Advantage depends on contract renewal.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-855-996-8422 (TTY: 711). ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-996-8422 (TTY: 711). 注意: 如果您使用繁體中文, 您可以免費獲得語言援助服務。請致電 1-855-996-8422 (TTY: 711)。

00020019, 7

This formulary was updated on 01/01/2020. For more recent information or other questions, please contact Stanford Health Care Advantage Member Care Services, at 1-855-996-8422 or, for TTY users, 711, 8 am to 8 pm, seven days a week (except Thanksgiving and Christmas) from October 1 through March 31 and Monday through Friday (except holidays) from April 1 through September 30, or visit StanfordHealthCareAdvantage.org.

H2986_PD20102_C